



Much more than just paint

2025 PRODUCT CATALOGUE

ixell

Your Workshops Premium Partner.

Since 1976, Ixell has embodied color with passion. With decades of experience and a rich history, the brand offers high-quality products supported by on-the-ground teams who understand the needs of bodyshop professionals. Passion, Performance, Proximity — these three values drive Ixell every day as a true specialist in automotive color.

Color is the DNA of our passion. With two paint lines, over 200,000 color formulas integrated into innovative and high-performance color tools, Ixell covers the full spectrum of shades across the automotive market. Present in 14 countries, we are committed every day to developing technical solutions tailored to the specific needs of each customer profile.

2025 marks a strategic turning point for Ixell, as we prepare to celebrate half a century of expertise serving automotive repair professionals. As we approach our 50th anniversary, the brand is reinventing itself and demonstrating renewed energy through a series of bold initiatives. Among this year's key highlights, Ixell now includes the IXTAR range, dedicated to cleaning and maintenance — a natural extension of our offering, designed to meet the growing demand for quality and performance in workshops. On the product innovation side, it's a busy year: New launches in paint, related consumables, and bodywork/welding are enriching the Ixell range. These are accompanied by the new IXELLCOLOR CONNECT PRO tablet and a next-generation spectrophotometer — coming later this year — to deliver even greater precision and speed in color matching operations.

At Ixell, we take pride in our close relationships and daily support. Our technical sales advisors are trained to guide you in every aspect of your business, relying on a constantly updated solutions catalogue. We look forward to continuing to support your needs with the most innovative solutions available. Thank you for placing your trust in Ixell.

The ixell team



Chapter 1
Paint and clearcoat systems

Chapter 2
Surface preparation and primers

Chapter 3
Filler application

Chapter 4
Sealing, soundproofing and bonding

Chapter 5
Sanding and masking

Chapter 6
Panel work and welding

Chapter 7
QuickRepair

Chapter 8
Glazing

Chapter 9
Washing & care products

Chapter 10
Tools and equipment

Chapter 11
Personal protective equipments





IXELL COLOR CONNECT PRO – 77 17 277 544

Ixell Color Connect Pro is a next-generation tablet designed to optimize the work of painters in body shops.

Available since March 2025, this revolutionary tablet — in Orange Valencia color — offers enhanced features, allowing users to gain in efficiency while ensuring top-quality paint results.

PERFORMANCE AND OPTIMAL PRECISION

The ICC Pro is the ideal tool for ensuring perfect color matching. With its modern and intuitive interface, it simplifies the process of creating and applying paint formulas.

INNOVATIVE MULTIMEDIA FEATURES

One of the major upgrades in this new version is the integration of a camera, allowing painters to access video training and marketing content directly on the tablet.

ENHANCED CONNECTIVITY

While Wi-Fi is not mandatory, it is highly recommended to fully leverage the tablet's multimedia features and real-time update capabilities.

KEY SPECIFICATIONS:

- **Processor:** Intel® Core i5 – 11th generation, 4 cores (2.4 GHz – 4.2 GHz, 8 MB cache)
- **Graphics:** Intel® Iris® X® Graphics
- **Operating System:** Windows 11 Professional
- **Display:** 21.5-inch projected capacitive touchscreen
- **Power Supply:** 220 V
- **Integrated Camera, Microphone, and Speaker**

Boost Your Bodyshop's Productivity with Ixell Color Connect Pro! (ICC Pro)



CUTTING-EDGE TECHNICAL PERFORMANCE

Equipped with an **Intel® Core i5** 11th generation processor and a **21.5-inch capacitive touchscreen**, the ICC Pro delivers exceptional performance for fast and smooth operation. Its modern and robust design, built for demanding environments, ensures maximum durability in the workshop.

AN ESSENTIAL TOOL FOR YOUR BODYSHOP

The **Ixell Color Connect Pro** helps boost your team's productivity while ensuring precise paint results. This intelligent weighing terminal is designed for use in bodyshop environments, meeting **ATEX2** standards and offering resistance to shocks and splashes. Take advantage of an advanced color matching solution that will make your workshop more efficient and save you valuable time.

USAGE RECOMMENDATIONS:

- The weighing terminal should be used indoors within a temperature range of **5°C to 40°C**
- It should be installed on a stable surface
- It must be connected to a protected electrical installation

Order today and give your workshop a technological edge for the years to come!





Chapter 1



Paint and clearcoat systems

• Ixell Daisy Wheel	1 - 01
• Ixell paint colour system	1 - 07
• ixelltech base coat colours	1 - 09
• Oxelia base coat colours	1 - 11
• Direct gloss top coats and specific products	1 - 13
• Paint touch-up pens	1 - 15
• Aerosols	1 - 17
• Clearcoats	1 - 20
• Thinners	1 - 22
• Hardeners	1 - 23
• Additives	1 - 24





Ixell Daisy Wheel Automatic paint colour systems

Ixell Daisy Wheel Automatic paint colour systems

Our automated Daisy Wheel system offers simplicity, precision, and productivity.
With the Daisy Wheel and its product range, you can significantly reduce preparation quantities while ensuring perfect colour accuracy. Its weighing system is ten times more precise than manual colour mixing with traditional tools.



INNOVATION AT YOUR SERVICE: THE DAISY WHEEL OPTIMISES YOUR PAINT PREPARATIONS.

DAISYWHEEL by ixell

DAISYWHEEL 3.0

Version 3.0 uses pre-filled bottles.


The ixell range includes the bases, additives, and related consumables needed for a painter's lab. All this comes in a fully automated, self-contained system, available in both ATEX and non-ATEX versions.

The ixell Daisy Wheel 3.0 includes:

- 1 mixing lid
- 1 valve cap
- 1 package of cleaning wipes
- 1 cleaning bottle
- 1 additional table
- 1 ixellMix HS2
- 5 specific base coats
- 39 opaque base coats
- 25 pearl base coats
- 9 Aluminium base coats
- 2 ixellTech additives



RELATED PRODUCTS





Ixell Daisy Wheel Automatic paint colour systems



Ixell Daisy Wheel Automatic paint colour systems

DW CONSUMABLES AND BASE COATS

CONSUMABLES – DAISY WHEEL		
Description	Contents	Reference
DW3.0 dosing lids	Box of 6 dosing lids	77 11 949 738
DW3.0 valve caps	Box of 60 valve caps	77 11 949 739
DW3.0 Cleaning Kit	Box of 150 cleaning wipes	77 11 949 740
DW3.0 cleaning bottles	Box of 18 h2o 10-ml cleaning bottles	77 11 949 741
Additional table 90x60xH78	1 unit	77 11 949 742
ixellMix HS2 <i>EVOLUTION IN 2025</i>	1 unit	77 11 949 815
Empty bottle DW 3.0 – 1L <i>AVAILABLE IN 2025</i>	Box of 10 bottles	77 17 277 960
Empty bottle DW 3.0 – 500 mL <i>AVAILABLE IN 2025</i>	Box of 15 bottles	77 17 277 961

SPECIFIC BASE COATS		
Description	Contents (L)	Reference
8401 Colourless base coat 1 – DW	1	77 11 948 978
8402 Colourless base coat 2 – DW	1	77 11 948 979
8405 Cup controller – DW	1	77 11 948 980
8410 Azure effect – DW	0.5	77 11 949 003
8412 Effect controller – DW	1	77 17 300 693
8497 Addifit Metal – DW	1	77 17 301 388
AD228 Hygrometric additive <30% – DW	1	77 11 948 976
AD231 Hygrometric additive <30% – DW	1	77 11 948 977





Ixell Daisy Wheel Automatic paint colour systems

Ixell Daisy Wheel Automatic paint colour systems



DAISY WHEEL BASE COAT COLOURS PER PRODUCT



DAISYWHEEL
by ixell

DAISY WHEEL BASE COLOURS BY COLOUR CODE

Paint and clearcoat systems

OPAQUE BASE COATS

3.0

Code	Description	Contents (L)	Reference
8724	Bordeaux – DW	1	77 11 948 981
8725	Dark Bordeaux – DW	0.5	77 11 949 010
8726	De-concentrated Bordeaux – DW	0.5	77 11 949 011
8800	White – DW	1	77 11 948 991
8801	De-concentrated white – DW	1	77 11 948 992
8810	De-concentrated blue – DW	0.5	77 11 949 012
8811	Greenish blue NF – DW	1	77 11 948 993
8813	Light blue – DW	0.5	77 11 949 013
8816	Bright blue – DW	0.5	77 11 949 014
8817	Ink blue – DW	0.5	77 11 949 015
8818	Blue – DW	0.5	77 11 949 016
8819	Blue-red – DW	0.5	77 11 949 017
8821	Bright red – DW	1	77 11 948 995
8822	Red – DW	0.5	77 11 949 018
8823	Garnet red – DW	0.5	77 11 949 019
8826	Ochre Red – DW	0.5	77 11 949 020
8827	Bordeaux red – DW	0.5	77 11 949 021
8828	Red carmine – DW	0.5	77 11 949 022
8831	Yellow-green – DW	0.5	77 11 949 023
8833	Yellow-red – DW	0.5	77 11 949 024
8835	Yellow-green ochre – DW	0.5	77 11 949 025
8836	Ochre – DW	0.5	77 11 949 026
8843	Yellow green – DW	0.5	77 11 949 027
8844	Blue green – DW	0.5	77 11 949 028
8845	De-concentrated green – DW	0.5	77 11 949 029
8851	Brown – DW	0.5	77 11 949 030
8853	Orange-brown – DW	0.5	77 11 949 031
8854	Dark brown – DW	0.5	77 11 949 032
8855	Red-brown – DW	0.5	77 11 949 033
8860	Bright Orange – DW	0.5	77 11 949 034
8861	Brown Orange – DW	0.5	77 11 949 035
8862	Orange – DW	0.5	77 11 949 036
8863	Orange Red – DW	0.5	77 11 949 037
8870	Violet – DW	0.5	77 11 949 038
8880	Intensive black – DW	0.5	77 11 949 039
8884	De-concentrated black – DW	0.5	77 11 949 040
8885	Black – DW	1	77 11 948 996

PEARLESCENT BASE COATS

3.0

Code	Description	Contents (L)	Reference
8623	Pearlescent red – DW	0.5	77 11 949 004
8624	Fine pearlescent red – DW	0.5	77 11 949 005
8630	Gold effect – DW	0.5	77 11 949 006
8641	Pearlescent green – DW	0.5	77 11 949 007
8669	Pearlescent Orange – DW	0.5	77 11 949 008
8900	Pearl white – DW	0.5	77 11 948 998
8901	Fine pearl white – DW	0.5	77 11 948 999
8902	Ultra fine pearl white – DW	0.5	77 11 949 041
8908	Silver effect – DW	1	77 11 949 000
8911	Fine pearl blue – DW	0.5	77 11 949 042
8912	Pearl blue – DW	1	77 11 949 001
8917	Blue effect – DW	0.5	77 11 949 043
8928	Red effect – DW	0.5	77 11 949 044
8929	Pearl pink – DW	0.5	77 11 949 045
8930	Pearl gold – DW	0.5	77 11 949 002
8938	Yellow effect – DW	0.5	77 11 949 046
8945	Fine pearl green – DW	0.5	77 11 949 047
8946	Pearl green – DW	0.5	77 11 949 048
8948	Green effect – DW	0.5	77 11 949 049
8968	Copper effect – DW	0.5	77 11 949 050
8979	Pearl Violet – DW	0.5	77 11 949 051
8991	Extra fine Aluminium silver – DW	1	77 11 949 053
8992	Fine Aluminium silver – DW	1	77 11 949 054
8993	Aluminium silver – DW	1	77 11 949 055
8994	Glossy ultra fine Aluminium – DW	0.5	77 17 300 506

IXELLTECH ADDITIVES AND ALUMINIUM BASE COATS

3.0

Code	Description	Contents (L)	Reference
8711	Aluminium blue – DW	0.5	77 11 949 009
8791	Extra fine Aluminium – DW	1	77 11 948 982
8792	Fine Aluminium – DW	1	77 11 948 983
8793	Aluminium – DW	1	77 11 948 984
8794	Thick Aluminium – DW	1	77 11 948 985
8795	Extra thick Aluminium – DW	1	77 11 948 986
8796	Thick lenticular Aluminium – DW	1	77 11 948 987
8798	Lenticular Aluminium – DW	1	77 11 948 989
8799	Fine lenticular Aluminium – DW	1	77 11 948 990

Code	Description	Contents (L)	Reference
8623	Pearlescent red – DW	0.5	77 11 949 004
8624	Fine pearlescent red – DW	0.5	77 11 949 005
8630	Gold effect – DW	0.5	77 11 949 006
8641	Pearlescent green – DW	0.5	77 11 949 007
8669	Pearlescent Orange – DW	0.5	77 11 949 008
8711	Aluminium blue – DW	0.5	77 11 949 009
8724	Bordeaux – DW	1	77 11 948 981
8725	Dark Bordeaux – DW	0.5	77 11 949 010
8726	De-concentrated Bordeaux – DW	0.5	77 11 949 011
8791	Extra fine Aluminium – DW	1	77 11 948 982
8792	Thick Aluminium – DW	1	77 11 948 983
8793	Aluminium – DW	1	77 11 948 984
8794	Thick Aluminium – DW	1	77 11 948 985
8795	Extra thick Aluminium – DW	1	77 11 948 986
8796	Thick lenticular Aluminium – DW	1	77 11 948 987
8798	Lenticular Aluminium – DW	1	77 11 948 989
8799	Fine lenticular Aluminium – DW	1	77 11 948 990
8800	White – DW	1	77 11 948 991
8801	De-concentrated white – DW	1	77 11 948 992
8810	De-concentrated blue – DW	0.5	77 11 949 012
8811	Greenish blue NF – DW	1	77 11 948 993
8813	Light blue – DW	0.5	77 11 949 013
8816	Bright blue – DW	0.5	77 11 949 014
8817	Ink blue – DW	0.5	77 11 949 015
8818	Blue – DW	0.5	77 11 949 016
8819	Blue-red – DW	0.5	77 11 949 017
8821	Bright red – DW	1	77 11 948 995
8822	Red – DW	0.5	77 11 949 018
8823	Garnet red – DW	0.5	77 11 949 019
8826	Red ochre – DW	0.5	77 11 949 020
8827	Bordeaux red – DW	0.5	77 11 949 021
8828	Red carmine – DW	0.5	77 11 949 022
8831	Yellow-green – DW	0.5	77 11 949 023
8833	Red ochre – DW	0.5	77 11 949 024
8835	Yellow-green ochre – DW	0.5	77 11 949 025
8836	Ochre – DW	0.5	77 11 949 026

Code	Description	Contents (L)	Reference
8843	Yellow green – DW	0.5	77 11 949 027
8844	Yellow-green ochre – DW	0.5	77 11 949 028
8845	De-concentrated green – DW	0.5	77 11 949 029
8851	Brown – DW	0.5	77 11 949 030
8853	Orange-brown – DW	0.5	77 11 949 031
8854	Dark brown – DW	0.5	77 11 949 032
8855	Red-brown – DW	0.5	77 11 949 033
8860	Bright Orange – DW	0.5	77 11 949 034
8861	Brown Orange – DW	0.5	77 11 949 035
8862	Orange – DW	0.5	77 11 949 036
8863	Orange Red – DW	0.5	77 11 949 037
8870	Violet – DW	0.5	77 11 949 038
8880	Intensive black – DW	0.5	77 11 949 039
8884	De-concentrated black – DW	0.5	77 11 949 040
8885	Black – DW	1	77 11 948 996
8900	Pearl white – DW	0.5	77 11 948 998
8901	Fine pearl white – DW	0.5	77 11 948 999
8902	Ultra fine pearl white – DW	0.5	77 11 949 041
8908	Silver effect – DW	1	77 11 949 000
8911	Fine pearl blue – DW	0.5	77 11 949 042
8912	Pearl blue – DW	1	77 11 949 001
8917	Blue effect – DW	0.5	77 11 949 043
8928	Red effect – DW	0.5	77 11 949 044
8929	Pearl pink – DW	0.5	77 11 949 045
8930	Pearl gold – DW	0.5	77 11 949 002
8938	Yellow effect – DW	0.5	77 11 949 046
8945	Fine pearl green – DW	0.5	77 11 949 047
8946	Pearl green – DW	0.5	77 11 949 048
8948	Green effect – DW	0.5	77 11 949 049
8968	Copper effect – DW	0.5	77 11 949 050
8979	Pearl Violet – DW	0.5	77 11 949 051
8991	Extra fine Aluminium silver – DW	1	77 11 949 053
8992	Fine Aluminium silver – DW	1	77 11 949 054
8993	Aluminium silver – DW	1	77 11 949 055
8994	Glossy ultra fine Aluminium – DW	0.5	77 17 300 506



ixell paint colour system

ixell paint colour system

With Oxelia and ixellTech, ixell brings innovation, offering body shops convenience, ease of use, and increased profitability.



Oxelia PAINT COLOUR SYSTEM

- A system with proven qualities**
- Simple to prepare: just add H₂O thinner
 - Good colorimetry
 - High coverage capacity
 - Excellent placement of metallic particles
 - Application without desolvation
 - Less aggressive on delicate surfaces
 - Suitable for formulation of practically all bodywork paint colours
 - Excellent resistance to UV rays and atmospheric elements
 - Conforms to European legislation on VOC

- The Oxelia range includes:**
- 65 H₂O base colours
 - 1 H₂O thinner
 - 23 HS2 direct gloss top coats
 - 3 HS2 hardeners
 - 1 HS3 NF thinner
 - 11 universal shades
 - 7 coloured clearcoat additives

ixellTECH PAINT COLOUR SYSTEM

Excellence through simplicity

ixell offers a new ixellTech premium range. Its semi-concentrate technology provides numerous advantages for users and business managers alike. With ixellTech, discover how a paint can beat records for ease of application, quality and productivity.

Easy application: ixellTech is your best asset to guarantee the quality and speed of carrying out the most delicate operations: blending sensitive colours, three coats, multi-colour shades, etc.

Efficient tools: ixellTech is your best asset to identify the most complex paint colours quickly.

Colour accuracy: ixellTech is your best asset to enhance edge-to-edge repairs, increase productivity and reduce your use of consumables.



With ixellTech technology, increases in productivity, quality and savings on consumables occur naturally without changing the painter's routine. It's that simple.

- The ixellTech range comprises:**
- 71 H₂O base colours
 - 11 universal shades
 - 2 hygrometric additives
 - 2 blending agents
 - 1 hardener
 - 7 coloured clearcoat additives

CLASSIFICATION OF PAINT COLOURS

Each base colour is identified by a numeric Code which indicates its specifications.

0	0	0	0
System type	Paint type	Colour	Random differentiation number
2 Oxelia H2O base coat	2 Direct gloss top coat	0 White or transparent	
3 HS2 Direct gloss top coat	4 or 5 Specific base	1 Blue	
8 ixellTech H2O base coat	7 or 8 Opaque and Aluminium base	2 Red	
A Additives	6 or 9 Pearlescent and effect base	3 Yellow	
TU Universal shades		4 Green	
		5 Brown	
		6 Orange	
		7 Violet	
		8 Black	
		9 Aluminium	



Base colour with a de-concentrated version.



IXELLTECH BASE COAT COLOURS BY PRODUCT



SPECIFIC BASE COATS			
Code	Description	Contents (L)	Reference
8401	Colourless base coat 1	3.5	77 11 431 533
8402	Colourless base coat 2	3.5	77 11 431 534
8405	Cup controller	1	77 11 431 505
8410	Azure effect	0.5	77 11 431 506
8412	Effect controller	2.5	77 17 300 692
8497	Aluminium additive	3.5	77 17 301 387

ALUMINIUM BASE COATS			
Code	Description	Contents (L)	Reference
8711	Aluminium blue	0.25	77 11 945 272
8791	Extra fine Aluminium	1	77 11 431 451
8792	Fine Aluminium	1	77 11 431 452
8793	Aluminium	1	77 11 577 733
8794	Thick aluminium	1	77 11 431 454
8795	Extra thick aluminium	1	77 11 431 455
8796	Thick lenticular aluminium	0.5	77 11 431 456
8798	Lenticular aluminium	3.5	77 11 577 734
8799	Fine lenticular aluminium	3.5	77 11 577 735
8991	Extra fine aluminium silver	1	77 11 576 769
8992	Fine aluminium silver	1	77 11 576 770
8993	Aluminium silver	1	77 11 576 771
8994	Glossy ultra fine aluminium	0.5	77 17 300 505

PEARLESCENT BASE COATS			
Code	Description	Contents (L)	Reference
8623	Pearlescent red	0.5	77 11 431 507
8624	Fine pearlescent red	0.25	77 11 577 966
8630	Gold effect	0.25	77 11 577 963
8641	Pearlescent green	0.25	77 11 577 967
8669	Pearlescent Orange	0.25	77 11 577 968
8900	Pearl white	0.5	77 11 431 490
8901	Fine pearl white	0.5	77 11 431 491
8902	Ultra fine pearl white	0.5	77 11 945 273
8908	Silver effect	0.5	77 11 431 492
8911	Fine pearl blue	0.5	77 11 431 493
8912	Pearl blue	0.5	77 11 431 494
8917	Blue effet	0.25	77 11 577 969
8928	Red effet	0.25	77 11 577 970
8929	Pearl pink	0.25	77 11 577 964
8930	Pearl gold	0.5	77 11 431 498
8938	Yellow effet	0.25	77 11 577 971
8945	Fine pearl green	0.25	77 11 577 965
8946	Pearl green	0.5	77 11 431 501
8948	Green effet	0.25	77 11 577 972
8968	Copper effect	0.25	77 11 577 973
8979	Pearl violet	0.5	77 11 431 504

OPAQUE BASE COATS			
Code	Description	Contents (L)	Reference
8724	Bordeaux	0.5	77 11 574 882
8725	Dark Bordeaux	0.5	77 11 431 513
8726	De-concentrated Bordeaux	0.5	77 11 431 514
8800	White	1	77 11 431 460
8801	De-concentrated white	0.5	77 11 574 881
8810	De-concentrated blue	0.5	77 11 431 462
8811	Greenish blue NF	0.5	77 11 948 630
8813	Light blue	0.5	77 11 574 878
8816	Bright blue	0.5	77 11 948 075
8817	Blue encre	0.5	77 11 431 467
8818	Blue	0.25	77 11 577 975
8819	Blue-red	0.5	77 11 574 877
8821	Bright red	0.5	77 11 431 468
8822	Red	0.5	77 11 431 469
8823	Garnet red	0.5	77 11 579 562
8826	Ochre Red	0.25	77 11 577 976
8827	Bordeaux red	0.5	77 11 431 471
8831	Yellow-green	0.25	77 11 577 977
8833	Yellow-red	0.25	77 11 577 978
8835	Yellow-green ochre	0.25	77 11 577 979
8836	Ochre	0.5	77 11 431 475
8843	Green Yellow	0.25	77 11 577 980
8844	Blue green	0.25	77 11 577 985
8845	De-concentrated green	0.25	77 11 577 981
8851	Brown	0.5	77 11 431 479
8853	Orange-brown	0.5	77 11 431 480
8854	Dark brown	0.25	77 11 577 982
8855	Red-brown	0.5	77 11 574 880
8860	Bright Orange	0.5	77 11 579 563
8862	Orange	0.25	77 11 577 983
8863	Orange-red	0.25	77 11 577 984
8870	Violet	0.5	77 11 574 879
8880	Intensive black	1	77 11 942 316
8884	De-concentrated black	0.5	77 11 431 487
8885	Black	3.5	77 11 431 488

ADDITIVES FOR COLOURED CLEARCOAT			
Code	Description	Contents (L)	Reference
ADV610	Blue	0.1	77 11 577 992
ADV611	Bright blue	0.1	77 11 948 074
ADV620	Bordeaux red	0.1	77 11 577 987
ADV621	Orange red	0.1	77 11 577 988
ADV622	Ruby red	0.1	77 11 577 989
ADV623	Pearl red	0.1	77 11 577 990
ADV650	Brown	0.1	77 11 577 991
ADV651	Bright brown	0.1	77 11 947 897
ADV660	Orange	0.1	77 11 943 128
ADV670	Magenta	0.1	77 11 577 986

ASSOCIATED HARDENERS/ADDITIVES			
Code	Description	Contents (L)	Reference
AD228	Hygrometric additive < 30%	3.5	77 11 579 364
AD401	ixellTech slow blending agent	1	77 11 576 768
AD300	ixellTech standard hardener	0.5	77 11 431 532
AD400	ixellTech blending agent	3.5	77 11 431 531
AD231	Hygrometry additive > 30%	3.5	77 11 431 535

IXELLTECH BASE COAT COLOURS BY PRODUCT



UNIVERSAL SHADES			
Code	Description	Contents (L)	Reference
TU660	Pearl red fusion	0.1	77 17 277 415
TU668	Pearl mandarine	0.25	77 11 577 081
TU902	Pearl green pink	0.25	77 11 577 082
TU910	Pearl violet pink	0.1	77 17 300 469
TU911	Pearl blue pink	0.1	77 17 300 470
TU912	Crystal effect	0.1	77 17 300 466

UNIVERSAL SHADES			
Code	Description	Contents (L)	Reference
TU913	Pearl blue azure	0.1	77 17 300 467
TU914	Pearl blue turquoise	0.1	77 17 300 468
TU920	Pearl yellow pink	0.1	77 17 300 474
TU930	Pearl yellow green	0.1	77 17 300 472
TU940	Aluminium blue	0.25	77 17 300 471
TU978	Pearl violet effect	0.25	77 11 577 080
TU990	Pearl aluminium green	0.1	77 17 300 473
TU903	Pearl blue effet	0.1	77 17 274 154

IXELLTECH STANDARD SHADES – COLOR CODE REFERENCE

UNIVERSAL SHADES			
Code	Description	Contents (L)	Reference
8401	Colourless base coat 1	3.5	77 11 431 533
8402	Colourless base coat 2	3.5	77 11 431 534
8405	Cup controller	1	77 11 431 505
8410	Azure effect	0.5	77 11 431 506
8412	Effect controller	2.5	77 17 300 692
8623	Pearlescent red	0.5	77 11 431 507
8624	Fine pearlescent red	0.25	77 11 577 966
8630	Gold effect	0.25	77 11 577 963
8641	Pearlescent green	0.25	77 11 577 967
8669	Pearlescent Orange	0.25	77 11 577 968
8711	Aluminium blue	0.25	77 11 945 272
8724	Bordeaux	0.5	77 11 574 882
8725	Dark Bordeaux	0.5	77 11 431 513
8726	De-concentrated Bordeaux	0.5	77 11 431 514
8791	Extra fine aluminium	1	77 11 431 451
8792	Fine aluminium	1	77 11 431 452
8793	Aluminium	1	77 11 577 733
8794	Thick aluminium	1	77 11 431 454
8795	Aluminium extragros	1	77 11 431 455
8796	Thick lenticular aluminium	0.5	77 11 431 456
8497	Aluminium additive	3.5	77 17 301 387
8798	Lenticular aluminium	3.5	77 11 577 734
8799	Aluminium lenticulaire fin	3.5	77 11 577 735
8800	White	1	77 11 431 460
8801	De-concentrated white	0.5	77 11 574 881
8810	De-concentrated blue	0.5	77 11 431 462
8811	verdâtre	0.5	77 11 948 630
8813	Greenish blue NF	0.5	77 11 574 878
8816	Light blue blue	0.5	77 11 948 075
8817	Ink blue	0.5	77 11 431 467
8818	Blue	0.25	77 11 577 975
8819	Light blue	0.5	77 11 574 877
8821	Red vif	0.5	77 11 431 468
8822	Red	0.5	77 11 431 469
8823	Garnet red	0.5	77 11 579 562
8826	Red ochre	0.25	77 11 577 976
8827	Bordeaux red	0.5	77 11 431 471
8828	Red carmine	0.5	77 11 782 572
8831	Yellow-green	0.25	77 11 577 977
8833	Yellow-red	0.25	77 11 577 978
8835	Yellow-green ochre	0.25	77 11 577 979
8836	Ochre	0.5	77 11 431 475

UNIVERSAL SHADES			
Code	Description	Contents (L)	Reference
8843	Yellow green	0.25	77 11 577 980
8844	Blue green	0.25	77 11 577 985
8845	De-concentrated green	0.25	77 11 577 981
8851	Brown	0.5	77 11 431 479
8853	Orange-brown	0.5	77 11 431 480
8854	Dark brown	0.25	77 11 577 982
8855	Red-brown	0.5	77 11 574 880
8860	Bright Orange	0.5	77 11 579 563
8861	Brown Orange	0.5	77 11 431 483
8862	Orange	0.25	77 11 577 983
8863	Orange-red	0.25	77 11 577 984
8870	Violet	0.5	77 11 574 879
8880	Intensive black	1	77 11 942 316
8884	De-concentrated black	0.5	77 11 431 487
8885	Black	3.5	77 11 431 488
8900	Pearl white	0.5	77 11 431 490
8901	Fine pearl white	0.5	77 11 431 491
8902	Ultra fine pearl white	0.5	77 11 945 273
8908	Silver effect	0.5	77 11 431 492
8911	Fine pearl blue	0.5	77 11 431 493
8912	Pearl blue	0.5	77 11 431 494
8917	Blue effect	0.25	77 11 577 969
8928	Red effect	0.25	77 11 577 970
8929	Pearl pink	0.25	77 11 577 964
8930	Pearl gold	0.5	77 11 431 498
8938	Yellow effect	0.25	77 11 577 971
8945	Fine pearl green	0.25	77 11 577 965
8946	Pearl green	0.5	77 11 431 501
8948	Green effect	0.25	77 11 577 972
8968	Copper effect	0.25	77 11 577 973
8979	Pearl violet	0.5	77 11 431 504
8991	Extra fine aluminium silver	1	77 11 576 769
8992	Fine aluminium silver	1	77 11 576 770
8993	Aluminium silver	1	77 11 576 771
8994	Glossy ultra fine aluminium	0.5	77 17 300 505



OXELIA BASE COAT COLOURS BY PRODUCT



BASE COATS			
Code	Description	Contents (L)	Reference
2720	Brilliant red	1	77 11 170 858
2721	Brown red	0.5	77 11 579 688
2722	Light red ochre	0.5	77 11 219 533
2723	Bordeaux red	0.5	77 11 579 687
2800	White	1	77 11 170 864
2811	Blue	0.5	77 11 579 684
2814	Blue-green	1	77 11 170 866
2815	Parmain blue	1	77 11 170 867
2816	Blue-red	0.5	77 11 579 682
2821	Garnet red	0.5	77 11 579 560
2824	Cardinal red	0.5	77 11 579 693
2825	Red	0.5	77 11 579 683
2826	Ochre Red	1	77 11 170 874
2829	Magenta red	1	77 11 170 875
2830	Yellow ochre	1	77 11 170 876
2832	Yellow-Orange	0.5	77 11 219 542
2834	Light yellow ochre	0.5	77 11 219 535
2839	Greenish yellow	0.5	77 11 423 189
2841	Stable green	0.5	77 11 579 694
2842	Green	0.5	77 11 579 695
2850	Orange-brown	0.5	77 11 219 536
2852	Sienna	1	77 11 170 885
2859	Greenish brown	0.5	77 11 219 545
2860	Orange	0.5	77 11 219 543
2861	Bright Orange	0.5	77 11 579 561
2870	Violet	1	77 11 170 887
2879	Dark violet	0.5	77 11 219 541
2881	Light black	1	77 11 170 889
2882	Black	0.5	77 11 579 689
2883	Blue black	1	77 11 170 891
2888	Universal black	1	77 11 423 817

SPECIFIC BASE COATS			
Code	Description	Contents (L)	Reference
2400	Transparent effect	1	77 11 423 188
2410	Azure effect	0.5	77 11 579 680
2599	Clear cut	1	77 11 172 377

ALUMINIUM BASE COATS			
Code	Description	Contents (L)	Reference
2739	Gold	0.5	77 11 219 534
2798	Fine lenticular aluminium	0.5	77 11 579 685
2799	Lenticular aluminium	1	77 11 218 609
2890	Light aluminium	1	77 11 170 892
2891	Extra fine aluminium	1	77 11 170 893
2892	Extra-strong aluminium	1	77 11 170 894
2893	Fine aluminium	0.5	77 11 579 681
2894	Aluminium	0.5	77 11 579 690
2896	XS aluminium	1	77 11 219 183

COLOURED ALUMINIUM BASE COATS			
Code	Description	Contents (L)	Reference
2908	Silver	0.5	77 11 225 589
2917	Blue	0.5	77 11 229 476
2928	Red	0.5	77 11 225 588
2938	Yellow	0.5	77 11 226 101
2948	Green	0.5	77 11 229 477
2968	Copper	0.5	77 11 226 102

COLOURED PEARLESCENT BASE COATS			
Code	Description	Contents (L)	Reference
2623	Pearl red	1	77 11 170 850
2624	Pearl Orange red	0.5	77 11 579 691
2628	Pearl Bordeaux red	0.5	77 11 219 531
2649	Dark pearl green	0.5	77 11 219 546
2669	Pearl Orange-red	0.5	77 11 219 532

INTERFERENTIAL PEARLESCENT BASE COATS			
Code	Description	Contents (L)	Reference
2900	Pearl white	1	77 11 170 897
2910	Pearl blue	1	77 11 170 898
2918	Pearl blue-red	0.5	77 11 219 537
2919	Pearl navy blue	1	77 11 170 900
2929	Pearl pink	0.5	77 11 219 539
2930	Pearl gold	0.5	77 11 579 686
2949	Pearl green	0.5	77 11 579 692
2979	Pearl lilac	1	77 11 170 904
2998	Fine pearl silver	0.5	77 11 219 538
2999	Pearl silver	1	77 11 170 906

UNIVERSAL SHADES			
Code	Description	Contents (L)	Reference
TU668	Pearl mandarin	0.25	77 11 577 081
TU902	Pearl green pink	0.25	77 11 577 082
TU910	Pearl violet pink	0.1	77 17 300 469
TU911	Pearl blue pink	0.1	77 17 300 470
TU912	Crystal effect	0.1	77 17 300 466
TU920	Pearl pink yellow NEW FORMULA	0.1	77 17 300 474
TU913	Pearl blue azure	0.1	77 17 300 468
TU920	Pearl pink yellow NEW FORMULA	0.1	77 17 300 474
TU930	Pearl yellow green	0.1	77 17 300 472
TU940	Blue Aluminium	0.25	77 17 300 471
TU978	Pearl violet effect	0.25	77 11 577 080
TU990	Pearl aluminium green	0.1	77 17 300 473
TU903	Pearl blue effect	0.1	77 17 274 154

ADDITIVES FOR COLOURED CLEARCOAT			
Code	Description	Contents (L)	Reference
ADV610	Blue	0.1	77 11 577 992
ADV620	Bordeaux red	0.1	77 11 577 987
ADV621	Orange red	0.1	77 11 577 988
ADV622	Ruby red	0.1	77 11 577 989
ADV623	Pearlescent red	0.1	77 11 577 990
ADV650	Brown	0.1	77 11 577 991
ADV660	Orange	0.5	77 11 942 317
ADV670	Magenta	0.1	77 11 577 986

OXELIA BASE COAT COLOURS BY COLOUR CODE



Code	Description	Contents (L)	Reference
2400	Transparent effect	1	77 11 423 188
2410	Azure effect	0.5	77 11 579 680
2599	Clear cut	1	77 11 172 377
2623	Pearl red	1	77 11 170 850
2624	Pearl Orange red	0.5	77 11 579 691
2628	Pearl Bordeaux red	0.5	77 11 219 531
2649	Dark pearl green	0.5	77 11 219 546
2669	Pearl Orange-red	0.5	77 11 219 532
2720	Brilliant red	1	77 11 170 858
2721	Brown red	0.5	77 11 579 688
2722	Light red ochre	0.5	77 11 219 533
2723	Bordeaux red	0.5	77 11 579 687
2739	Gold	0.5	77 11 219 534
2798	Fine lenticular aluminium	0.5	77 11 579 685
2799	Lenticular aluminium	1	77 11 218 609
2800	White	1	77 11 170 864
2811	Blue	0.5	77 11 579 684
2814	Blue-green	1	77 11 170 866
2815	Parmain blue	1	77 11 170 867
2816	Blue-red	0.5	77 11 579 682
2821	Garnet red	0.5	77 11 579 560
2824	Cardinal red	0.5	77 11 579 693
2825	Red	0.5	77 11 579 683
2826	Red ochre	1	77 11 170 874
2829	Magenta red	1	77 11 170 875
2830	Yellow ochre	1	77 11 170 876
2832	Yellow-Orange	0.5	77 11 219 542
2834	Light yellow ochre	0.5	77 11 219 535
2839	Greenish yellow	0.5	77 11 423 189
2841	Stable green	0.5	77 11 579 694
2842	Green	0.5	77 11 579 695

Code	Description	Contents (L)	Reference
2850	Orange-brown	0.5	77 11 219 536
2852	Sienna	1	77 11 170 885
2859	Greenish brown	0.5	77 11 219 545
2860	Orange	0.5	77 11 219 543
2861	Bright Orange	0.5	77 11 579 561
2870	Violet	1	77 11 170 887
2879	Dark violet	0.5	77 11 219 541
2881	Light black	1	77 11 170 889
2882	Black	0.5	77 11 579 689
2883	Blue black	1	77 11 170 891
2888	Universal black	1	77 11 423 817
2890	Light aluminium	1	77 11 170 892
2891	Extra fine aluminium	1	77 11 170 893
2892	Extra-strong aluminium	1	77 11 170 894
2893	Fine aluminium	0.5	77 11 579 681
2894	Aluminium	0.5	77 11 579 690
2896	XS aluminium	1	77 11 219 183
2900	Pearl white	1	77 11 170 897
2908	Silver	0.5	77 11 225 589
2910	Pearl blue	1	77 11 170 898
2917	Blue	0.5	77 11 229 476
2918	Pearl blue-red	0.5	77 11 219 537
2919	Pearl navy blue	1	77 11 170 900
2928	Red	0.5	77 11 225 588
2929	Pearl pink	0.5	77 11 219 539
2930	Pearl gold	0.5	77 11 579 686
2938	Yellow	0.5	77 11 226 101
2948	Green	0.5	77 11 229 477
2949	Pearl green	0.5	77 11 579 692
2968	Copper	0.5	77 11 226 102
2979	Pearl lilac	1	77 11 170 904
2998	Fine pearl silver	0.5	77 11 219 538
2999	Pearl silver	1	77 11 170 906




Direct gloss top coats and specific products

DIRECT GLOSS TOP COATS CAN BE USED ON OXELIA OR IXELLTECH PAINT COLOUR SYSTEMS.



DIRECT GLOSS TOP COATS			
Code	Description	Contents (L)	Reference
3200	Pure white	1	77 11 428 737
3205	White	1	77 11 428 738
3212	Blue-green	1	77 11 428 739
3214	Blue-red	1	77 11 428 740
3217	Light blue-green	1	77 11 428 741
3220	Red	1	77 11 428 742
3221	Bright red	1	77 11 428 743
3223	Red ochre	1	77 11 428 744
3227	Dark red	1	77 11 428 745
3229	Bright red	1	77 11 428 746
3230	Yellow ochre	1	77 11 428 747
3234	Yellow	1	77 11 428 748
3235	Orange yellow	1	77 11 428 749
3236	Light yellow ochre	1	77 11 428 750
3239	Yellow-green	1	77 11 428 751
3241	Yellow green	1	77 11 428 752
3245	Blue green	1	77 11 428 753
3247	Light green	1	77 11 428 754
3260	Orange	1	77 11 428 755
3271	Violet	1	77 11 428 756
3272	Dark violet	1	77 11 428 757
3280	Black	1	77 11 428 758
3282	Light black	1	77 11 428 759

TOP COAT AND CLEARCOAT SPECIFIC PRODUCTS			
Code	Description	Contents (L)	Reference
A501	TB matting agent	1	77 11 212 087
A504	TB ST fine	1	77 11 212 088
A505	TB ST thick	1	77 11 212 089





Paint touch-up pens

Paint touch-up pens

A range designed for professionals and retail customers

H₂O PAINT TOUCH-UP PEN

Ideal for covering scratches: door edge knocks against a garage wall, shopping trolley impacts in the car park, stone chips. This 8-ml touch-up pen is a practical and cost-effective solution. It stops rust and protects your vehicle.



RENAULT / DACIA H ₂ O TOUCH-UP PENS		
Code	Description	Reference
191	Desert	77 11 431 938
266	Steel grey	77 11 431 939
369	White	77 11 431 943
389	Ice white	77 11 431 945
432	Methyl blue	77 11 431 949
460	Pacific blue	77 11 431 950
472	Twilight blue	77 11 431 951
489	Forget-me-not blue	77 11 431 952
603	Hologram grey	77 11 431 958
632	Iceberg silver	77 11 431 960
676	Pearlescent black	77 11 431 964
713	Cherry red	77 11 431 966
719	Flash red	77 11 431 967
727	Bright red	77 11 431 968
926	Spruce green	77 11 431 972
931	Lime green	77 11 431 973
21D	Passion red	77 11 431 978
A19	Angora beige	77 11 431 981
B64	Shiny grey	77 11 431 982
B66	Eclipse	77 11 431 984
B76	Fire red	77 11 431 985
C66	Grey beige	77 11 431 986
C67	Olive grey	77 11 431 987
CNA	Cashew brown	77 11 430 548
CNB	Mocha brown	77 11 431 990
CNF	Ardent brown	77 11 788 730
CNG	Tourmaline brown	77 11 785 374
CNL	Cappuccino brown	77 11 785 375
CNM	Vision brown	77 11 940 864
CNS	Savannah brown	77 11 940 875
CNU	Shadow brown	77 11 788 728
CXA	Brown ebony	77 11 780 134
D11	Cappuccino brown	77 11 431 991
D16	Ivory	77 11 422 252
D17	Chestnut brown	77 11 576 012
D31	Casablanca white	77 11 431 993
D42	Navy blue	77 11 431 995
D44	Odyssey blue	77 11 431 996
D47	Storm blue	77 11 431 997
D48	Nautical blue	77 11 431 998
D68	Black	77 11 573 045

RENAULT / DACIA H ₂ O TOUCH-UP PENS		
Code	Description	Reference
D69	Platinum grey	77 11 573 046
DNP	Olivette green	77 11 940 866
DNQ	Apple green	77 11 573 053
DPC	Altai green	77 11 940 874
ENJ	Orange	77 11 573 055
ENR	Vanilla yellow	77 11 574 458
ENZ	Arizona Orange	77 11 579 380
EPA	Honey yellow	77 11 785 373
EPR	Oran ochre	77 11 940 870
EPY	Atacama Orange	77 11 940 278
F43	Ink blue	77 11 573 056
F47	Cyclades blue	77 11 573 057
F90	Onyx green	77 11 940 869
F97	Live pastel	77 11 573 058
G64	Diamond grey	77 11 573 060
GNA	Deep black	77 11 785 364
GND	Black metal	77 11 576 011
GNE	Diamond black	77 11 430 550
GNG	Amethyst black	77 11 785 376
GXA	IV metal black	77 11 573 061
HNK	Ash beige	77 11 573 062
HNP	Dune beige	77 11 782 327
HXA	Mineral beige	77 11 576 007
I45	Ottoman blue	77 11 573 065
J47	Blue grey	77 11 573 067
K23	Silver grey	77 11 780 131
KAD	Pearl grey	77 11 945 381
KNA	Comet grey	77 11 573 068
KND	Pewter grey	77 11 573 069
KNG	Oyster grey	77 11 573 070
KNM	Basalt grey	77 11 573 071
KNS	Quartz grey NEW	77 11 949 607
KNX	Argent Grey	77 11 780 132
KPE	Lunar grey	77 11 788 734
KPF-KNU	Taupe grey	77 11 945 380
KPN	Titanium grey	77 11 782 324
KPV	Iceland grey	77 11 940 279
KPW	Urban grey	77 11 945 379
KQA	Highland grey	77 11 945 378
KQL	Schiste grey NEW	77 11 949 624
LNE	Fuschia	77 11 574 459
NND	Intense red	77 11 573 074
NNG	Poppy red	77 11 573 075
NNJ	Dynad red	77 11 573 076
NNM	Garnet	77 11 780 133

RENAULT / DACIA H ₂ O TOUCH-UP PENS		
Code	Description	Reference
NNP	Fire red	77 11 783 744
NPF	Red carmine	77 11 940 872
NPK	Intense red	77 11 788 733
QNC	Pearlescent white	77 11 576 009
QND	Pearlescent frost	77 11 785 365
QNG	Mineral white	77 11 780 129
QNJ	Crystal white	77 11 782 325
QNU	Matt iridescent white	77 11 785 372
QX1	Ice white	77 11 431 943
QXA	Pearlescent white	77 11 573 077
QXB	Solid white	77 11 576 004
QXD	World white	77 11 940 865
RNA	Extreme blue	77 11 573 078
RNF	Mineral blue	77 11 573 079
RNK	Iceberg blue	77 11 573 080
RNL	Star blue	77 11 573 081
RNP	Silver blue	77 11 573 082
RNQ	Volga blue	77 11 576 013
RNR	Foam blue	77 11 573 083
RNT	Malta blue	77 11 573 084
RPA	Opal blue	77 11 576 008
RPB	Majorelle blue	77 11 430 549
RPC	Bermuda blue	77 11 574 460
RPE	Smoky naval blue	77 11 780 136
RPK	Persian blue	77 11 780 135
RPL	Azurite blue	77 11 576 322
RPM	Pacific blue	77 11 579 381
RPP	Drained blue	77 11 788 731
RPR	Cosmos blue	77 11 782 326
RQE	Berlin blue	77 11 940 867
RQG	Lightning blue	77 11 940 873
RQH	Iron blue	77 11 788 732
RQQ	Ocean blue	77 11 940 871
RQT	Celadon blue	77 11 940 838
WXA	Lava grey	77 11 574 457
WXC	Mars grey	77 11 576 005

ALPINE H ₂ O TOUCH-UP PENS		
Code	Description	Reference
KPU	Brilliant thunder grey	60 20 080 048
KPY	Mercury silver	60 20 080 207
KPZ	Matt mercury silver	60 20 080 206
QND	Pearlescent frost	60 20 080 047
QNT	Matt iridescent white	60 20 080 052
RQR	Alpine blue coloured clearcoat	60 20 080 044

EMPTY TOUCH-UP PEN

Description	Reference
Empty touch-up pen 30 ml	77 01 413 206

EMPTY TOUCH-UP PEN WITH CLEARCOAT

Description	Reference
1 empty touch-up pen 8 ml + 1 clearcoat pen 1K (filled) 8 ml	77 11 431 538



Aerosols

A range designed for professionals and retail customers

VEHICLE AEROSOL PAINT – COLOURS – RETAIL CUSTOMER RANGE

An aerosol spray to match the original body colour for easy, quick use. This is an ideal product for painting small surface areas (door mirrors, door sills, interior doors, side trim strips, etc.). It is available in direct gloss (one coat) and base coat colour and clearcoat for metallic and pearlescent colours (two coats).



Code	Description	Contents (mL)	Reference
191	Desert	150	77 11 210 780
266	Steel grey	150	77 11 940 290
369	Ice white	150	77 11 143 325
432	Methyl blue	150	77 11 144 197
460	Pacific blue	150	77 11 144 144
472	Twilight blue	150	77 11 142 965
603	Hologram grey	150	77 11 172 592
632	Iceberg silver	150	77 11 210 764
676	Pearlescent black	150	77 01 422 410
713	Cherry red	150	77 11 172 650
727	Bright red	150	77 11 144 195
931	Lime green	150	77 11 172 140
21D	Passion red	150	77 11 576 022
389	White	150	77 01 422 303
640	Grey	150	77 01 422 385
A19	Angora beige	150	77 11 428 219
B64	Shiny grey	150	77 11 213 267
B66	Eclipse	150	77 11 213 271
B76	Fire red	150	77 11 213 273
C66	Grey beige	150	77 11 576 023
C67	Olive grey	150	77 11 788 742
CNA	Cashew brown	150	77 11 576 015
CNB	Mocha brown	150	77 11 576 017
CNM	Vision brown	150	77 11 945 502
D11	Quartz metallic illusion	150	77 11 428 217
D16	Ivory	150	77 11 576 750
D31	Casablanca white	150	77 11 576 021
D42	Navy blue	150	77 11 576 018
D44	Odyssey blue	150	77 11 213 276
D68	Noir midnight	150	77 11 945 500
D69	Platinum grey	150	77 11 428 216
ENR	Vanilla yellow	150	77 11 788 741
EPY	Atacama Orange	150	77 11 945 501
GND	Black metal	150	77 11 780 142
GNE	Diamond black	150	77 11 576 014
GXA	Black ivory	150	77 11 780 138
HNK	Ash beige	150	77 11 428 223
HNP	Dune beige	150	77 11 940 293
J37	Sirius Yellow NEW	250	77 11 945 503

Code	Description	Contents (mL)	Reference
J47	Blue grey	150	77 11 428 218
KQA	Highland grey NEW	150	77 11 949 613
KNA	Comet grey	150	77 11 428 224
KNG	Oyster grey	150	77 11 428 225
KNH	Star grey	150	77 11 780 137
KNM	Basalt	150	77 11 576 016
KNS	Quartz Grey NEW	150	77 11 949 617
KPE	Lunar grey NEW	150	77 11 946 001
KPN	Titanium grey	150	77 11 940 288
KXC	Ultra silver	150	77 11 780 139
NNJ	Dyna red	150	77 11 428 226
NNP	Fire red NEW	250	77 11 949 609
NPI	Red fusion NEW	150	77 11 949 612
QNC	Pearlescent white	150	77 11 788 740
QNC	Pearlescent white NEW	250	77 11 949 610
QNJ	Crystal white	150	77 11 940 291
QXA	Pearlescent white	150	77 11 576 024
RNA	Extreme blue	150	77 11 428 220
RNF	Mineral blue	150	77 11 576 019
RNL	Iceberg grey	150	77 11 576 026
RNL	Star blue	150	77 11 780 143
RNR	Foam blue	150	77 11 576 025
RNT	Malta blue	150	77 11 576 027
RPE	Smoky naval blue NEW	150	77 11 949 615
RPL	Azurite blue	150	77 11 782 331
RPP	Drained blue NEW	150	77 11 946 002
RPR	Cosmos blue	150	77 11 940 289
RQH	Iron blue NEW	150	77 11 945 999
WXC	Mars grey	150	77 11 780 140



Specific aerosols – Professional range Painting wheel rims

Description	Type	Cont.(mL)	Reference
Chrome effect wheel kit	Two coats	2 x 400	77 11 577 441



Universal aerosols

Description	Type	Cont.(mL)	Reference
Gloss black	One coat	400	77 11 170 634
Gloss white	One coat	400	77 11 170 635
Matt black	One coat	400	77 11 170 637
Silver rim	One coat	400	77 11 170 639

Specific aerosols – Professional range

Description	Type	Cont.(mL)	Reference
High-temperature aluminium	One coat	400	77 01 418 199
Fine structuring spray	One coat	400	77 11 237 819
Zinc spray	One coat	400	77 11 225 005



Aerosols

AEROSOL PAINT FOR ACCESSORIES – PROFESSIONAL RANGE

It can be used without primer when painting bumpers, side trim strips, door mirrors and all exterior accessories on the vehicle.



Code	Description	Type	Cont.(mL)	Reference
619	Light grey	One coat	400	77 11 423 577
619	Dark grey	One coat	400	77 11 423 578
642	Grey ZT	One coat	400	77 11 423 575
642	Grey	One coat	400	77 11 423 579
694	Opaque black	One coat	400	77 11 940 843
698	Black ZT	One coat	400	77 11 423 574
20509	Black	One coat	400	77 11 238 904
20523	Grey	One coat	400	77 11 238 905
20588	Metal grey	One coat	400	77 11 574 461
205110	Metal grey	One coat	400	77 11 574 462
205121	Metal grey	One coat	400	77 11 574 463
205139	Flint stone	One coat	400	77 11 238 903
205152	Glossy blue-black	One coat	400	77 11 574 464

Code	Description	Type	Cont.(mL)	Reference
205229	Satin chrome	One coat	400	77 11 431 537
205272	Metal grey	One coat	400	77 11 574 465
205302	Dark metal	One coat	400	77 11 574 466
205304	Metal grey	One coat	400	77 11 574 467
205318	Metal anthracite	One coat	400	77 11 574 468
205338	Satin chrome	One coat	400	77 11 574 469
205339	Glossy blue-black	One coat	400	77 11 940 845
205353	Fine structuring black	One coat	400	77 11 782 427
205387	Saturn Grey NEW	One coat	400	77 11 949 620
205396	Alpine exterior metal black	One coat	400	77 11 785 056
205413	Textured mineral black	One coat	400	77 11 788 743
205429	Sparkling silver	One coat	400	77 11 788 744
805008	Sparkling silver	One coat	400	77 11 783 414

THE + IXELL

AEROSOL SPRAY HANDLE



The aerosol handle is a must-have for your 250 ml and 400 ml aerosol applications.


Its ergonomic design and advanced technology provide a more stable and even application.

Description	Contents	Reference
Aerosol spray handle	1 unit	77 11 579 851

AEROSOL FILLER AND COMFORT SPRAY


PRE-GASSED AEROSOL

- Ready to use
- Increased profitability and productivity:
 - No application gun to clean, saves time
 - Saves on cleaning thinner
- Easy-to-use aerosol with flat jet spray (12 cm)
- Spraying is very similar to a paint spray gun
- Ideal for:
 - small accessory parts
 - spot paint applications
- Fast completion of work



Description	Cont.(mL)	Reference
(1) Pre-gassed Comfort Spray for Oxelia base coat colours	400	77 11 945 994
(2) Pre-gassed Comfort Spray for Fortia version 3/1 SP undercoat	400	77 11 428 295
(3) Comfort Spray Altia clearcoat short version X HS	400	77 11 428 294
(4) Pre-gassed Comfort Spray for ixellTech base coat colours	400	77 11 575 323

AEROSOL FILLER



- The aerosol filler can be used from undercoat to clearcoat.
- It optimises surplus workshop paint.
 - It only requires an air inlet between 7 and 9 bars.
 - Suitable for pre-gassed aerosols with a capacity of 400ml, which can be filled with 80 ml of paint product.
 - No filler cleaning required.
 - Aerosol is quick and easy to use and fill: 3 minutes at most
 - Height: 377 mm
 - Weight: 4,450 kg

Description	Unit	Reference
(1) Aerosol filler	1	77 11 945 993
(2) Aerosol filler stand	1	77 11 945 994



Aerosols

Clearcoats

AEROSOL DISPLAY STAND

The accessory colour aerosol display is designed to hold 36 cans. It includes a pediment, a colour chart, and a selection of 18 aerosols, enabling everything from spot painting to complete accessory repairs (including clearcoat and structuring spray).

Complete aerosol display stand	77 11 574 593
--------------------------------	---------------

Code	Description	Qty	Reference
205139	Flint stone	1	77 11 238 903
20509	Black	1	77 11 238 904
20523	Grey	1	77 11 238 905
642	Grey	1	77 11 423 579
642	Special stylised area grey	1	77 11 423 575
619	Dark grey	1	77 11 423 578
695	Stylised area black	1	77 11 423 574
C5	Black aérospot	1	77 11 423 454
C3	Medium grey aérospot	2	77 11 577 445
C1	White aérospot	1	77 11 577 447
-	Fine structuring	1	77 11 237 819
-	Matt 1K clearcoat	2	77 11 421 109
-	Gloss clearcoat 2K	2	77 11 429 103
-	High-Temperature Aluminium	1	77 01 418 199
-	Gloss clearcoat	1	77 11 421 110



A range of clear coats for every application, so every user can find one that fits their workflow perfectly.

CLEARIUS CLEARCOAT

One cost-effective version

- Easy to use 2 components
- Drying time tailored to vehicle/day potential
- Good final appearance

Description	Contents (L)	Reference
Clearius clearcoat	5	77 11 429 303

IXALIS EVOLUTION CLEARCOAT

THE best multi-purpose clearcoat

- 3 drying options, including one at 40°C for older booths
- A scratch-resistant version/a matt version
- Easy to apply in only 2 coats
- Excellent coverage of paint spray mists
- Easy blending-in
- Excellent run resistance (good vertical stability)
- Excellent results: depth and smoothness
- Excellent hardness on exit from the booth
- Quick and easy polishing

Description	Contents (L)	Reference
Ixalis Evolution clearcoat	5	77 11 429 302

ALTIA CLEARCOAT

A good compromise in terms of productivity

- 4 versions: standard, slow, fast, matt
- Easy to apply
- Easy to apply, in only 2 coats
- Excellent results: depth and smoothness
- Excellent hardness on exit from the booth

Description	Contents (L)	Reference
Altia clearc	5	77 11 237 667

MATT AND SEMI-MATT CLEARCOATS

Matt & semi-matte clearcoats, the perfect answer to new market trends

- A response to market trends and developments
- A solution available for new Renault vehicles
- An easy-to-use clearcoat (two-coat application)
- A wide range of matt finishes available (Renault, Mercedes, Volkswagen, Hyundai)
- An efficient application process
 - Shorter drying time (30 to 35 min)
 - Reduced waiting time between coats (15 min)
 - Eliminates banding sensitivity
- Improved service
 - Resistant to car wash brushes
 - Scratch-resistant

Description	Contents (L)	Reference
Matt clearcoat	0.8	77 11 949 389
Semi-matt clearcoat	0.8	77 11 949 390

FLASH EVOLUTION CLEARCOAT



Flash : an ultra-productive clearcoat

- Ultra-fast drying
- Energy savings
- Two drying options: open air/oven
- Easy to apply
- Excellent gloss and tension
- Quick to polish
- Good scratch resistance
- Flexible version for plastics

Description	Contents (L)	Reference
Flash Evolution clearcoat	1	77 11 947 096





Clearcoats

Thinners



LEXICLEAR CLEARCOAT

EXCELLENT SHINE

- Ultra-fast drying
- Anti-scratch and coloured clearcoat
- Application on plastic without additive
- All types of repairs
- Very good smoothness
- Excellent gloss
- Multi-purpose

Description	Contents	Reference
Lexiclear clearcoat	5 L	77 11 943 340
Lexiclear additive	1 L	77 11 943 341
Lexiclear hardener	2.5 L	77 11 943 342
Lexiclear joint thinner	1 L	77 11 943 343
Lexiclear joint thinner aerosol	400 ml	77 11 943 344



AEROSOL CLEARCOAT 2K

- Increased productivity and profitability:
 - 2K fast version clearcoat, optimises paint booth flow
 - No application gun to clean, saving time
 - Product and cleaning thinner savings
- Easy-to-use aerosol with flat jet spray (12 cm)
- Unrivalled perceived quality
- Spraying is very similar to a paint spray gun
- Ideal for:
 - small accessory parts
 - spot paint applications
- Fast completion of work

Description	Contents (ml)	Reference
Comfort Spray 2K clearcoat fast version	400	77 11 429 103
2K 60° satin clearcoat	250	77 11 785 055
2K matt clearcoat	250	77 11 785 418
2K scratch-resistant clearcoat	250	77 11 785 054
Fast 2K Clear Coat NEW	250	77 11 949 621

AEROSOL CLEARCOAT 1K

This easy-to-use clearcoat can be applied to all exterior plastic parts.

Description	Contents (ml)	Reference
Aerosol Clearcoat 1K	400	77 11 421 109
Gloss clearcoat 1K	400	77 11 421 110
1K clearcoat new 250ML NEW	250	77 11 949 622
1K clearcoat new 400ML NEW	400	77 11 949 623



THINNERS FOR DIRECT GLOSS TOP COATS AND CLEARCOATS

HS 3 NF THINNER

Thinner for Ixalis Evolution, Altia clearcoats and Oxelia HS2 top coats.

Description	Contents (L)	Reference
HS 3 NF Thinner	5	77 11 780 832



AC10 THINNER

Accelerator thinner for the fast 40° and ultra-fast versions of Fortia undercoats.

Description	Contents (L)	Reference
AC10 Thinner	1	77 11 579 667



BASE COAT THINNER

D H₂O OXELIA

Base coat thinner for the Oxelia range.

Description	Contents (L)	Reference
Oxelia H2O thinner	1	77 11 218 194





Hardeners

Additives

X HS 2 SLOW

Hardener for slow versions of Ixalis Evolution and Altia clearcoats and Oxelia HS2 top coats.



Description	Contents (L)	Reference
X HS 2 Slow	1	77 11 429 105

X HS 2 STANDARD

Hardener for Ixalis Evolution and Altia clearcoats and Oxelia HS2 top coats.



Description	Contents (L)	Reference
X HS 2 Standard	1	77 11 429 104

X HS 2 FAST

Hardener for fast versions of Ixalis Evolution and Altia clearcoats and Oxelia HS 2 top coats and Fortia undercoats.



Description	Contents (L)	Reference
X HS 2 Fast	1	77 11 425 959

X CP STANDARD

Hardener for Clearius clearcoat.



Description	Contents (L)	Reference
X CP Standard	1	77 11 429 306

X FLASH A HARDENER

Flash clearcoat hardener.
It is used in conditions of T °C < 20 °C and a humidity rate < 20%.



Description	Contents (L)	Reference
X Flash A Hardener	1	77 11 579 359

X FLASH C HARDENER

Flash clearcoat hardener.
For use in high temperature > 40°C and high humidity < 40%.



Description	Contents (L)	Reference
X Flash C Hardener	1	77 11 579 361

X FLASH D HARDENER

Hardener for Flash Evolution clearcoat.
Suitable for use at temperatures from 20 °C up to more than 30 °C.



Description	Contents (L)	Reference
X Flash D Hardener	1	77 11 947 097

AD300 IXELLTECH BASE COAT HARDENER

Hardener which is used for the preparation of ixellTech waterborne base coat.



Description	Contents (L)	Reference
AD300 Hardener ixellTech standard	0.5	77 11 431 532

ANTI-SCRATCH AD

Additive used with Ixalis Evolution clearcoat to produce a scratch-resistant version.



Description	Contents (L)	Reference
NF Anti-scratch AD NEW FORMULA	1	77 17 276 893

FLEXING PRODUCT

Softens primers, direct gloss top coats and two-component clearcoats.
Makes it easier to paint plastic parts.



Description	Contents (L)	Reference
Flexing product	1	77 11 429 106

AD MAT

The product is used with Ixalis Evolution or Altia varnishes, to reproduce the clearcoat of original matt vehicles (O.E.M.) and for plastic accessories.



Description	Contents (L)	Reference
AD Mat	1	77 11 429 310

D 40

Evaporation self-timer when the outside temperature is above 25°C. Incorporates at the moment of dilution according to the rates mentioned in the technical data sheets.



Description	Contents (L)	Reference
D 40	1	77 01 404 995

AÉROFLASH NET JOINT THINNER

Thinner which allows a 2-component clearcoat and top coat connection. Easy to use and ready to use, it uses the Spray Max technology, enabling connections of the same quality of finish as with a spray gun.



Description	Contents (ml)	Reference
Joint Thinner AéroFlash Net	400	77 11 423 509

JOINT THINNER FLASH NET

Description	Contents (L)	Reference
Joint Thinner Flash Net	1	77 11 423 508

OXELIA MATT BASE ACCELERATOR

Description	Contents (L)	Reference
Oxelia matt base accelerator	0.5	77 11 573 491

ADDITIVES FOR COLOURED CLEARCOAT

Code	Description	Contents (L)	Reference
ADV610	Blue	0.1	77 11 577 992
ADV611	Bright blue	0.1	77 11 948 074
ADV620	Bordeaux red	0.1	77 11 577 987
ADV621	Orange red	0.1	77 11 577 988
ADV622	Ruby red	0.1	77 11 577 989
ADV623	Pearl red	0.1	77 11 577 990
ADV650	Brown	0.1	77 11 577 991
ADV651	Bright brown	0.1	77 11 947 897
ADV660	Orange	0.1	77 11 943 128
ADV670	Magenta	0.1	77 11 577 986





Chapter 2

Surface preparation and primers

- | | |
|---------------------------------|--------|
| • Repair-replacement undercoats | 2 - 01 |
| • Multifunction undercoats | 2 - 03 |
| • Primer undercoats | 2 - 04 |
| • Specific undercoats | 2 - 04 |





Repair-replacement undercoats

Repair-replacement undercoats

IXELL PRESENTS THE TWO PRIMERS FROM ITS NEW ULTRA-HIGH PERFORMANCE RANGE BASED ON UVA TECHNOLOGY: LUXIA UV

LUXIA UV

- Single-component product, no hardener, no dilution, ready to use
- Anti-corrosion product
- Ultra-fast drying with UV-A radiation, saving time and energy
- Immediate sanding after drying, no heating of the substrate



Description	Contents	Reference
Luxia Medium Grey UV	1 L	77 17 300 487
Luxia Spray Medium Grey UV	400 ml	77 17 300 490

FORTIA

FORTIA, THE ULTIMATE MULTI-PURPOSE PRIMER

With its 3 colour shades (C1/C3/C5), 2 other grey scales can be obtained by mixing (C2 and C4), or 5 shades of grey in total.

This system is used to obtain the right choice of primer shade for the vehicle body colour.

With 3 versions, Fortia is a multi-purpose and versatile primer that meets all requirements.



Description	Contents (L)	Reference
Fortia C1 Primer	3,5	77 11 425 956
Fortia C3 Primer	3,5	77 11 228 650
Fortia C5 Primer	3,5	77 11 425 957
X HS2 Fast Hardener	1	77 11 425 959
X Fast Hardener 15°C	1	77 11 579 357
Fortia Thinner	5	77 11 419 417
AC10 Thinner	1	77 11 579 667

ULPRIA

THE FULL LINE OF HIGH-EFFICIENCY PRIMERS

With Ulpria, ixell improves its ultra-productive offering.

This new range of undercoats is available in two versions: Wet-Wet and sandable to increase the performance of your workshop.



Description	Contents	Reference
Ulpria C1 SP sandable primer	1 L	77 11 944 008
Ulpria C3 SP sandable primer	3,5 L	77 11 944 009
Ulpria C6 SP sandable primer	1 L	77 11 944 010
Ulpria C1 WW wet/wet primer	1 L	77 11 944 011
Ulpria C3 WW wet/wet primer	3,5 L	77 11 944 012
Ulpria C6 WW wet/wet primer	1 L	77 11 944 013
Ulpria SP sandable hardener	2,5 L	77 11 944 014
Ulpria WW wet/wet hardener	1 L	77 11 944 015
Ulpria SP & WW accelerator	1 L	77 11 944 016
Ulpria SP & WW wipes	1 box = 25 wipes	77 11 944 017

THE + IXELL

- SP : SANDING
- WW : WET WET





Multifunction undercoats

UNIVIA, A MULTI-FUNCTIONAL SURFACE PRIMER WITH HIGH DRY CONTENT THAT CAN BE APPLIED ON A WIDE VARIETY OF SUPPORTS INCLUDING PLASTIC PARTS.



UNIVIA LOW TEMPERATURE VERSION

For application on filler, cationic electro-coating, aluminium, electro-plated coatings.
Air dry at temperatures above 15°.

Description	Contents (L)	Reference
Univia C1	3.5	77 11 577 700
Univia C6	3.5	77 11 577 701
X Fast Hardener 15°C	1	77 11 579 357

UNIVIA PLASTIC VERSION

Can be applied to any plastic surface, including cationic electro-coatings.

Description	Contents (L)	Reference
Univia C1	3.5	77 11 577 700
Univia C6	3.5	77 11 577 701
XHS2 Slow	1	77 11 429 105
AD Plastique	1	77 11 577 702

UNIVIA SANDABLE VERSION

For application on filler, cationic electro-coating, aluminium, electro-plated coatings.
For minor repairs or entire components

Description	Contents (L)	Reference
Univia C1	3.5	77 11 577 700
Univia C6	3.5	77 11 577 701
XHS2 Slow	1	77 11 429 105
XHS2 Standard	1	77 11 429 104
XH2 Fast	1	77 11 425 959
Fortia Thinner	5	77 11 419 417
HS3 NF Thinner	5	77 11 780 832

UNIVIA WET-WET VERSION

Apply to new cationic electro-coated components.

Description	Contents (L)	Reference
Univia C1	3.5	77 11 577 700
Univia C6	3.5	77 11 577 701
XHS2 Slow	1	77 11 429 105
XHS2 Standard	1	77 11 429 104
Fortia Thinner	5	77 11 419 417
HS3 NF Thinner	5	77 11 780 832

Primer undercoats

I-PREMIA SPRAY

AEROSOL SPRAY PRIMER

i-Premia Spray combines very high transfer power with even application. No equipment required and cleaning after application is reduced as the product comes ready to use; with the added assurance of zero product wastage.

The contents of i-Premia in an aerosol spray ensure ease of use and fast application, which equals increased workshop efficiency and profitability.

i-Premia Spray is the ideal product for quick repairs and vehicle interiors.



Description	Contents (mL)	Reference
I-Premia Spray C2	400	77 11 579 362
I-Premia Spray C4	400	77 11 574 254

I-ALPHA

PHOSPHATE PRIMER

Excellent anti-corrosion protection, i-Alpha promotes the adhesion of undercoats and requires no sanding.

This primer can be applied to numerous surfaces: galvanised or electro-plated steel sheets, aluminium panels and polyester fillers.



Description	Contents (L)	Reference
i-Alpha	1	77 11 420 027
i-Alpha reagent D	1	77 11 420 028

Specific undercoats

UNIVIA SPRAY

Univia Spray completes ixell's aerosol undercoat range with a high-quality two-component product. Thanks to its technical properties, Univia Spray ensures that you have an optimal result. Its 250-ml packaging allows the product to be applied to a wider surface. Its Spray Max diffuser facilitates application. Available in 5 shades of grey (from C1 to C5), it will meet all your needs.

Description	Contents (mL)	Reference
Univia Spray C1	250	77 11 942 933
Univia Spray C2	250	77 11 785 049
Univia Spray C3	250	77 11 942 934
Univia Spray C4	250	77 11 942 935
Univia Spray C5	250	77 11 785 050



AÉROSPOT PRIMER

This aerosol spray is easy to use and ready for use; ideal for covering small areas of polyester finishing filler.

Provides maximum coverage up to 70 µm, fast drying in open air and distributes a light grey colour easily covered by all paint colours.



Description	Contents (mL)	Reference
Aérospot Primer C1	400	77 11 577 447
Aérospot Primer C2	400	77 11 577 444
Aérospot Primer C3	400	77 11 577 445
Aérospot Primer C4	400	77 11 577 446
Aérospot Primer C5	400	77 11 423 454

ADHÉRA SPRAY

Facilitates the adhesion of the paint application process on all interior or exterior plastics. Available as a ready-to-use aerosol spray, this product covers large surface areas.

ANTI-STATIC THINNER

Anti-static thinner protects the plastic surface from dust before applying the undercoat, and ensures a perfect first clean by removing impurities and grease encrusted in the surface.



Description	Contents (mL)	Reference
Adhéra Spray EVO NEW FORMULA	400	77 17 276 901
Adhéra EVO NEW	1000	77 17 276 900
Anti-static thinner	400	77 01 408 493





Chapter 3



Filler application

- Universal fillers
- Specific fillers
- Filler application tools

3 - 01

3 - 02

3 - 04





Universal fillers

Specific fillers

GALAXI

MULTI-PURPOSE BODY FILLER

Galaxi multi-purpose filler is a two-component polyester paste:

- Body filler and/or finishing body filler
- Unsaturated polyester body filler with a creamy texture:
 - Easy to mix
 - Easy to apply
 - Easy to smooth
 - Good visual appearance
 - Easy to sand due to its colour (sanding guide effect)

Description	Contents	Reference
Filler + Hardener	1 tin of 126 L (net vol.) 1 hardener of 50 g	77 11 172 238
Hardener unit	Tube of 50 g	77 11 428 234



OPTIMAX EVO – OPTIMAX EVO 2

MULTI-PURPOSE BODY FILLER

Optimax Evo multi-purpose body filler is a two-component polyester paste:

- Body filler and/or finishing body filler
- Unsaturated polyester body filler with a fine, creamy texture:
- Easy to prepare, distribution in cartridges using a dispenser
- Easy to mix
- Easy to apply
- Easy to smooth
- Easy to sand due to its colour (sanding guide effect)
- Good visual finish after sanding
- Possibility of accelerating the drying by increasing the quantity of hardener up to 3% with no risk of discolouring of the paint

Optimax Evo is applied with the Optimax dispenser.

OPTIMAX EVO



Description	Contents	Reference
Optimax Evo + Hardener	1 tin of 126 L (net vol.) 1 hardener of 45 g	77 11 579 588
Optimax Evo Hardener uni	Tube of 45 g	77 11 428 235

OPTIMAX EVO 2



Description	Contents	Reference
Optimax Evo 2 + Hardener	1 tin of 126 L (net vol.) 1 hardener of 50 g	77 11 944 242
Optimax Evo 2 Hardener unit	Tube of 50 g	77 11 428 234

LUXIA UV

LUXIA UV BODY FILLER

- Suitable for quick repairs
- Anti-corrosion product
- Ultra-fast drying with UV-A radiation
- Saves time and energy
- Single-component product, no hardener
- Immediate sanding after drying, no heating of the substrate



Description	Contents	Reference
Luxia UV 1K body filler	Tube of 400 g	77 17 355 654

EXTRA EVO

EXTRA FINE FINISHING BODY FILLER

Extra Evo body filler is a two-component polyester paste:

- Finishing body filler
- Unsaturated polyester body filler with a fine, creamy texture:
 - Easy to mix
 - Easy to apply
 - Easy to smooth
 - Even levelling
 - Good visual appearance before sanding
 - Easy to sand
 - Excellent visual appearance after sanding
 - Possibility of accelerating the drying by increasing the quantity of hardener up to 3% with no risk of discolouring of the paint

Description	Contents	Reference
Filler + Hardener	1 tin of 126 L (net vol.) 1 hardener of 50 g	77 11 579 592
Hardener unit	Tube of 50 g	77 11 428 234



PLASTIX

SPECIFIC BODY FILLER FOR PLASTICS

Plastix specific body filler is a two-component polyester paste:

- Finishing body filler for plastic
- Unsaturated polyester body filler with a fine, creamy texture:
 - Easy to mix
 - Easy to apply
 - Easy to smooth/easy to level
 - Good visual appearance
 - Easy to sand due to its colour(sanding guide effect)
 - Good adhesion
 - Low level of clogging
 - Colour close to plastics



Description	Contents	Reference
Filler + Hardener	1 tin of 570 ml (net vol.) 1 hardener of 25 g	77 11 579 589
Hardener unit	Tube of 50 g	77 11 428 234

ALUX EVO

SPECIFIC ALUMINIUM BODY FILLER

Alux Evo body filler is a two-component aluminium-based polyester paste:

- Body filler
- Unsaturated polyester body filler with a creamy texture:
 - Easy to mix
 - Easy to apply
 - Easy to smooth
 - Low porosity
 - Good visual appearance
 - Quick drying
 - Low level of clogging

Perfect for use after Sheet metal/Welding work (example: refilling after welding or descaling/grinding).

Description	Contents	Reference
Filler + Hardener	1 tin of 570 ml (net vol.) 1 hardener of 25 g	77 11 579 591
Hardener unit	Tube of 50 g	77 11 428 234





Specific fillers

Filler application tools

FIBRIX



SPECIFIC FIBREGLASS BODY FILLER

Fibrix body filler is a two-component polyester paste loaded with fibreglass and microbeads:

- Repair body filler and/or standard body filler
- Unsaturated polyester body filler with a creamy texture:
- Easy to mix
- Easy to apply
- Easy to smooth
- Good visual appearance
- Easy to sand due to its composition
- Excellent finish after sanding/excellent smoothing of the body filler at the edge
- Possibility of accelerating the drying by increasing the quantity of hardener up to 3% with no risk of discolouring of the paint

Description	Contents	Reference
Filler + Hardener	1 tin of 570 ml (net vol.) 1 hardener of 25 g	77 11 579 593
Hardener unit	Tube of 50 g	77 11 428 234

PIXTOL



SPECIFIC SPRAYABLE BODY FILLER

Pixtol sprayable body filler is a two-component polyester fluid:

- Finishing body filler
- Unsaturated polyester body filler with a liquid texture:
- Easy to mix
- Easy to apply (HVLP gun)
- Even levelling
- Excellent coverage
- Good visual appearance
- Easy to sand due to its colour

Description	Contents	Reference
Filler + Hardener	1 tin of 1 L (net vol.) 1 hardener of 45 g	77 11 579 590
Hardener unit	Bottle of 45 g	77 11 172 247

FILLER BLOCK


Flexible rubber block for application of polyester fillers.



Description	Reference
Block 7.5 x 5 cm	77 01 423 760

METAL SPREADERS

Pack containing 4 metal spreaders for application of polyester fillers.



Description	Reference
Block 7.5 x 5 cm	77 01 423 758

OPTIMAX DISPENSER

This dispenser can be used with Optimax and Excellence + fillers.

The Optimax dispenser also has an airtight resealing system for better product preservation.



Description	Reference
Optimax dispenser	77 11 172 231

FILLER PREPARATION PALETTE

Preparation palette for large quantities of filler.



Description	Reference
Filler Preparation Palette	77 11 427 426

SATA JET 100 P NOZZLE PAINT SPRAY GUN

This spray gun is designed especially for the application of spray-on fillers (Pixtol).

Its fully anodised body is easy to clean.

One-handed adjustment of the round/flat spray.

Optimised ergonomics and lighter.

Description	Reference
Sata JET 100 P Nozzle paint spray gun	77 11 430 498





chapter 4



Sealing, Soundproofing and Bonding

- | | |
|----------------------------|--------|
| • Sealing | 4 - 01 |
| • Anti-chipping protection | 4 - 02 |
| • Soundproofing | 4 - 03 |
| • Corrosion protection | 4 - 04 |
| • Bonding | 4 - 05 |
| • Multi-purpose | 4 - 05 |





Sealing

MJ PRO WHITE / GREY / BLACK

MJ Pro paint-seal filler is available in white, black or grey to better match the seal to the vehicle body colour.

It is applied over a 1k or 2k primer and can be painted over after 20 minutes. Single-component product, characterised by quick polymerisation and offering excellent adhesion. Spot welding, can be smoothed or brushed after application.

Description	Contents	Reference
MJ Pro white	Cartridge of 310 ml	77 11 426 951
MJ Pro grey	Cartridge of 310 ml	77 11 780 940
MJ Pro black	Cartridge of 310 ml	77 11 172 676

ixell RECOMMENDATION

Description	Associated guns	Reference
MJ Pro black	Confort 310/400	77 11 782 119
	Power Light 7	77 11 782 120

SEALING FILLER

Sealing filler has good adhesion and excellent resistance to moisture and climatic variations. It remains flexible and has good resistance to heat and ageing.

Description	Contents	Reference
Sealing filler <i>DISPONIBLE PROCHAINEMENT</i>	Cartridge of 310 ml	77 17 301 361

ixell RECOMMENDATION

Description	Associated guns	Reference
Sealing filler	Confort 310/400	77 11 782 119
	Power Light 7	77 11 782 120

MEG

PRE-FORMED SEALING FILLER FOR DOOR TRIMS OR VINYL PANELS

This ready-to-use filler is quick and easy to apply. No application equipment is required and sealing and adhesion are guaranteed.

Description	Contents	Reference
Filler	1 unit	77 01 423 330
Supplied in outer-packaging in boxes of 20 rolls		

BRUSH FILLER


Brush filler resists water, oil and hydrocarbons. It can be applied in a wide thickness and is colourless. It is designed to receive any paint finish and dry in 2 hours at 20°C.

Description	Contents	Reference
Brush filler	1-kg pot	77 11 228 113

VU PREFORMED JOINT SEALANT

The innovative VU preformed joint sealant provides an air-tight seal while preserving the vehicle's original aspect.

Description	Contents	Reference
VU preformed joint sealant	Cord sold per unit, 8 mm x 10 m	77 11 782 128
Primer for preformed joint sealant	Spray can of 400 ml	77 11 782 126



Anti-chipping protection

SPR GREY EVOLUTION II

Evolution II grey SPR is a single-component soundproofing product used to protect vehicle underbodies.

It is sprayable with a granular appearance and can be painted. It is heat-resistant and has very good resistance to stone chips.

It is available as a cartridge or aerosol spray and can be used with the special application gun from the ixell range.

Description	Contents	Reference
Evolution II Grey SPR	Cartridge of 1 L	77 11 419 114
Evolution Spray grey SPR	Spray can of 400 ml	77 11 419 116

ixell RECOMMENDATION

Description	Contents	Reference
FastClean	1 unit	77 11 782 125
Buse FastClean	6 units	77 11 782 127

EVOLUTION II BLACK SPR

Evolution II black SPR is a single-component soundproofing product.

It protects the underbody and provides good resistance to stone chips.

It has a granular appearance and can be painted. This product is flexible and does not crack. It can be used with the special application gun from the ixell range.

Description	Contents	Reference
Evolution II black SPR	Cartridge of 1 L	77 11 419 115

ixell RECOMMENDATION

Description	Contents	Reference
FastClean	1 unit	77 11 782 125
Buse FastClean	6 units	77 11 782 127

GREY H₂O SPR

Grey H₂O SPR is a single-component soundproofing product.

It is corrosion resistant and protects underbodies; it can be painted. Its water-soluble-based technology gives it a low volatile organic compound (VOC) content. It is not harmful or flammable and does not emit odours or vapours.

Description	Contents	Reference
Grey H ₂ O SPR	Cartridge of 1 L	77 11 429 233

ixell RECOMMENDATION

Description	Contents	Reference
FastClean	1 unit	77 11 782 125
Buse FastClean	6 units	77 11 782 127



FASTCLEAN

FastClean enables anti-gravelling spray.

Its adjustable nozzle guarantees you accurate application, and the result looks like new.

Moreover, its disposable connector is ergonomic and saves you time.

More time on the repair and less wasted on cleaning.

Description	Contents	Reference
(1) FastClean	1 unit	77 11 782 125
(2) Buse FastClean	6 units	77 11 782 127




Soundproofing

SOUND-ABSORBING PANELS

Self-adhesive bitumen soundproofing sheets provide sound insulation and absorb vibrations. They are available in two versions. The first version is designed for operable parts and the second, for the chassis.



Description	Contents	Reference
Sound-absorbing panel 3.5 kg	10 units	77 01 423 546



Description	Contents	Reference
Sound-absorbing panel 6.2 kg	5 units	77 01 423 269



Corrosion protection

PAC 1 & 2 KIT

This product is used for the curative treatment of slightly oxidised sheet metal that is not accessible.
PAC 1 is a migration product that must be followed by PAC 2, which is an anti-corrosion protective product.



Description	Contents	Reference
Kit Pac 1 & 2	2 cans of 500 ml	77 11 170 744

IXELL RECOMMENDATION

Description	Contents	Reference
Kit Pac 1 & 2	Cavity gun	77 01 421 476

SPR CC SPRAY

This protective spray-on product is designed to provide preventive treatment of hollow sections.
SPR CC complies with the original anti-corrosion warranties. It comes as a ready-to-use spray, making it even easier to apply.
Spray can of 500 ml.



Description	Contents	Reference
SPR CC spray	Spray can of 500 ml	77 11 211 654

SPR CC

This protective product is designed to provide preventive treatment of hollow sections.
SPR CC complies with the original anti-corrosion warranties. It comes ready to use and is easy to apply. In a 1-L can.



Description	Contents	Reference
SPR CC	Cartridge of 1 L	77 11 172 672

IXELL RECOMMENDATION

Description	Contents	Reference
SPR CC	Cavity gun	77 01 421 476



Bonding

SEMI-STRUCTURAL ADHESIVE

Two-component epoxy adhesive (Duo-Pack cartridge) for bonding non-structural body panels (doors, roofs, tailgates, etc.). Provides excellent adhesion, corrosion resistance, and durability.

To be used with a manual gun for dual-component cartridges. Mixing nozzles are available as replacement parts.



Description	Contents	Reference
(1) Semi-structural adhesive	1 cartridge of 200ml	77 17 300 025
(2) Semi-structural glue gun	1 unit	77 17 300 016
(3) Semi-structural adhesive nozzle	1 pack of 6 nozzles	77 17 300 017

DOUBLED-SIDED ACRYLIC

Black double-sided tape designed for sticking exterior protection strips onto vehicles:

- Easy to use
- Instant adhesion
- Excellent soundproofing and parasitic vibration reduction properties
- Resistant to cold shock and high mechanical stresses (minimum distortion)
- Its excellent shaping ability means it can be stuck to uneven surfaces



Description	Contents	Reference
Doubled-sided acrylic	16 mm x 20 m	77 11 780 938

HP STRUCTURAL ADHESIVE

Epoxy structural adhesive, specially developed for structural bodywork parts. Very strong adhesion for so-called "safety" bonding applications (steels, aluminium, bmc, smc, etc.). Two-component, primer-free epoxy adhesive, good anti-corrosion protection.



Description	Contents	Reference
HP structural adhesive	Cartridge of 195 ml	77 11 419 113

ixell RECOMMENDATION

Description	Contents	Reference
HP structural adhesive	Confort 310/400	77 11 782 119
	Power Light 7	77 11 782 120

Multi-purpose

MAG PRO 1

Free from isocyanates and silicones, Mag Pro 1 has a low solvent content.

It is compatible with original PVC protections and highly resistant to impacts and abrasion.

Mag Pro 1 must be applied wet-on-wet, allowing for immediate overcoating. It can be used as a bead, joint spray or general spray application. It is applied using the dedicated spray gun.



Description	Contents	Reference
Sealant	Cartridge of 310 ml	77 11 172 679
Supplied in outer-packaging in boxes of 20 rolls		

ixell RECOMMENDATION

Description	Associated guns	Reference
Mag Pro 1	Pulvé Plus	77 11 782 122





chapter 5



Sanding and masking

• Essential Range	5 - 01
• Intense Range	5 - 02
• Intense S Range	5 - 03
• IxellNet Range	5 - 04
• Workstation	5 - 05
• ixellSteps	5 - 06
• Sanding tools	5 - 07
• Add-ons Range	5 - 09
• Masking Solutions	5 - 11
• Specific Masking	5 - 12
• Classic Masking Tape Range	5 - 13
• Specific Masking Range	5 - 14





Essential Range

Intense Range

**NO MORE COMPROMISE BETWEEN PRICE AND PERFORMANCE:
IXELL ESSENTIAL ABRASIVES COVER ALL YOUR NEEDS
FOR THE PRE-PAINT STAGES.**

POWER SANDING

Ideal for:

- Scouring
- Roughing for rubbing down & surface preparation operations
- Finishing before painting (grinding sanding)



THE + IXELL

- Value for money
- Optimised for high-speed sanding

ESSENTIAL DISC – Ø 150 MM – 7 HOLES

Grit	Contents	Reference
P80	100	77 11 784 832
P120	100	77 11 784 833
P150	100	77 11 784 834
P180	100	77 11 784 835
P220	100	77 11 784 836
P240	100	77 11 784 837
P320	100	77 11 784 838
P400	100	77 11 784 839
P500	100	77 11 784 840
P600	100	77 11 784 841

ESSENTIAL DISC – Ø 150 MM – 15 HOLES

Grit	Contents	Reference
P80	100	77 11 784 842
P120	100	77 11 784 843
P150	100	77 11 784 844
P180	100	77 11 784 845
P220	100	77 11 784 846
P240	100	77 11 784 847
P320	100	77 11 784 848
P400	100	77 11 784 849
P500	100	77 11 784 850
P600	100	77 11 784 851

**WHEN PERFORMANCE MEETS VERSATILITY:
CHECK OUT THE IXELL INTENSE ABRASIVES FOR PRE-PAINT TASKS.**

POWER SANDING

Grit P80 to P600 ideal for:

- Scouring
- Roughing for rubbing down & surface preparation operations
- Finishing before painting (grinding sanding)

Grit P800 to P1500 ideal for:

- Sanding of scratches
- Preparation before painting
- Rub down before blending-in
- Touching up clearcoat without repainting; orange peel micro scratches drips



THE + IXELL

- Long-lasting
- Great flexibility
- Suitable for sanding the latest generation of hard clearcoats


INTENSE DISC – Ø 150 MM – 7 HOLES

Grit	Contents	Reference
P80	100	77 11 784 876
P120	100	77 11 784 877
P150	100	77 11 784 878
P180	100	77 11 784 879
P220	100	77 11 784 880
P240	100	77 11 784 881
P320	100	77 11 784 882
P400	100	77 11 784 883
P500	100	77 11 784 884
P600	100	77 11 784 885
P800	100	77 11 784 886
P1000	100	77 11 784 887
P1200	100	77 11 784 888
P1500	100	77 11 784 889

INTENSE DISC – Ø 150 MM – 15 HOLES

Grit	Contents	Reference
P80	100	77 11 784 890
P120	100	77 11 784 891
P150	100	77 11 784 892
P180	100	77 11 784 893
P220	100	77 11 784 894
P240	100	77 11 784 895
P320	100	77 11 784 896
P400	100	77 11 784 897
P500	100	77 11 784 898
P600	100	77 11 784 899
P800	100	77 11 784 900
P1000	100	77 11 784 901
P1200	100	77 11 784 902
P1500	100	77 11 784 903

HAND SANDING



INTENSE STRIP – 70*419

Grit	Contents	Reference
P80	50	77 11 784 918
P120	100	77 11 784 919
P150	100	77 11 784 920
P180	100	77 11 784 921
P220	100	77 11 784 922
P240	100	77 11 784 923
P320	100	77 11 784 924
P400	100	77 11 784 925



INTENSE STRIP – 115*230

Grit	Contents	Reference
P80	50	77 11 784 926
P120	100	77 11 784 927
P150	100	77 11 784 928
P180	100	77 11 784 929
P220	100	77 11 784 930
P240	100	77 11 784 931
P320	100	77 11 784 932
P400	100	77 11 784 933



INTENSE STRIP – 70*198

Grit	Contents	Reference
P80	50	77 11 784 934
P120	100	77 11 784 935
P150	100	77 11 784 936
P180	100	77 11 784 937
P220	100	77 11 784 938
P240	100	77 11 784 939
P320	100	77 11 784 940
P400	100	77 11 784 941

Compatible with ixellSteps pneumatic sander





Intense S Range

IxellNet Range

FOAM TECHNOLOGY FOR EXTRA COMFORT AND IMPROVED FINISH RESULTS

POWER SANDING

Grit P1000 to P4000 ideal for:

- Sanding of scratches
- Preparation before applying clearcoat
- Rub down before blending-in
- Touching up clearcoat without repainting: orange peel micro scratches drips



THE + IXELL

- High-quality finish
- Perfect for sanding edges corners and curved surfaces
- Perfectly designed for pre-polishing tasks
- Provides a uniform surface area after applying clearcoat and touching up paintwork

INTENSE S DISC

Grit	Contents	Reference
P1000	20	77 11 784 942
P2000	20	77 11 784 943
P3000	20	77 11 784 944
P4000	20	77 11 784 945



EMBRACE A CLEAN ENVIRONMENT

POWER SANDING

Grit P80 to P600 ideal for:

- Scouring
- Roughing for rubbing down & surface preparation operations
- Finishing before painting (grinding sanding)



IXELLNET DISC

Grit	Contents	Reference
P80	50	77 11 784 946
P120	50	77 11 784 947
P150	50	77 11 784 948
P180	50	77 11 784 949
P220	50	77 11 784 950
P240	50	77 11 784 951
P320	50	77 11 784 952
P400	50	77 11 784 953
P500	50	77 11 784 954
P600	50	77 11 784 955

THE + IXELL

- Dust-free sanding thanks to mesh discs
- Minimal clogging
- Quick and easy positioning on the backing pad

HAND SANDING



IXELLNET STRIP – 70*419

Grit	Contents	Reference
P80	50	77 11 784 956
P120	50	77 11 784 957
P150	50	77 11 784 958
P180	50	77 11 784 959
P240	50	77 11 784 960
P320	50	77 11 784 961
P400	50	77 11 784 962

IXELLNET STRIP – 115*230

Grit	Contents	Reference
P80	50	77 11 784 963
P120	50	77 11 784 964
P150	50	77 11 784 965
P180	50	77 11 784 966
P240	50	77 11 784 967
P320	50	77 11 784 968
P400	50	77 11 784 969

IXELLNET STRIP – 70*198

Grit	Contents	Reference
P80	50	77 11 784 970
P120	50	77 11 784 971
P150	50	77 11 784 972
P180	50	77 11 784 973
P240	50	77 11 784 974
P320	50	77 11 784 975
P400	50	77 11 784 976

Compatible with ixellSteps pneumatic sander





Workstation

ixellSteps

WORKSTATION

Compact and mobile the Workstation is by your side at every stage of surface preparation. Its ergonomically-designed shelves and storage plate enable you to organise your work tools in an optimal way for maximum convenience. Thanks to its independent suction system and its full electric sanders there is no more need for a preparation bay: you can work with ease anywhere in the workshop.

Composition:

- 1 trolley
- 1 electric orbital sander
- 1 electric planer/sander
- 1 suction system
- 2 coaxial pipes with 4-m protection
- 1 double socket



Description	Reference
Workstation	77 11 940 647

REFERENCE

Description	Contents	Reference
Orbital electric sander	Unit	77 11 782 359
Electric rectangular sander	Unit	77 11 940 204
Suction system on its own	Unit	77 11 940 664
Electric coaxial pipe 4 m x Ø 32 with sleeve	Unit	77 11 940 648
Double socket	Unit	77 11 940 205

RESTOCK AND ACCESSORIES

Description	Contents	Reference
Suction bags	Pack de 5	77 11 785 485
Electric sander plate (Ø 150 mm)	Unit	77 11 782 576
Electric sander plate 70 x 198 mm	Unit	77 11 945 264
Plate protector (Ø 150 mm)	Unit	77 11 782 579
Protector without holes (Ø 150 mm)	Unit	77 11 783 419
6-hole interface	Pack de 5	77 11 782 574
Interface 70 x 198 mm	Pack de 5	77 11 783 356

IXELLSTEPS

Innovative ixellSteps optimises performance at each stage of surface preparation. Thanks to its simple 4-step method ixellSteps helps you streamline and perfect the whole process. Surface preparation has never been so simple fast and cost-effective offering you a high-quality result that you can reproduce ad infinitum.



Description	Reference
ixellSteps	77 11 782 575

RESTOCK AND ACCESSORIES

Description	Contents	Reference
Evo dust bags	Pack of 5 units	77 11 785 485
Frame	1 unit	77 11 940 402
Double socket	1 unit	77 11 940 205
Ø 150 - 67-hole plate protector	Pack of 5 units	77 11 782 579
70 x 198 - 56-hole plate protector	Pack of 5 units	77 11 783 357
70 x 198 - 10 mm - 56-hole interface	Pack of 5 units	77 11 783 356
Dust bags	Pack of 5 units	77 11 782 577
Plateau Ø150 - 48 Trous - Medium	1 unit	77 11 782 576
70 x 198 - 56-hole - Medium plate	1 unit	77 11 783 418
Protector with no Ø 150 hole (for damp sanding)	Pack of 5 units	77 11 783 419





Sanding tools

Sanding tools

TOOLS SUITABLE FOR ALL IXELL ABRASIVE FORMATS

ELECTRIC ORBITAL SANDER



Diamètre (mm)	Watt	Tours/minute	Voltage (VAC)	Poids	Vibration	Décibels	Fréquence (Hz)	Excentricité
77	250	4000-10000	220-240	0.8	2.6	67	50/60	5

Description	Reference
Electric orbital sander diam. 77 mm	77 11 948 631
Electric orbital sander diam. 150 mm NEW	77 17 276 796

ELECTRIC PLANER/SANDER



l x L mm	Watt	Tours/minute	Voltage (VAC)	Poids	Vibration	Décibels	Excentricité
70 x 198	250	5000-10000	220-240	1	2.6	71	3

Description	Reference
Electric planer/sander	77 11 940 204
Rectangular electric sander pad	77 11 945 264

TWO-HANDED SANDER



Diamètre (mm)	Tours/minute	Voltage (VAC)	Poids	Fréquence (Hz)	Excentricité
150	12000	220-240	1	50/60	5

Description	Reference
Two-handed sander	77 11 425 298

ELECTRIC ORBITAL SANDER



Diamètre (mm)	Watt	Tours/minute	Voltage (VAC)	Poids	Vibration	Décibels	Fréquence (Hz)	Excentricité
150	350	4000-10000	220-240	1	3.4	71	50/60	5

Description	Reference
Electric orbital sander	77 11 782 359

DUST-EXTRACTION SYSTEM WITH AUTO-START BOX



l x L mm	Watt	Voltage (VAC)	Aspiration (m³/h)	Poids	Fréquence (Hz)	Décibels	Pression	Débit d'air l/min	Contenu (l)
565 x 385 x 520	1200	230	270	14.5	50/60	60	3.5 BAR	4500	30

Description	Reference
ixellSteps suction system	77 11 785 484
ixellSteps pneumatic suction system connector	77 11 782 362
ixellSteps electric coaxial pipe	77 11 782 429
ixellSteps suction bag	77 11 782 577
ixellSteps EVO suction bag	77 11 785 485

SHEET SANDER



l x L mm	Watt	Tours/minute	Poids	Vibration	Décibels	Pression	Débit d'air l/min	Excentricité
70 x 198	175	10000	0.96	3.3	75	6.2 BAR	453	3

Description	Reference
Sheet sander	77 11 782 360
Pneumatic sander pad	77 11 783 418

TOOLS SUITABLE FOR ALL IXELL ABRASIVE FORMATS

DIFFERENT SHAPE HAND BLOCKS



Description	Reference
Different shape hand blocks	77 11 427 425

BLOCK FOR REUSING VELCRO SANDING DISCS




Description	Reference
Block for reusing Velcro sanding discs (Ø 150 mm)	77 11 785 013

BASE PROTECTORS AND FOAM INTERFACES



Description	Reference
Base protector (Ø 150 mm)	77 11 782 579
Protector without holes (Ø 150 mm)	77 11 783 419
70 x 198 - 56-hole plate protector	77 11 783 357
6-hole interface (Ø 150 mm)	77 11 782 574
70 x 198 - 56-hole interface	77 11 783 356
67-hole interface (Ø 150 mm) NEW	77 17 276 802

SANDING BLOCK



Description	Reference
Kaupp GM orange sanding block	77 01 423 759

SANDING BLOCKS WITH DUST EXTRACTION



Description	Reference
(1) Dust extraction block 70 x 198	77 11 785 016
(2) Dust extraction block 115x230	77 11 785 014
(3) Dust extraction block 70 x 419	77 11 785 015
(4) Suction hose with universal adapter	77 11 785 012

THE BASES



Description	Reference
(1) Electric sander plate (Ø 150 mm)	77 11 782 576
(2) 70 x 198 - 56-hole base	77 11 783 418





Add-ons Range

Add-ons Range

IXELL OFFERS A WHOLE RANGE OF ADD-ONS TO PERFECT YOUR SANDING WORK

FINEISHING PADS

- Very resistant, do not tear
- Suitable for all surfaces
- Promote adhesion of paint process in hard-to-reach areas
- Can be used with an orbital sander



FINISHING PADS (DISCS)



Grit	Contents	Reference
Coarse	10 units	77 11 784 977
Fine	10 units	77 11 784 978

ABRASIVE SPONGES

- Extremely resistant
- Fits all non-flat surfaces (door handles, radiator grills)
- Dry or wet use
- Prevents finger prints



Grit	Contents	Reference
Fine	20 units	77 11 784 981
Super-fine	20 units	77 11 784 982
Ultra-fine	20 units	77 11 784 983

SBA ABRASIVE SPONGES



Applications :

- Complete range from P240 to P800
- Dry or wet use
- Foam-backed paper for balanced sanding pressure and even results

Advantages:

- Ideal for sanding surfaces that cannot be reached with sanders or blocks
- Convenient packaging: cardboard reel

Grit	Contents	Reference
P240	1 box	77 11 784 984
P320	1 box	77 11 784 985
P400	1 box	77 11 784 986
P500	1 box	77 11 784 987
P800	1 box	77 11 784 988

FINISHING PADS (SHEETS)



Grit	Contents	Reference
Coarse NEW CONTENTS	20 units	77 11 784 979
Fine NEW CONTENTS	20 units	77 11 784 980

FINISHING PAD DISPENSER



FACILITATES DISTRIBUTION OF FINISHING PADS.

Grit	Description	Contents	Reference
Coarse	Red pad	Old paint	77 11 429 038
Fine	Grey pad	Shading or blending-in	77 11 429 039

MATTING PADS (ROLLS)

Description	Reference
Red matting pad roll NEW	77 17 276 898
Grey matting pad roll NEW	77 17 276 899

NEW

DRY SANDING SHEETS

Applications:

- Dry hand sanding
- Range from P80 to P400
- Ideal for:
 - Scouring
 - Roughing for rubbing down & surface preparation operations



Advantages:


- High-performance sanding with a long life span and reduced clogging
- Option to cut to size

Grit	Contents	Reference
P80	50 units	77 11 784 989
P120	50 units	77 11 784 990
P150	50 units	77 11 784 991
P220	50 units	77 11 784 992
P240	50 units	77 11 784 993
P320	50 units	77 11 784 994
P400	50 units	77 11 784 995

WET SANDING SHEETS

Applications :

- Wet hand sanding
- Range from P400 to P2500
- Ideal for:
 - Surfacing
 - Finishing before painting
 - Polished finishing, touching up clearcoat (orange peel, runs, surface scratches)



Advantages:

- High water resistance and improved thermal performance: less heating of the base and therefore less clogging
- Long-lasting thanks to its latex base and heat-treated grit

Grit	Contents	Reference
P400	50 units	77 11 784 996
P600	50 units	77 11 784 997
P800	50 units	77 11 784 998
P1200	50 units	77 11 784 999
P1500	50 units	77 11 785 000
P2000	50 units	77 11 785 001
P2500	50 units	77 11 785 002

SANDING GUIDE



The ixell sanding guide provides visual inspection of the surface to be sanded. The slightest unevenness or inaccurate sanding will be visible immediately after application of the carbon guide powder. The powder also reveals any imperfections remaining despite sanding. It is water-resistant, meaning it can be used in wet sanding. With the ixellSteps concept, the sanding guide comes in 2 colours: black or white depending on the colour of the primers and fillers to be sanded (light or dark).

Description	Reference
White sanding guide	77 11 782 370
Black sanding guide	77 11 782 371





Masking Solutions

Masking Solutions

A WIDE RANGE OF MASKING PAPER SUITED TO VARIOUS SURFACES FOR PREPARATION

MASKING PAPER

Advantages:

- Pure-pulp masking paper
- No surface treatment (treated mechanically)
- Recyclable
- Available in five widths (200, 450, 700, 900, 1,200 mm), this paper is solventproof and tear-proof
- Rolls of 270 mm
- 32 gsm quality



Description	Contents	Reference
200 mm	32 g	77 11 574 505
450 mm	32 g	77 11 574 506
700 mm	32 g	77 11 574 507
900 mm	32 g	77 11 574 508
1200 mm	32 g	77 11 574 509

LAMINATED MASKING PAPER

Advantages:

- Permanent hold for primers, H₂O and solvent bases and solvent-based clearcoats
- Paper surface treated with a layer of polythene film
- No bleed through with H₂O based paint
- Infrared-resistant
- Guaranteed silicone-free



Description	Reference
200 mm x 150 m	77 11 223 684
450 mm x 150 m	77 11 223 685
700 mm x 150 m	77 11 223 686
900 mm x 150 m	77 11 223 687
1200 mm x 135 m	77 11 223 688

PLASTIC MASKING FILM WITH BUILT-IN MASKING TAPE

Advantages:

- Plastic film with incorporated masking tape
- Permanent hold for primers, bases and clearcoats
- Quick and easy to apply (less than two minutes for one person)
- No glue transfer from the tape
- Anti-static
- Infrared-resistant
- Precise positioning of the film thanks to the tape



Description	Reference
400 mm x 25 m	77 11 573 513
600 mm x 25 m	77 11 573 514
900 mm x 25 m	77 11 573 515
1100 mm x 25 m	77 11 573 516
1800 mm x 25 m	77 11 573 517

FULL PLASTIC MASKING

Advantages:

- Plastic film for protection against paint overspray and dust
- Infrared-resistant
- Ideal protection against paint overspray and dust
- Permanent hold for primers, H₂O and solvent bases and solvent-based clearcoats
- Perfect anti-static adhesion
- Quick one-person set-up thanks to the reel
- Easy to roll with the attached cutter
- Perfect fit for vehicle contours
- The ixell logo means you can check the film is positioned correctly
- Available in 10 µ and 17 µ



Description	Dimensions	Reference
17µ roll	4 m x 150 m	77 11 573 518
10µ roll	4 m x 300 m	77 11 573 519
17µ roll	5.2 m x 150 m	77 11 575 869

CLEANING AND POLISHING TROLLEY

- 3-tier structure for optimized storage.
- Durable and lightweight: max load 120 kg, weight 10 kg.
- 2 perforated side panels with 10 hooks included.
- Side holder for hanging bucket.
- 4 swivel casters for smooth mobility.
- Dimensions (W x D x H): 81 x 43 x 98 cm

Description	Contents	Reference
Cleaning and polishing trolley	1 unit	77 17 277 700



COMING SOON

FULL MASKING TROLLEY

This trolley allows for easy cutting with its built-in cutting rail. It is mobile so it can be used closer to the vehicle.

- Dimensions: 1,110 (L) x 760 (H) x 600 (D) mm

Description	Contents	Reference
Full masking trolley	1 unit	77 11 783 742



CUTTER

Description	Reference
Cutter	77 11 223 774



CUTTER IXELLROLLER MASKING ROLL

Description	Reference
2.6 m x 22.5 m masking roll	77 11 579 608

Specific Masking

WE OFFER A SPECIFIC MASKING RANGE FOR COMPLETE VEHICLE PROTECTION

WHEEL RIM MASKING

The quick and effective way to mask your wheel rims

Description	Contents	Reference
Wheel rim masking	Roll of 80 protectors	77 11 785 058





Classic Masking Tape Range

Specific Masking Range

THESE CLASSIC MASKING TAPES ARE SOLVENT-RESISTANT AND CAN BE SHAPED TO VARIOUS CONTOURS THANKS TO HOW FAR THEY EXTEND

Masking tape allows for clear marking of the parts to be painted, as well as clean and easy tearing and good adhesion when overlapping. What's more, it leaves no glue on any of the surfaces (paint, glass, rubber, etc.).

CR (CLASSIC RESISTANCE) MASKING TAPE

- Suited to standard baking temperatures (60°C)
- Suitable for masking on paper or plastic
- Durable and flexible, resistant to solvents and paint bleed-through
- Thickness of 0.12 mm
- Core: yellow

Description	Contents	Reference
ixell CR 19 masking tape	Box of 96 rolls	77 11 785 028
ixell CR 25 masking tape	Box of 72 rolls	77 11 785 029
ixell CR 38 masking tape	Box of 48 rolls	77 11 785 030
ixell CR 50 masking tape	Box of 36 rolls	77 11 785 031

SR (SUPERIOR RESISTANCE) MASKING TAPE

- Suited to high-temperature baking temperature (80°C)
- Suitable for masking on paper or plastic
- Durable and flexible, resistant to solvents and paint bleed-through
- Waterproof
- UV-resistant for three days
- Thickness of 0.12 mm
- Core: orange

Description	Contents	Reference
ixell SR 19 masking tape	Box of 96 rolls	77 11 785 032
ixell SR 25 masking tape	Box of 72 rolls	77 11 785 033
ixell SR 38 masking tape	Box of 48 rolls	77 11 785 034
ixell SR 50 masking tape	Box of 36 rolls	77 11 785 035

HP (HIGH PERFORMANCE) MASKING TAPE

- Suited to repeated baking at high temperatures (110 °C)
- Suitable for masking on paper or plastic
- Durable and flexible, resistant to solvents and paint bleed-through
- Thickness of 0.12 mm
- Core: red

Description	Contents	Reference
ixell HP 19 masking tape	Box of 96 rolls	77 11 785 036
ixell HP 25 masking tape	Box of 72 rolls	77 11 785 037
ixell HP 50 masking tape	Box of 36 rolls	77 11 785 038

SP HYDRO MASKING TAPE

Description	Contents	Reference
SP Hydro masking tape	10 units per packet	77 11 425 630

MASKING TAPE RA (ALUMINIUM-COATED WOVEN ADHESIVE TAPE)

- Multi-purpose adhesive with high abrasion resistance
- Not to be confused with an aluminium-coloured "simple sticky tape"

Description	Reference
Aluminium-coated adhesive tape	77 11 945 708

A RANGE ESPECIALLY FOR SPECIFIC MASKING NEEDS

FOAM TAPE / MASKING FOR OPENINGS



- Polyester foam masking tape, partially coated in pressure-sensitive adhesive
- This tape allows for watertight masking by protecting against paint overspray or dust clouds when spraying

Description	Reference
Foam tape 13 mm	77 11 785 039
Foam tape 19 mm	77 11 785 040
(1) Primer tape	77 11 574 907
(2) Transition tape	77 11 574 908
(3) Soft edge foam tape	77 11 574 909

SPECIFIC BLUE MASKING TAPE

Advantages:

- Ruban de masquage spécifique de flexibilité moyenne mais idéal pour réaliser de longues lignes droites
- Résistant jusqu'à 138 °C

Description	Reference
Spécifil bleu 3 mm (rouleau)	77 11 785 044
Spécifil bleu 6 mm (rouleau)	77 11 785 045
Spécifil bleu 9 mm (rouleau)	77 11 785 046

SPECIFIC GREEN MASKING TAPE

Advantages:

- Highly flexible and adaptable specific masking tape
- Ideal for curves
- Resistant up to 138°C

Description	Reference
Spécifil green 3 mm (roll)	77 11 785 041
Spécifil green 6 mm (roll)	77 11 785 042
Spécifil green 9 mm (roll)	77 11 785 043

WINDSCREEN TAPE

Advantages:

- Ideal for protecting rubber trim during spraying
- Perforated for easy tearing and flexible to follow contours and curves
- Width: 50 mm
- Length: 10 m

Description	Reference
Windscreen tape 50 mm	77 11 785 047

PROXIMITY SENSOR MASKING

Advantages:

- The quick and easy way to save time when masking built-in proximity sensors
- Can be used when sanding and painting

Description	Reference
Proximity sensor masking	77 11 785 048





Chapter 6

Panel work and welding

- Pneumatic tool 6 - 01
- Removal 6 - 03
- Preparation 6 - 04
- Welding 6 - 07
- Support - Panel work 6 - 10





Pneumatic tool

Pneumatic tool

LOW-SPEED DRILL



With its low rotation speed and reversible operation, ixell's new Low-Speed Drill combines comfort with performance.

Forget all about fatigue: its compact size, comfortable grip and lightweight composite casing will make the job easy!

Description	Reference
Low-Speed Drill	77 11 578 087

STANDARD-SPEED DRILL



Ideal for drilling out weld spots in difficult-to-reach areas, ixell's Standard-Speed Drill also makes it easy to remove thick joints.

Description	Reference
Standard-Speed Drill	77 11 578 089

REVOLVER DISC GRINDER



ixell's new Revolver Disc Grinder is extremely lightweight thanks to the use of composite materials, and is ideal for use with abrasives. Its reversible operation enables directed evacuation of abrasion residues. Specially designed with bodyshop professionals in mind, the disc grinder is also speed-adjustable.

Description	Reference
Revolver Disc Grinder	77 11 578 090

NARROW-BELT SANDER



With ixell's new Narrow-Belt Sander, sanding in very tight spaces is no longer a problem. This compact, lightweight sander makes the job easy for you. The modular design provides excellent sensation, and you will quickly get to grips with its use. It has an intuitive quick-change system for abrasives.

Description	Reference
Narrow-Belt Sander	77 11 578 095

90° MINI DISC GRINDER



An essential tool for easy vertical work!

Pensée pour les endroits difficiles d'accès, la prise en main facile de la 90° Mini disc grinder vous garantit une adaptation rapide. Ses faibles niveaux de vibration et sonore contribuent au confort du carrossier.

The thumb wheel can be used to adjust the rotation speed depending on the consumable used.

Description	Reference
90° Mini disc grinder	77 11 578 092

115° MINI DISC GRINDER



ixell's 115° ixell Mini Disc Grinder improves user visibility when carrying out a repair.

Ideal for difficult-to-reach areas, its angled head extends your field of vision.

The thumb wheel can be used to adjust the rotation speed depending on the consumable used.

Description	Reference
115° Mini Disc Grinder	77 11 578 093

WIDE-BELT SANDER



With ixell's new Wide-Belt Sander, sanding in tight spaces has never been easier.

The modular design provides excellent sensation, and you will quickly get to grips with its use. No more time-wasting thanks to its innovative quick-change system for abrasives.

Description	Reference
Wide-Belt Sander	77 11 578 094

SABRE SAW



The design of this very high-end product was geared towards achieving a low-vibration, low-noise tool.

ixell's Sabre Saw is precise, for clean, fluid cutting. A gold standard in terms of working conditions.

Description	Reference
Sabre Saw	77 11 578 096

LOW-SPEED GRINDER



ixell's new Low-Speed Grinder guarantees reduced abrasive wear. As a result of reduced projectile release from a prematurely worn abrasive, it ensures precision, speed and safety for users.

Description	Reference
Low-Speed Grinder	77 11 578 097

TANGENTIAL BRUSHING MACHINE



Thanks to the guard on ixell's new Tangential Brushing Machine, bodyshop professionals are well protected. Its auxiliary 180° adjustable locking handle is ideal for finding the best position to fit your morphology. It can be used to remove adhesives or thick joints.

Description	Reference
Tangential Brushing Machine	77 11 578 145

WELD SPOT DRILL



ixell's low-speed, high-torque Weld Spot Drill is designed for hard UHS-type (Ultra High Strength) steels.

The depth set is memorised.

Description	Reference
Weld Spot Drill	77 11 574 988

CUTTING GRINDER



When it comes to cutting, everyone knows that precision is key.

ixell's new Cutting Grinder offers lightweight tool that is intuitive and efficient to use. Its anti-vibration system and low noise levels guarantee exemplary comfort as you work. In addition, it features a tool-free disc-changing system.

Finally, its tool-free pivoting guard easily protects the user in all circumstances.

Description	Reference
Cutting Grinder	77 11 578 099



Removal

Preparation

CUTTING

ROCK-M CUTTING DISCS

Fast cutting of panels and lined sections.

Specifications				Recommendation		Cond.	Reference
Ø (mm)	⊥ (mm)	⌀ (mm)	rpm	Mild steel	UHS ***		
76	1.4	10	20100	✓✓✓	✓✓	25	77 11 218 225
76	0.9	10	20100	✓✓✓	✓✓	25	77 11 218 226
76	1.1	10	20100	✓✓✓	✓✓	25	77 11 218 227
115	1	22 OH	13300	✓✓✓	✓✓	25	77 11 218 229
115	1.6	22 OH	13300	✓✓✓	✓✓	25	77 11 218 230
125	1	22 OH	12200	✓✓✓	✓✓	25	77 11 218 232
125	1.6	22 OH	12200	✓✓✓	✓✓	25	77 11 218 233

Note: OH = Offset Hub (facilitates flush cutting of a panel).

CUTTING BLADES

Cuts through sheet steel.

Specifications				Recommendation		Cond.	Reference
Dimension (mm)	Number of teeth (t/cm)	Material	Mild steel	UHS ***			
300	12	HSS**	✓✓	-	10	77 11 575 307	
95	13	HSS**	✓✓	-	5	77 11 575 308	

UNPICKING, SPOT WELD REMOVAL AND GRINDING

ROCK-M UNPICKING AND GRINDING WHEELS

- Fast removal by abrasion
- Grinding of surplus material
- Removal of a plug weld

Specifications				Recommendation		Cond.	Reference
Ø (mm)	⊥ (mm)	⌀ (mm)	rpm	Mild steel	UHS ***		
76	3	10	20100	✓✓✓	✓✓	25	77 11 218 237
76	6	10	20100	✓✓✓	✓✓	10	77 11 218 238
115	6	22 OH	13300	✓✓✓	✓✓	5	77 11 218 275

DRILL BITS FOR SPOT WELD REMOVAL

- Removal of spot welds from mild steels (and EHS* for titanium drill bits)

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Material	Length (mm)	rpm	Mild steel	UHS ***		
8	HSS**	78	1000	✓✓	-	5	77 11 172 754
8	Titanium	78	400	✓✓✓	-	5	77 11 237 935
10	Titanium	87	400	✓✓✓	-	5	77 11 431 243

SPOT WELD REMOVAL MILLING CUTTERS

- SFERIS 10 cutter (HSS **) and pink cutter (Corindon): designed for unpicking and removing weld spots from mild steels
- Carbide cutter: designed for unpicking and removing weld spots from UHS-type steels***

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Material	rpm	Mild steel	UHS ***			
10	HSS**	3200	✓✓✓	-	1	77 11 218 241	
10	Carbide	20000	✓✓✓	✓✓	1	77 11 574 982	

DRILL BITS FOR SPOT WELD REMOVAL TOOL

- Removal of spot welds from mild steels and EHS* (and UHS*** for carbide drill bits)

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Material	Length (mm)	rpm	Mild steel	UHS ***		
8	Titanium	45	400	✓✓✓	✓✓	5	77 11 237 936
10	Titanium	45	400	✓✓✓	✓✓	1	77 11 574 983
10	Carbon	44	1000	✓✓✓	✓✓✓	1	77 11 574 984

GRINDING AND SCOURING

CERAMIC DISCS

- Aggressive scouring and grinding with significant removal of material on hard materials with poor thermal conductivity
- Stripping down to bare panel by removing all hard coatings such as paint, undercoats and polyester filler

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Grinding	Scouring		
115	P36	22	13300	✓✓✓	✓	25	77 11 575 111
115	P80	22	13300	✓✓	✓✓	25	77 11 575 101
178	P36	22	8600	✓✓✓	✓	25	77 11 575 112

CERAMIC FLAP DISCS

- Aggressive scouring and grinding with significant removal of material on hard materials with poor thermal conductivity
- Stripping down to bare panel by removing all hard coatings such as paint, undercoats and polyester filler

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Grinding	Scouring		
115	P40	22	13300	✓✓✓	✓	5	77 11 575 102

1/4T CERAMIC DISCS

- Aggressive scouring and grinding with significant removal of material on hard materials with poor thermal conductivity
- Stripping down to bare panel by removing all hard coatings such as paint, undercoats and polyester filler

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Grinding	Scouring		
50	P36	¼ T	13000	✓✓✓	✓	25	77 11 575 107
50	P60	¼ T	13000	✓✓✓	✓✓	25	77 11 575 106
50	P80	¼ T	13000	✓✓	✓✓	25	77 11 575 105
75	P80	¼ T	9000	✓✓	✓✓	25	77 11 575 108

SILIS DISCS - D FIB

- Stripping down to bare panel by removing all hard coatings such as paint, undercoats and polyester filler
- Fast grinding of all surplus material

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Grinding	Scouring		
115	P36	22	13300	✓✓	✓	25	77 11 218 280
115	P50	22	13300	✓✓	✓✓	25	77 11 218 247
115	P80	22	13300	✓	✓✓✓	25	77 11 218 248
178	P36	22	8600	✓✓	✓	25	77 11 218 281
178	P50	22	8600	✓✓	✓✓	25	77 11 218 249
178	P80	22	8600	✓	✓✓✓	25	77 11 218 250

SILIS - D LAM DISCS

- Stripping down to bare panel by removing all hard coatings such as paint, undercoats or polyester filler
- Grinding a weld seam on a solid panel

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Grinding	Scouring		
115	P36	22	13300	✓✓	✓	5	77 11 218 279
115	P60	22	13300	✓✓	✓✓	5	77 11 218 251
115	P80	22	13300	✓	✓✓✓	5	77 11 218 252

SILIS DISCS - D 1/4 T

- Stripping down to bare panel by removing all hard coatings such as paint, undercoats or polyester filler
- Grinding a weld seam on a solid panel

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Scouring	Finish		
50	P36	¼ T	13000	✓✓	✓	25	77 11 218 277
50	P60	¼ T	13300	✓✓	✓✓	25	77 11 218 245
75	P36	¼ T	9000	✓✓	✓✓	25	77 11 218 278
75	P60	¼ T	9000	✓✓	✓✓	25	77 11 218 246





Preparation

1/4T SOFT-D DISCS

- Suitable for very fine scouring of surfaces and edges
- Suitable for cleaning operations on metal panels and paintwork

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Scouring	Finish		
50	Fin ≈ P240	¼ T	7500	✓✓✓	✓✓	25	77 11 218 253
75	Fin ≈ P240	¼ T	5000	✓✓✓	✓✓	25	77 11 218 254



ROLOC DISCS TM

- Scouring when it is necessary to remove a significant amount of material
- Unpicking of door panels, wheel arches, spot welds, etc.

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	⌀ (mm)	rpm	Grinding	Scouring		
50	P24	¼ T	13000	✓✓✓	-	25	77 11 172 755
50	P36	¼ T	13000	✓✓✓	✓	25	77 11 172 756
50	P50	¼ T	13000	✓✓	✓✓	25	77 11 172 757
75	P36	¼ T	9000	✓✓✓	✓	25	77 01 403 855
75	P50	¼ T	9000	✓✓	✓✓	25	77 01 403 856



ABRASIVE BANDS

- Stripping down to bare panel by removing all hard coatings such as paint, undercoats and polyester filler
- Scouring for narrow access areas

Specifications			Recommendation		Cond.	Reference
Grit	L (mm)	rpm	Removal of thick products	Removal of paint		
P40	20x520	17000	✓✓	✓	10	77 11 575 117
P60	20x520	17000	✓✓	✓✓	10	77 11 575 119
P80	20x520	17000	✓	✓✓✓	10	77 11 575 121
P40	10x330	18000	✓✓	✓	5	77 11 575 116
P60	10x330	18000	✓✓	✓✓	5	77 11 575 118
P80	10x330	18000	✓	✓✓✓	5	77 11 575 120



POLYAM DESCALING DISC - D 1/4T

- Fast descaling of small and medium surface areas of thick product such as filler and anti-chipping compound

Specifications				Recommendation		Cond.	Reference
Ø (mm)	⌀ (mm)	⌀ (mm)	rpm	Removal of thick products	Removal of paint		
50	13	1/4T	8000	✓✓	✓✓	5	77 11 218 260



POLYAM - M GRINDING WHEEL

- Used for scouring by removal of thick products such as filler and anti-chipping compound
- Smooth finish

Specifications				Recommendation		Cond.	Reference
Ø (mm)	⌀ (mm)	⌀ (mm)	rpm	Removal of thick products	Removal of paint		
100	13	13	3800	✓✓	✓✓	5	77 11 218 255
150	13	13	2500	✓✓	✓✓	5	77 11 218 256



POLYAM GRINDING WHEEL - MT

- Used for scouring by removal of thick products such as filler and anti-chipping compound
- Smooth finish

Specifications				Recommendation		Cond.	Reference
Ø (mm)	⌀ (mm)	⌀ (mm)	rpm	Removal of thick products	Removal of paint		
100	13	6-mm shank	3800	✓✓	✓✓	5	77 11 218 257



Preparation

BRISTLE ROLOC DESCALING DISCS

- Suitable for use on restricted contours, rounded sections, etc.
- Adapted for hard-to-reach areas
- Green: scouring of anti-chipping compound and paintwork
- Yellow: cleaning off adhesive and foam residue

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Grit	Colour	rpm	Removal of thick products	Removal of paint		
50	≈ P50	green	25000	✓✓	✓✓	10	77 11 172 758
50	≈ P8	yellow	25000	✓	✓✓✓	10	77 11 172 759
75	≈ P50	green	18000	✓✓	✓✓	8	77 11 172 762



HAND BRUSH

- Universal use for all simple cleaning and scouring operations

Specifications				Recommendation		Cond.	Reference
L (mm)	No. of rows	h (mm)	Thickness (mm)	Removal of thick products	Removal of paint		
290	3	25	0.35	✓✓	✓	10	77 11 237 793



DESCALING BRUSH FOR TANGENTIAL BRUSHING MACHINE

- Brushing large surface areas of parts

Specifications				Recommendation		Cond.	Reference
Ø (mm)	Type	⌀ (mm)	rpm	Removal of thick products	Removal of paint		
100	hooked	23	3500	✓✓	✓✓	1	77 11 419 042



TORSABROSS DESCALING BRUSHES

- For brushing hard-to-reach channels and cavities
- Fast scouring of all thick and rusty coating

Specifications				Recommendation		Cond.	Reference
Ø (mm)	⌀ (mm)	⌀ (mm)	rpm	Removal of thick products	Removal of paint		
70	6	6-mm shank	20000	✓✓✓	✓✓	10	77 11 218 259
70	12	6-mm shank	20000	✓✓✓	✓✓	10	77 11 574 987



DESCALING OF ADHESIVES (DOUBLE-SIDED)

RUBBER WHEELS

- Removal of items added to the bodywork: adhesives, double-sided tape, decorative logos, self-adhesive decals, stickers, trim strips, etc.
- Scouring of adhesives on paintwork and glass

Specifications				Recommendation		Cond.	Reference
Type	Ø (mm)	⌀ (mm)	rpm	Removal of thick products	Removal of paint		
Ventilated	100	30	3500	✓✓	✓✓	1	77 11 419 046
Soft ventilated	100	30	3500	✓✓✓	✓	1	77 11 419 047
Solid	90	15	2500	✓✓	✓✓	1	77 11 574 985





Welding

Welding

GAS WELDING

FILACIER WELDING WIRE

- Perfectly suited to welding fine and medium sheet steel
- Excellent preservation over time

Specifications			Recommendation		Cond.	Reference
Ø (mm)	D	Wire type	Mild steel	UHS*		
0.8	D200	Steel wire	✓✓✓	✓✓	5 kg	77 11 218 264
	Spacer	-	-	-	1	77 11 237 898

IXELL MIG WELDING WIRE

Description	wire Ø (mm)	Ø bobine (mm)	Weight (kg)	Cond.	Reference
MIG CUAL8	0.8	200	5	1	77 11 579 569

FILGALVA WELDING WIRE

- Used to weld galvanized, electro-plated metal and slightly oxidized or soiled sheets

Specifications			Recommendation		Cond.	Reference
Ø (mm)	D	Wire type	Mild steel	UHS*		
0.6	D200	Filgalva	✓✓✓	✓✓	5 kg	77 11 218 265
0.8	D200	Filgalva	✓✓✓	✓✓	5 kg	77 11 218 266
	Spacer	-	-	-	1	77 11 237 898

HARDENED STEEL CASING

- Long life span for the Contactchrom version

Specifications		Recommendation		Cond.	Reference
Ø (mm)	Wire type	Mild steel	UHS*		
0.8	Copper	✓✓	✓✓✓	10	77 11 218 134
0.8	Copper chrome zirconium	✓✓	✓✓✓	10	77 11 218 135
0.6	Copper	✓✓✓	-	10	77 11 431 241
0.6	Copper chrome zirconium	✓✓✓	-	10	77 11 431 242

GAS WELDING TORCH

- Solid and compatible with the latest gas welding stations

Specifications		Recommendation		Cond.	Reference
L (m)	Connection type	Standard station	Pulse MIG welder		
3	European connection	✓✓✓	✓✓✓	1	77 11 218 129

TORCH NOZZLE

- Extreme concentration and better visibility with the tapered nozzle

Specifications		Recommendation		Cond.	Reference
Shape	Material	Continuous weld	Stitch welds		
Tapered nozzle	Copper alloy with nickel coating	✓✓✓	✓✓✓	10	77 11 218 130

FLOW SENSOR

- For measuring the gas flow rate at the nozzle outlet

Specifications		Cond.	Reference
Material	Graduation		
Plastic	0 to 25 L / min	1	77 11 575 122

SFEG PLIERS

- To ensure thermal and electrical safety
- Used for cleaning the tips, removing the contact tubes, removing the tips and cutting the wire


Material	Cond.	Reference
Contact tubes for welding torch	1	77 11 575 123

IXELL SPOT EVO

The **IXELL SPOT EVO** is a 380A spot welder designed for body repair work.

It features automatic arm recognition and a simple control panel with only two parameters to adjust.

This system optimizes productivity and simplifies use.



Description	Reference
(1) Ixell Spot Evo NEW	77 17 276 951
(2) Copper Spotwheeler NEW	77 17 277 285
(3) Straightening bar	77 11 579 572
(4) Straightening box	77 11 579 573
(5) Copper protection stars	77 11 579 574
(6) Carbon electrodes	77 11 579 584
(7) Straight pull-rings	77 11 579 575
(8) Crimped wire kit	77 11 579 576
(9) Washers Ø 8 x 16	77 11 579 577
(10) Welding point electrode 16	77 11 579 578
(11) Electrode 16 washers Ø 8 x 16	77 11 579 585
(12) Electrode for rings	77 11 579 579
(13) Electrode for crimped wire	77 11 579 580
(14) Gun cable	77 11 579 582
(15) Star mandrel	77 11 579 583


COPPER IXELL SPOT

- (1) Debossing gun designed for aluminum repair, allowing perfect control of energy levels for optimal precision..
- (2) IXELL SPOT ALU accessories, including ring box and ALU consumables, are essential for proper use.
- (3) ELL SPOT ALU and CONSO SPOT ALU kits are indispensable for aluminum repair applications.

IXELL MIG EVO

A 200A welding station, versatile and easy to use, suitable for steel, aluminum, and stainless steel welding.

Designed for maximum ergonomics and simplified adjustment for body repair technicians.



Description	Reference
(1) Ixell Mig Evo 2t NEW	77 17 276 952
(2) Ixell Torch alu 10 tubes Ø1 mm (set including 1 torch and 1 bag of 10 tubes) COMING SOON	77 17 277 927
(3) Ixell Filalu AlSi 5 Ø1 mm spool (1 unit) COMING SOON	77 17 277 925
(4) Ixell 10 contact tubes alu Ø1 mm (bag of 10 pieces) COMING SOON	77 17 277 926
Pressure gauge / flowmeter	77 11 579 567
MIG CuAl 8 wire spool (Copper aluminium)	77 11 579 569

COPPER SPOTWHEELER

Accessories for the IXELL SPOT EVO, the SPOTWHEELER ALU stand is ideal for ergonomic use and easy movement of your spot welding station.

Also compatible with the IXELL SPOT EVO and other similar tools.

Description	Reference
Copper Spotwheeler NEW	77 17 277 285



Description	Reference
(1) IXELL SPOT ALU gun NEW	77 17 277 282
(2) ALU ring box NEW	77 17 277 283
(3) ALU consumables kit NEW	77 17 277 284

NEW



Welding

Support – Panel work

PROTECTION WELDING

PANEL WORK/WELDING PROTECTIVE PANEL

Description	Reference
Panel Work/Welding Protective Panel	77 11 225 000

THERMAL INSULATION FABRIC

Description	Dimensions l x L (m)	Reference
Thermal insulation fabric	2 x 1.80	77 11 420 774



WELDING TREATMENT

AD ZINC SPRAY

- Anti-corrosion protection aerosol spray before spot welding
- Improves welding conductivity
- Protects the two connecting panels from corrosion
- Can also be used for anti-corrosion protection after welding on parts not intended to be painted




STAR FORMATION WELDING TORCH WITH 6 NOZZLE TIPS

- For oxy-acetylene welding

Description	Contents	Reference
Welding torch	1 unit	77 11 218 142
6-tip star	1 unit	77 11 218 143



Specifications		Cond.	Reference
Colour	Product type		
Grey	Cold galvanising	400 ml	77 11 225 005



D FIB PLATE

Ø (mm)	Consumables	Adapter	Cond.	Reference
115	Ceramic discs Silis discs	A	1	77 11 218 148
178	Ceramic discs Silis discs	B	1	77 11 218 149



D 1/4T BACKING PLATE

Ø (mm)	Consumables	Adapter	Cond.	Reference
50	1/4 T ceramic discs 1/4 T Silis discs 1/4 T Soft discs Polyam 1/4T open	C	1	77 11 218 150
75	1/4 T ceramic discs 1/4 T Silis discs 1/4 T Soft discs	D	1	77 11 218 151



ROLOC BACKING PLATE

Ø (mm)	Consumables	Adapter	Cond.	Reference
50	1/4T Roloc discs 1/4T Roloc Bristle Discs	E	1	77 11 172 761
75	1/4T Roloc discs 1/4T Roloc Bristle Discs	F	1	77 11 575 486



POLYAM FIXTURE

Consumables	Adapter	Cond.	Reference
1 Polyam M open	G	1	77 11 218 152
2 Polyam M open	H	1	77 11 218 153



IXELL PULLER

- (1) Pulling bracket for dent removal, offering a 350 kg capacity, equipped with a manual winch, sliding system, and adjustable angle handle. Lightweight (21 kg) and quiet in operation.
- (2) Included with the IXELL PULLER, the IXELL PULLER SEAL JOINT is not a consumable item but a replaceable spare part, available separately if needed.
- (3) An essential accessory for the IXELL PULLER, the IXELL PULLER PULLING ROPE allows the bracket to handle loads of up to 350 kg.

POLYAM COMPACT BACKING PLATE

Consumables	Adapter	Cond.	Reference
Polyam M compact Polyam MW compact	I	1	77 11 218 154



ROCK FIXTURE

Consumables	Adapter	Cond.	Reference
Grinding wheels 76 thickness 6 mm	J	1	77 11 218 155
Cutting discs 65 and 76	K	1	77 11 218 156
Grinding wheels 76 thickness 3 mm			




ADAPTER FOR TANGENTIAL GRINDER RUBBER WHEEL

Consumables	Adapter	Cond.	Reference
Straight tangential brush Hooked tangential brush Ventilated rubber wheel Soft ventilated rubber wheel	L	1	77 11 419 048



ADAPTER FOR SOLID RUBBER WHEEL

Consumables	Adapter	Cond.	Reference
Solid rubber wheel	M	1	77 11 574 986



Consumables	Contents	Reference
IXELL Puller	1 unit	77 17 276 954
IXELL Puller Seal Joint	1 unit	77 17 277 280
IXELL Puller Pulling Rope	1 unit	77 17 277 281

NEW





Chapter 7

QuickRepair

- | | |
|--|--------|
| • New Buffing range | 7 - 01 |
| • Table of abrasion levels | 7 - 02 |
| • Glass Toolbox Evo | 7 - 03 |
| • Staple Toolbox | 7 - 04 |
| • Weld Toolbox | 7 - 05 |
| • Glue Repair Kit | 7 - 06 |
| • Abrasive Range - QuickRepair | 7 - 07 |
| • Rectification of Defects - Finishing | 7 - 08 |





A FULL, HIGH-PERFORMANCE BUFFING RANGE TO ENHANCE CAR EXTERIORS

The new ixell buffing range incorporates cutting-edge product and machine technology. With 3 polishing compounds, 4 machines, and corresponding pads, the range is comprehensive, enabling professional-quality work to meet the body shop's needs for paint correction and restoration.

1 method with 3 levels of polish and 1 body scanner



A complete range of pads for the best results and precision



4 New buffers for every situation



Description		Correction	/	Finishing
Cyclo-Polish 125 125 mm circular polisher 77 11 949 789		★★★★★		
		★★★★★		
Roto-Polish 150 150 mm rotary-orbital buffer 77 11 949 790		★★★★		
		★★★★★		
Roto-Polish 80 80 mm precision orbital buffer 77 11 949 791		★★★★		
		★★★★★		
Power-Polish 80 mm battery-operated precision buffer 77 11 949 792		★★★★★		
		★★★★★		
Polish hard No.1 77 11 949 785		★★★★★		
		★★★		
Polish medium No.2 77 11 949 786		★★★★		
		★★★★★		
Polish fine No.3 77 11 949 787		★★★★★		
		★		
No.1 ORANGE PAD		PAD1 CIRCUL Ø 150mm	77 11 949 793	★★★★★
		PAD1 ORBITAL Ø 150mm	77 11 949 796	
		PAD1 CIRCUL Ø 80mm	77 11 949 799	
		PAD1 ORBITAL Ø 80mm	77 11 949 802	
		PAD1 ORBITAL Ø 37.5mm	77 17 300 005	
		PAD1 ORBITAL Ø 50mm	77 17 300 008	
No.2 BLACK PAD		PAD2 CIRCUL Ø 150mm	77 11 949 794	★★★★
		PAD2 ORBITAL Ø 150mm	77 11 949 797	
		PAD2 CIRCUL Ø 80mm	77 11 949 800	
		PAD2 ORBITAL Ø 80mm	77 11 949 803	
		PAD2 ORBITAL Ø 37.5mm	77 17 300 006	
		PAD2 ORBITAL Ø 50mm	77 17 300 009	
No.3 White PAD		PAD3 CIRCUL Ø 150mm	77 11 949 795	★★★★★
		PAD3 ORBITAL Ø 150mm	77 11 949 798	
		PAD3 CIRCUL Ø 80mm	77 11 949 801	
		PAD3 ORBITAL Ø 80mm	77 11 949 804	
		PAD3 ORBITAL Ø 37.5mm	77 17 300 007	
		PAD3 ORBITAL Ø 50mm	77 17 300 010	





Glass Toolbox Evo

Quickrepair

Staple Toolbox

Quickrepair

GLASS TOOLBOX EVO NEW

CHOOSE QUALITY AND PRECISION FOR WINDSHIELD CHIP REPAIR.

The GLASS TOOLBOX is the ideal solution providing all the necessary equipment for successful windshield repair.

This GLASS TOOLBOX EVO kit has been enhanced to further optimize the efficiency of windshield repair operations.

GLASS REPAIR RESINS KIT EVO NEW

77 17 277 573

- 2 bags of universal extra-runny resin
- 1 Warranty card



COMING SOON

NEW

GLASS TOOL BOX EVO

77 17 277 572



THE + IXELL

Thanks to the LED light, **resins dry within 90 seconds**

Full repair in under 10 minutes

Portable lamp & 12 V drill system connected using the cigarette lighter extension lead

DETAILED CONTENT OF THE GLASS TOOLBOX EVO

 MIRROR 77 11 782 464	 FELT 77 11 172 114	 EXTRA-RUNNY RESIN 77 17 277 569 NEW	 TEMPO UV LED 12 LAMP 77 11 782 466
 POLISH 77 11 170 414	 CENTRING TOOL 77 11 782 469	 SCREEN FILM 77 11 170 416	 10 SCRAPING BLADES 77 11 170 417
 2 MILLING CUTTERS 77 11 170 418	 DRILL 77 11 782 468	 FIXING GEL 77 11 170 415	 CARBIDE PEN 77 11 782 483

GLASS TOOL BOX UPGRADE 1 case

77 17 277 574

NEW: Contains: hand pump, pneumatic hose, connector, USB adapter



GLASS TOOLBOX EVO'MATIC 1 case

77 17 277 575

NEW: Contains: an automated control unit

STAPLE TOOLBOX

YOUR SOLUTION FOR FAST PLASTIC STAPLING REPAIR

Got a broken fastening bracket? ixell presents its new STAPLE TOOLBOX, the solution you need for instantaneous, precise repairs with an ergonomic stapler and self-rupturing staples.



Staple Toolbox

77 11 943 479

THE + IXELL

Optimal repair finish thanks to the new selfrupturing staples (except 77 11 943 571)

Two different heating powers (on the stapler) to adapt to the area

A battery-powered stapler: don't wait for the vehicle to come to you... go to the vehicle!

STAPLE REPAIR BOX



STAPLE FOR TIGHT INTERIOR CORNERS

77 11 943 480



STAPLE FOR SMALL CRACKS

77 11 943 568



STAPLE FOR LARGE CRACKS

77 11 943 569



STAPLE FOR INTERIOR CORNER

77 11 943 570



STAPLE FOR EXTERIOR CORNER

77 11 943 571



DETAILED CONTENTS OF THE STAPLE TOOLBOX



Stapler + charger (not sold at retail)



50 staples for tight interior corners



50 staples for small cracks



50 staples for large cracks



Weld Toolbox



Glue Repair Kit



WELD TOOLBOX

VERSATILE PLASTIC WELDING REPAIR

Ixell presents the WELD TOOLBOX, a truly versatile solution with its rods adapted to all recommended plastics.

WELD TOOLBOX and WELD REPAIR KIT also let you rework the repair until you're completely satisfied with it!



Weld Toolbox

77 11 943 477

THE + IXELL

Guaranteed repair with no distortion thanks to the small heated surface area


Versatility: rod suited for the repair of all recommended plastics

Areas of a complex shape and size can be repaired

Weld Repair Kit

77 11 943 478

- 10 welding rods
- 2 stainless steel frames



DETAILED CONTENTS OF THE WELD TOOLBOX

 SOLDERING IRON Not sold at retail	 10 RODS 77 11 943 656	 2 STAINLESS STEEL FRAMES 77 11 943 657
---	---	--

EQUIPMENT AND RELATED PRODUCTS

 COOLANT 77 11 943 572	 SANDER D.77 77 11 948 631	 50 DISCS D.75 P150 77 11 782 558
 50 DISCS D.75 P240 77 11 782 559	 ANTI-STATIC THINNER 77 01 408 493	

GLUE REPAIR KIT

PLASTIC GLUING REPAIR

Opt for glue repairs using the GLUE REPAIR KIT. Don't wait around to receive the part: repair straight away, at the lowest cost!



Glue Repair Kit

77 11 943 481

THE + IXELL

Repair of all forms of deterioration (breakage, holes, scratches, etc.)

Fast repairs: easy sanding in just 5 minutes

The material retains its features and its flexibility after repair

DETAILED CONTENTS OF THE GLUE REPAIR KIT

 2 PLASTIC REPAIR ADHESIVES	 A4 PLASTIC REPAIR TAPE	 6 PLASTIC REPAIR NOZZLES	 PLASTIC REPAIR ADHESIVE 77 11 423 519
---	---	---	---

EQUIPMENT AND RELATED PRODUCTS

 APPLICATION GUN FOR PLASTIC REPAIR KIT 77 11 423 523	 PLASTIC REPAIR CLEANER 77 11 949 407	 PLASTIC REPAIR PRIMER 77 17 277 166 NEW FORMULA	 PUTTY KNIFE 77 01 423 758
 50 DISCS D.75 P150 77 11 782 558	 50 DISCS D.75 P240 77 11 782 559	 ANTI-STATIC THINNER 77 01 408 493	 SANDER D.77 77 11 948 631





ABRASIVE RANGE – QUICKREPAIR

THE QUICKREPAIR RANGE ESSENTIALS

The necessary abrasives to prepare all surfaces:

- Pre-painting surface preparation
- Plastic surface preparation
- Fault correction: grains, dust, drips
- Paint finish: Spot Paint
- Lights restoration
- Rims restoration



Description	Contents	Reference
Bumper D.75	1 unit	77 11 782 557
Intense 6-hole – P150	1 box of 50 units	77 11 782 558
Intense 6-hole – P240	1 box of 50 units	77 11 782 559
Intense 6-hole – P320	1 box of 50 units	77 11 782 560
Intense 6-hole – P400	1 box of 50 units	77 11 782 561
Intense 6-hole – P500	1 box of 50 units	77 11 782 562
Intense 6-hole – P600	1 box of 50 units	77 11 782 563
Intense 6-hole – P800	1 box of 50 units	77 11 782 564
Intense S – P1000	1 box of 50 units	77 11 782 565
Intense S – P2000	1 box of 50 units	77 11 782 566
Intense S – P3000	1 box of 50 units	77 11 782 567
75 mm plate – 6 holes	1 unit	77 11 782 540
D.32 Hand shim AVAILABLE WHILE STOCKS LAST	1 unit	77 11 782 555



RECTIFICATION OF DEFECTS – FINISHING



POLISHES



Description	Contents	Reference
Polish hard no.1	1 L can	77 11 949 785
Polish medium no. 2	1 L can	77 11 949 786
Polish fine no. 3	1 L can	77 11 949 787
Body scanner (ipa)	1 L can	77 11 949 788

CLEANER



Description	Contents	Reference
Waterless cleaner	1 L can	77 11 949 658

MICROFIBRE CLOTHS



Description	Contents	Reference
Finish Microfiber	1 unit	77 11 782 072
Application Microfiber	Bag of 5 units	77 11 782 071

ANTI-SCRATCH 2K CLEARCOAT AEROSOL



Description	Contents	Reference
Anti-scratch 2K clearcoat aerosol NEW	250 ml	77 17 276 902

FOAMS




Description	Contents	Reference
Pad1 circul. Ø 150mm	1 unit	77 11 949 793
Pad2 circul. Ø 150mm	1 unit	77 11 949 794
Pad3 circul. Ø 150mm	1 unit	77 11 949 795
Pad1 orbital ø 150mm	1 unit	77 11 949 796
Pad2 orbital ø 150mm	1 unit	77 11 949 797
Pad3 orbital ø 150mm	1 unit	77 11 949 798
Pad1 circul. Ø 80mm	1 unit	77 11 949 799
Pad2 circul. Ø 80mm	1 unit	77 11 949 800
Pad3 circul. Ø 80mm	1 unit	77 11 949 801
Pad1 orbital ø 80mm	1 unit	77 11 949 802
Pad2 orbital ø 80mm	1 unit	77 11 949 803
Pad3 orbital ø 80mm	1 unit	77 11 949 804
Pad1 orbital ø 37.5mm	1 unit	77 17 300 005
Pad2 orbital ø 37.5mm	1 unit	77 17 300 006
Pad3 orbital ø 37.5mm	1 unit	77 17 300 007
Pad1 orbital ø 50mm	1 unit	77 17 300 008
Pad2 orbital ø 50mm	1 unit	77 17 300 009
Pad3 orbital ø 50mm	1 unit	77 17 300 010

POLISHERS



Description	Contents	Reference
Electric polisher	1 unit	77 11 782 075
Pneumatic polisher	1 unit	77 11 239 389
Battery-powered polisher Ø77 NEW	1 unit	77 17 276 797
Sanding plate Ø77 NEW	1 unit	77 17 276 798
Cyclo-polish 125	1 unit	77 11 949 789
Roto-polish 150	1 unit	77 11 949 790
Roto-polish 80	1 unit	77 11 949 791
Power-polish	1 unit	77 11 949 792
Battery charger 10.8V NEW	1 unit	77 17 276 799
11V battery NEW	1 unit	77 17 276 800
Complete polisher kit Ø77 NEW	1 unit	77 17 276 801





Chapter 8

Glazing

- Windscreen bonding 8 - 01
- Tools / Glazing 8 - 03
- Associated equipment for glazing 8 - 04





Windscreen bonding

Windscreen bonding

WG POWER 310 ML

IDEAL FOR SMALL GLASS SIZES

Contents of 310 ml kit:

- 1 x 310 ml cartridge
- 1 packet of wipes (one wet & one dry)
- 1 x 10 ml tube of primer
- 1 pre-cut nozzle
- 1 cartridge-opener



THE + IXELL


- High modulus single-pack polyurethane adhesive
- High interference absorption with connected equipment (radios, GPS, driver aid systems, mobile phones)
- New primer for greater speed and efficiency:
 - No need to shake it before application
 - Very fast drying time (2 min. instead of 5 min.)
- Available in 3 package sizes (a box of 12 individual cartridges should be sold along with WG POWER 310 ml kits if required).

Along with 310 ml kit:

Single cartridge sold in boxes of 12

Description	Contents	Reference
WG Power 310 ml	Complete kit	77 11 785 626
WG Power 310 ml cartridge	Box of 12	77 11 785 627


Working time:
10 min


Drive-away time:
1 h

WG FAST 310 ML



IDEAL FOR SMALL GLASS SIZES

Contents of 310 ml kit:

- 1 x 310 ml cartridge
- 1 packet of wipes (one wet & one dry)
- 1 x 10 ml tube of primer
- 1 pre-cut nozzle
- 1 cartridge-opener



Description	Contents	Reference
WG Fast 310 ml kit	Kit complet	77 11 785 629

THE + IXELL

- High modulus single-pack polyurethane adhesive
- High interference absorption with connected equipment (radios, GPS, driver aid systems, mobile phones).
- New primer for greater speed and efficiency:
 - No need to shake it before application
 - Very fast drying time (2 min. instead of 5 min.)

WG FAST 400 ML



IDEAL FOR LARGE GLASS SURFACES


Contents of 400 ml kit:

- 1 x 400 ml capsule
- 1 packet of wipes (one wet & one dry)
- 1 x 10 ml tube of primer
- 1 pre-cut nozzle



Description	Contents	Reference
WG Fast 400 ml kit	Kit complet	77 11 785 630


Working time:
10 min


Drive-away time:
30 min

WG POWER 400 ML

IDEAL FOR LARGE GLASS SIZES

Contents of 400 ml kit:

- 1 x 400 ml capsule
- 1 packet of wipes (one wet & one dry)
- 1 x 10 ml tube of primer
- 1 pre-cut nozzle



Description	Contents	Reference
WG Power 400 ml kit	Complete kit	77 11 785 628

WG POWER 400 ML XL

IDEAL FOR CUSTOMERS WITH A LARGE QUANTITY OF GLAZING TO REPLACE

Contents of the kit:

- 12 x 400 ml capsules
- 2 packets of wipes (one wet + one dry in each sachet)
- 12 x 10 ml tubes of primer
- 12 pre-cut nozzles



Description	Contents	Reference
WG Power 400 ml XL kit	Box of 12 kits	77 11 785 632





Tools / Glazing

FAST CUT



as an option*

(3)

(2)

SINGLE-USER WINDSCREEN CUTTING OUT TOOL:

This product will make life easier for your staff. It enables a single user to cut out a windscreen all on their own.

Thanks to its ergonomic design and easyhandling, it requires less effort from the user, making it easier to position the tool and reach difficult areas.

All parts of the kit can be purchased separately.

* The drill and battery are available as an option.

Description	Reference
Kit de dépose Fastcut (1)	77 11 785 602

Composition of the removal kit:

- 1 pulling head
- 1 straight coupling fitting
- 1 flexible coupling fitting
- 1 angle drive
- 1 T-shaped wire feeder
- 1 pulling hook
- 2 wire spools of 65 m each
- 1 set of 2 plastic protectors

Description	Reference
20 V lithium ion battery (2)	77 17 265 985
Reel spindle	77 11 785 863
ixell Fastcut wire puller	77 11 785 604
Fastcut pulling hook	77 11 785 605
Fastcut plastic lever	77 11 785 606
Fastcut straight connector	77 11 785 607
Fastcut flexible connector	77 11 785 608
Fastcut angle piece	77 11 785 609
Set of 2 ixell Fastcut protectors	77 11 785 611
Reel of Fastcut wire 65 m	77 11 785 603
20V cordless drill screwdriver (3)	77 17 265 984

EASY CUT

The Easy Cut is a pneumatic tool used for cutting bonded glass.



Description	Reference
Easy cut	77 11 171 946

Interior cutting blades

Description	Contents	Reference
WK 24ZR Easy Blade	1 unit	77 11 171 971
WK 24SC Easy Blade	1 unit	77 11 171 972
WK 25C Easy Blade	1 unit	77 11 171 973
WK ISC Easy Blade	1 unit	77 11 171 974
Easy Blade	5 units	77 11 171 977
WK24ZSC Easy Blade	1 unit	77 11 171 979

Exterior cutting blades

Description	Contents	Reference
WK27S Small Left	1 UV	77 11 430 867
WK28S Small Right	1 UV	77 11 430 868
WK27M Medium Left	1 UV	77 11 430 869
WK28M Medium Right	1 UV	77 11 430 870
WK27L Large Left	1 UV	77 11 430 871
WK28L Large Right	1 UV	77 11 430 872

Smoothing blades

Description	Contents	Reference
WK6S Small	1 UV	77 11 430 873

Associated equipment for glazing

MANUAL CUTTING OUT TOOLS

Description	Contents	Reference
Manual cutting-out tool NEW	1 unit	77 11 574 829
Square piano wire 44 m	1 unit	77 11 948 197
Twisted piano wire 44 m	1 unit	77 11 948 198

BROKEN GLASS FILM

Description	Contents	Reference
Broken glass film	1 roll	77 11 579 460

PROTECTORS

Description	Contents	Reference
Aperture protector	1 unit	77 11 574 834

POWER LIGHT 7

Easy to handle with great ergonomics, the innovative Power Light 7 is sure to win you over. The removable battery makes it user-friendly and autonomous. Its transparent tube helps you gauge your consumption level accurately.

Supplied with a storage case, the kit includes the Power Light 7 gun, battery and charger

Specifications:

- Maximum force: 220 kgf
- Maximum speed: 6.9 mm/sec
- Speed: with regulator
- Battery: 7.4 V (Li-Ion)
- Weight: 1,250 g
- Cartridge/sachet: 310 ml / 400 ml 310 ml / 400 ml

THE + IXELL
Power Light 7 is fitted with a lamp allowing optimum extrusion even in dark areas.

Description	Contents	Reference
Power Light 7	1 unit	77 11 782 120
Batterie	1 unit	77 11 782 442

EXTENDIBLE TRESTLE

Description	Contents	Reference
Extendible trestle	1 unit	77 11 576 125

GLASS STORAGE TROLLEY

- Dimensions: 1,200 × 760 × 740 mm
- 2 crossbars with anti-shock foam protection
- 2 longitudinal bars with anti-slip protection band
- Locking device for storage crossbars
- 4 swivel wheels with brake
- Adjustable compartments: 6 slots

Description	Contents	Reference
Glass storage trolley	1 unit	77 11 573 507

TRIMMING TOOL

Description	Contents	Reference
Manual trimmer	Delivered with 1 handle + 10 blades	77 11 574 830
10 trimming blades 16 mm	Box of 10 blades	77 11 575 081
10 trimming blades 20 mm	Box of 10 blades	77 11 575 082

NEW

HEPTANE CAN

Description	Contents	Reference
Heptane can	500 ml	77 11 170 064

POWER PLUS 10

Featuring an aluminium body, Power Plus 10 gives faultless power and strength.

Its technology focuses on regular, uniform application.

Extremely reliable, it incorporates a functional charger showing battery level.

Supplied with a storage case, the kit includes the Power Plus 10 gun, battery and charger.

Specifications:

- 10.8 V rechargeable caulking gun, 400 ml
- Aluminium barrel
- Capacity: 400 ml
- Force of expulsion: 450 kgf
- No-load speed: 10 mm/sec
- Charging time: 1 hour automatic stop

Description	Contents	Reference
Power Plus 10	1 unit	77 11 431 024
Battery	1 unit	77 11 431 310

FLEXIBLE SUCTION CUP

Description	Contents	Reference
Flexible suction cup	1 unit	77 11 574 832

ARTICULATED SUCTION CUPS

Description	Contents	Reference
Kit of articulated suction cups	1 kit of 2 units	77 11 574 831

NEW



Chapter 9



Washing & care products

• Washing	9 - 1
• Passenger compartment cleaning	9 - 3
• Finishing	9 - 4
• Car wash	9 - 5
• Equipment	9 - 6





Washing

Washing

PRE-WASH

INSECT REMOVER UC

- Specific product to remove traces of insects on bodywork.
- New wetter formula, thus offering better hold on the vehicle.
- Ready to use.

Contents	Reference
1 L	77 11 940 199
5 L	77 11 940 200

TAR REMOVER UC

- Product designed to quickly dissolve traces of tar, grease, glue and resin from windows, bodywork, rocker panels and radiators.
- Ready to use.

Contents	Reference
5 L	77 11 237 751

GLUE RESIDUE REMOVER UC

- Product adapted to quickly dissolve glue residues (adhesive film, decorative sticker) on windows and bodywork.
- It is also suitable for dissolving the adhesive residue of the protective film of the running boards or the residual drops of copolymers that may persist after protection removal.
- Ready to use.

Contents	Reference
5 L	77 11 429 179

NV PREPARATION



DECONTAMINANT UC

- A product that removes pollution from catenary dust or metal oxides embedded in car bodies.
- Dilution of 5 to 50% depending on the difficulty of cleaning.

Contents	Reference
20 L	77 11 780 871

GEL ENGINE CLEANER UC

- The gel formula of the engine cleaner provides high adherence on all vertical surfaces.
- Its action will remove oils, grease and tar while helping with the cleaning of sooty deposits by cold dissolution and emulsification by rinsing in water.
- Ready to use.

Contents	Reference
1 L	77 11 229 281

ACTIVE PREWASH FOAM (HP) UC

- Bodywork pre-wash product for high-pressure cleaning.
- Its action increases the contact of the cleaning solution through its creamy and adherent texture.
- 5% dilution.

Contents	Reference
20 L	77 11 420 488

DEPROTECTOR UC

- Deprotects bodywork covered by a copolymer film.
- Corresponds in particular to an industrial organisation.
- Concentrated product.
- 15% dilution.

Contents	Reference
20 L	77 11 944 097
200 L	77 11 230 196

WASHING

RIM CLEANER UC NV

- The ultra-powerful formulation of the new ixtar rim cleaner will provide deep cleaning of steel and aluminium rims, even if extremely soiled.
- Its ease of use and its power in removing layers of brake dust make this new rim cleaner one of the most productive on the market.
- 1L: RTU.
5 L and 20 L: 25% dilution.

Contents	Reference
1 L	77 11 943 150
5 L	77 11 943 151
20 L	77 11 943 152

HIGH-PRESSURE BODYWORK SHAMPOO UC NV

- Concentrated product for high-pressure cleaning of bodywork. Fast, deep cleaning of the most stubborn dirt.
- Can also be used for cleaning bodywork and rims or the engine.
- Engine dilution: 25%.
- Bodywork dilution: 10%.

Contents	Reference
20 L	77 11 782 146
200 L	77 11 782 147

WATERLESS WASHING

WATERLESS CLEANER

Solution to use with microfibers (Ref. 77 11 782 071)



Allows cleaning without water on any exterior support: bodywork, plastics, rims, lacquered parts and windows



Cleans all exterior surfaces and protects vehicles



Suitable for varnished or matte vehicles



Provides a water-repellent effect for easy maintenance

Contents	Reference
1 L	77 11 949 658
5 L	77 11 943 999
20 L	77 11 944 001
200 L	77 17 301 300

MANUAL BODYWORK SHAMPOO UC NV

- Concentrated bodywork cleaning product.
- Dilution: 5 %.
- Automatic dilution possible with the PRO4.

Contents	Reference
20 L	77 11 782 145

POWDER BODYWORK SHAMPOO UC NV

- Specific washing powder for high-pressure cleaning.
- Fast, deep cleaning of dirt and grease.

Contents	Reference
25 kg	77 11 420 489

CONTACTLESS DEGREASER (DCI) UC NV

- Contactless cleaner designed to remove road film and ensure a shine after washing.
- Ideal product for washing cars leaving the workshop.
- Dilution: 5 %.
- Better foam holding on the bodywork.
- Easier rinsing.
- 50% improved efficiency.

Contents	Reference
20 L	77 11 944 220
200 L	77 11 944 221

DRYING

DRYING ACCELERATOR UC NV

- Allows uniform drying, without residual marks.
- Without manual wiping.
- 1% dilution.

Contents	Reference
5 L	77 11 575 063



Passenger compartment cleaning

Finishing



INTERIOR CLEANER UC NV

- Its new formula will quickly deep clean: carpets, fabrics, mats and all interior plastics.
- 1L: RTU.
5L and 20L: 15 % dilution.



Contents	Reference
1 L	77 11 943 144
5 L	77 11 943 145
20L	77 11 943 146

LEATHER CLEANER UC

- Cleans, revives and nourishes leather.
- Silicon-free.
- Ready to use.



Contents	Reference
750 ml	77 11 942 313

ODOUR DESTROYER UC

- The odour destroyer does not merely mask unpleasant smells, but creates a positive and long-lasting olfactory atmosphere.
- Its technology will remove the most resistant odours (stale tobacco, animals or diesel) in the passenger compartment, carpets and mats.
- Ready to use.



Contents	Reference
1 L	77 11 785 167

SATIN FINISH PLASTIC RESTORER UC

- Restores satin-finish plastics to their original appearance, grease and mark free.
- Colourless, it provides dry and long-lasting protection.
- Silicon-free.
- Ready to use.



Contents	Reference
1 L	77 11 419 586
5 L	77 11 419 542

SHINY PLASTIC RESTORER UC

- This product enhances interior plastics by restoring their radiance.
- Recommended for UC renovation.
- Ready to use.



Contents	Reference
1 L	77 11 419 587
5 L	77 11 419 543

MULTI-SURFACE DISINFECTANT UC


- Formula suitable for disinfecting surfaces and contact points.
- Eliminates viruses and bacteria.
- Ready to use.



Contents	Reference
1 L	77 11 945 404
5 L	77 11 945 405

RUBBER RESTORER UC NV

- This product makes rubber look like new.
- Ready to use.



Contents	Reference
5 L	77 11 229 283

ENGINE CAPSULE RESTORER UC

- Removes grease, oil and tar marks.
- Restores the engine capsule and the hoses to their original appearance, grease and mark free.
- To be used on a cold engine.
- Ready to use.
- No rinsing required.



Contents	Reference
5 L	77 11 780 524
20L	77 11 780 525

GLASS CLEANER UC NV

- The new glass cleaner has been designed to achieve a perfect finish.
- Its new formula, rich in surfactants, evaporates fast and mark-free, thus making interior cleaning of the windscreen easier.
- Ready to use.



Contents	Reference
1 L	77 11 943 147
5 L	77 11 943 148
20L	77 11 943 149

X-WAX IXTAR BODYWORK PROTECTION SOLUTION UC NV

- 1 treatment kit including:
 - 1 treatment of 100 ml
 - 1 thick microfi bre 400g/m²
 - 1 flexible density sponge, 28kg/m³
- X-WAX increases the vehicle's shine and durability
- Ready to use and safe to use
- Polymer treatment for resistance to external deterioration
- Fast application and perfect efficiency
- Perfect for both new and used vehicles, this kit will make it easier to clean the bodywork with its water-repellent effect. Customer satisfaction guaranteed!



Contents	Reference
1 Unit	77 11 945 798





PRE WASH

CAR WASH ACTIVE FOAM

- Pre-wash or washing product.
- Facilitates the soaking of muddy marks or insects and thus optimises washing efficiency.
- Scented and biodegradable.



Contents	Reference
20 L	77 11 420 484

WASHING

CAR WASH BODYWORK SHAMPOO

- Concentrated product for quick and deep cleaning.
- Lubricates the brushes guaranteeing washing without micro-scratches.
- Scented and biodegradable.



Contents	Reference
20 L	77 11 420 485

DRYING / FINISHING

CAR WASH DRYING WAX

- Facilitates drying of D11 bodywork by dispersing the film of water after washing in car washes equipped with blowers.
- Scented and biodegradable.



Contents	Reference
20 L	77 11 420 487

PROTECTIVE CAR WASH WAX

- Used in multiprogram car washes, it is applied on the wet vehicle, forming a film over the entire bodywork. The protective film thus formed lasts for 6 weeks.
- This product is delicately scented and biodegradable.



Contents	Reference
20 L	77 11 420 486



DILUTION / APPLICATION

DOUBLE VENTURI SPRAYER KIT

- Double venturi sprayer continuously diluting 2 products simultaneously. Thanks to its colour marks, selecting between “washing” and “drying” is simple.
- Venturi outlet via an integrated Gardena connector
- Venturi and valves of highly-resistant stainless steel no clogging or blocking of the chemistry
- Venturi, hoses, pipes and strainers, universal and interchangeable with the 2 in 1 kit (77 11 425 923)



Contents	Reference
1 unit	77 11 943 292

2 IN 1 SPRAY KIT

Description	Reference
2 in 1 spray kit	77 11 425 923
15 m cleaning pipe	77 11 419 123
Valve	77 11 780 916
Bleed plug	77 11 225 801
Valve kit	77 11 780 914
Handle	77 11 172 330
Maintenance kit	77 11 780 915
Flat jet nozzle	77 11 172 334
Optional extra: Valve adapter	77 11 237 748



PRESSURISED SPRAYER

- Perfect for manual spraying, this product boasts a white polyethylene tank with a graduated gauge to 5L.
- It is extremely robust thanks to its reinforced hose.
- Supplied with a fabric strap and a fibreglass hose tube.



Contents	Reference
5 L	77 11 783 710

STEEL FOAM CANNON

- The foam cannon is an ideal tool for applying wash foam or for spraying a product. Its steel design is suitable for intensive use.



Contents	Reference
24 L	77 11 783 732

WATER FOAM GUN

- The Water Foam Gun is ideal for shampoos thanks to its foamer lance and its integrated Venturi. It is specially designed to facilitate dilution thanks to its 14 colour nozzles. Versatile, it can also be used as a sprayer.
- The gun can be connected to a hose pipe using a “Gardena” type connector.
- Maximum water pressure: 6 bars.



Contents	Reference
1 unit	77 11 783 734

STANDARD SPRAY

- This indispensable product is perfectly suited for spraying strippers and renovators.



Contents	Reference
1 L	77 11 783 709

RESSURISED SPRAYER

- With its high density plastic tank, equipped with a pump, safety valve and switch, this product is perfect for spraying in bursts or continuously thanks to its adjustable jet nozzle.



Contents	Reference
1 L	77 11 782 066
5 spray kit + Colour rings	77 11 782 602

BRUSH HANDLE

- Perfectly suited for screw-in brushes, the handle with an anti-slip sheath with flow-through of water provides excellent grip.
- The handle has a shut-off valve and a threaded metal tip for a brush.
- Length: 1.80 metre (2 x 0.90 m).



Contents	Reference
1 unit	77 11 783 713

TELESCOPIC BRUSH HANDLE

- Telescopic aluminium handle that is both practical and strong. Designed with flow-through of water, it is ideal for cleaning bodywork.
- The handle has a shut-off valve and a threaded metal tip for a brush.
- Length: 1.80 metre (2 x 0.90 m).



Contents	Reference
1 unit	77 11 783 714



Equipment

Equipment

DILUTION / APPLICATION (CONTINUED)

3-SIDED SCREW-IN BRUSH



- Screw-in brush with 3 fibre sides.
- Length 25 cm.
- Cleans without scratches and prevents impacts thanks to its fibres on the sides.

Contents	Reference
1 unit	77 11 783 711

4-SIDED SCREW-IN BRUSH



- Screw-in brush with 4 fibre sides.
- Length 25 cm.
- Cleans quickly and effectively without scratches.
- Covers 25% more cleaning surface.

Contents	Reference
1 unit	77 11 783 712

2-RIB WHEEL RIM BRUSH



- Brush designed for deep cleaning of rims. Its 2 hoops give it greater rigidity to stop it from bending during use.
- Length: 26 cm.

Contents	Reference
1 unit	77 11 783 721

WASHING MITT



- Versatile, this washing mitt has a micro-chenille side and a microfibre side for washing and finishing.

Contents	Reference
1 unit	77 11 783 725

COMPACT ABSORBENT SPONGE



- Vacuum packed to save space and storage.
- High absorbency.
- Dimensions: 21 x 12.5 x 7.5 cm.

Contents	Reference
1 unit	77 11 783 728

2 BRUSH PACK



- With their wooden handle and their natural bristles, these brushes are ideal for efficient cleaning of dashboards, vent grilles and wheel rims.

Contents	Reference
1 lot de 2 pinceaux	77 11 783 723

APPLICATION MICROFIBRE



- Ideal for applying all kinds of products for exterior and interior cleaning.
- Pack of 5 microfibres (3 green and 2 blue).
- Dimensions: 40 x 40 cm.
- Weight: 280 g/m².

Contents	Reference
1 lot de 5 microfibres	77 11 782 071

FINISHING

STEEL WHOOL



- Ideal for efficient cleaning of headlights, windscreens, aluminium rims and car chrome.

Contents	Reference
1 unit	77 11 943 361

DRYER BLOW GUN



- This blow gun is particularly light and small, for ideal handling. It offers users a low noise level (<80 db) and functional features such as air pressure adjustment whilst guaranteeing good quality results.

Contents	Reference
1 unit	77 11 783 708

CHAMOIS



- This new generation of embossed PVA makes drying twice as fast thanks to greater absorption.

Contents	Reference
1 unit	77 11 783 717

FLEXY SQUEEGEE



- This flexible silicon blade perfectly fits the shape of the surfaces to dry.

Contents	Reference
1 unit	77 11 783 724


MICROFIBRE FINISHING CLOTH



- Dimensions: 40 x 40 cm.
- Weight: 600 g/m².

Contents	Reference
1 unit	77 11 782 072

PACK OF 10 APPLICATION PADS



- Pad especially designed for applying plastic renovators, waxes and polishes.
- Dimensions: 14 x 7 x 3 cm.

Contents	Reference
Batch of 10	77 11 783 722

SILK MICROFIBRE



- New microfibre perfectly suited for cleaning windows with no marks.

Contents	Reference
1 unit	77 11 943 360

BATCH OF 10 "REMOVES MARKS" SPONGES FOR BODYWORK



- Melamine foam sponge.
- Once wetted, the sponge efficiently ensures that streaks on bodywork or interior plastics will vanish.

Contents	Reference
Batch of 10	77 11 783 729

HAND MOP



- The hand mop captures and retains the dust while simultaneously polishing the bodywork and the dashboard.
- Nénétol: polishing liquid for the Hand Mop.

Description	Contents	Reference
Hand mop	1 unit	77 11 171 963
Nénétol	1 unit	77 11 172 286



Equipment

Equipment

INTERIOR

INTERIOR MICROFIBRE



- This microfibre is used without any product to easily dust the interior while avoiding scratches and streaks.

Contents	Reference
1 unit	77 11 783 707

BLACK BALL BOOSTER



- The new technology of the Black Ball Booster, with a rotating flat head and ball bearings ensures effective and fast cleaning.
- Thanks to the high pressure injection of the product; the dirt is lifted off immediately. The gun allows you to manage your consumption of product thanks to the pressure adjustment of between 4 and 10 bars and the swivel air connector offers increased stability and the ability to lay the gun flat. It is also equipped with a removable brush for easy cleaning.
- New rubber handle for a better grip and insulation in the winter.

Contents	Reference
1 unit	77 11 940 076
2 hose kit	77 11 780 917



2 BRUSH PACK



- The new generation of brushes has been designed to provide greater ergonomics in use and to considerably improve their efficiency, leaving no marks behind thanks to its new medium.

Contents	Reference
Pack of 2	77 11 783 720

BLACK BALL EXTRACTOR



- The Extractor mounted on the Black Ball Booster provides the injector/extractor function. This function is used to remove and suck up dirt simultaneously. It thus offers optimum cleaning and drying of surfaces such as carpets, rugs and upholstery.
- The Extractor is fixed to a water/air suction device using one of the 4 adapters supplied.
- Strengthened in polypropylene opaque, the Extractor is highly shock-resistant.

Contents	Reference
1 unit	77 11 940 077

HIGH-PRESSURE CLEANERS

HIGH PRESSURE HOT WATER CLEANER – MH-3C



- This cleaner is specially designed for professional daily use and efficient high pressure washing with hot water.
- Power: 5 300 W. TRI 400 V / 50 Hz / 9 A.
- Heater: 55 000 W (80°C to 150°C max water temperature) at 92% of performance.
- Flow rate: 780 L/h.
- Weight: 119 kg.
- Dimensions: 101 x 70 x 102 cm.

Contents	Reference
1 unit	77 11 943 166

4 IN 1 HIGH PRESSURE CLEANER

- This cleaner is specially designed for efficient daily professional use.
- Power: 3,500 W.
- Max pressure: 150 bars.
- Flow rate: 660 L/h.
- Weight: 38 kg.
- Dimensions: 38 x 38 x 101 cm.



Contents	Reference
1 unit	77 11 782 189
Foam cannon	77 11 782 471

HIGH-PRESSURE CLEANER



- This cleaner is specially designed for efficient daily use. Particularly robust, it has a 2-year warranty.
- Power: 1400 W.
- Max pressure: 120 bars.
- Flow rate: 440 l/h.
- Weight: 6.7 kg.

Contents	Reference
1 unit	77 11 237 173

VACUUM CLEANER

ATTIX VACUUM CLEANER



- Powerful water and dust vacuum cleaner offering automatic “infiniClean” unclogging.
- Perfectly suited for bodywork and paintwork thanks to its class M certification and its antistatic hose.
- High-Performance Bypass Motor with independent cooling (1400 W – 4500 L/min).
- Vacuum of 250 mbar).
- PTFE primary filter, anti-adherent and washable, class M (99.99% high efficiency).
- 42-litre tank in unbreakable polyethylene with safety stopper.
- Full tank water + dust level sensor with automatic cut-out of the motor.
- Weight: 16 kg.
- Cable: 7.5 m.
- Dimensions (W x D x H): 56 x 38 x 60 cm.

Contents	Reference
1 unit	77 11 943 359

WATER AND DUST VACUUM CLEANER



- Water and dust Vacuum cleaner with semi-automatic “Push&Clean” unclogging system.
- Washable filter, class L certified (99.99% high efficiency).
- By-Pass Motor with independent cooling (1500 W – 3700 L/min).
- Vacuum of 235 mbar).
- 25-litre tank in unbreakable polyethylene.
- Weight: 9 kg.
- Cable: 5 m.
- Dimensions (W x D x H): 37 x 39 x 53 cm.

Contents	Reference
1 unit	77 11 782 188
Pack of 4 bags	77 11 782 473
Filter	77 11 782 472



Equipment

SWEEPERS AND SCRUBBERS

SW250 SWEEPER



- The SW250 manual sweeper will quickly and efficiently sweep the workshop, the preparation area or the showroom.
- Its central brush and its two side brushes allow it to provide a sweeping capacity of over 3600m² an hour!
- Central V-shaped brush for efficient sweeping of large waste and dust
- Skirting strips integrated into the frame for improved capture of fine dust
- Total sweeping width: 920 mm
- Collection tank: 38 litres
- Weight: 20kg
- Dimensions (W x D x H): 147 x 92 x 112 cm.

Contents	Reference
1 unit	77 11 943 358

SCRUBTEC 334C SCRUBBER



- Battery-powered scrubber, the SCRUBTEC 334C is ideal for cluttered surfaces and saves time by washing and sweeping in a single pass.
- "One touch™" button to activate all the functions in a single touch.
- Two solution flow rates and a light to indicate a lack of water.
- Cleans and dries in both forward and reverse directions.
- Lithium battery with "Battery Management System" (BMS) technology.
- Weight: 25 kg.
- Dimensions (W x D x H): 63 x 42.5 x 40 cm (not including the handle).

Contents	Reference
1 unit	77 11 940 002

CLEANING AND POLISHING TROLLEY

- 3-tier structure for optimized storage.
- Durable and lightweight: max load 120 kg, weight 10 kg.
- 2 perforated side panels with 10 hooks included.
- Side holder for hanging bucket.
- 4 swivel casters for smooth mobility.
- Dimensions (W x D x H): 81 x 43 x 98 cm

Contents	Reference
1 unit	77 17 277 700

SW750 SWEEPER



- The self-propelled SW750 sweeper is designed for sweeping large areas.
- Working speed: 4 km/h (self-propelled).
- Battery life: 1 hr 30 to 2hrs.
- Collection tank: 60 L.
- Weight: 68 kg.
- Dimensions (W x D x H): 100 x 80 x 50 cm.

Contents	Reference
1 unit	77 11 943 168

SCRUBTEC 344 SCRUBBER



- Battery-powered scrubber, the SCRUBTEC 344 is designed to clean large areas such as exhibition halls and workshops.
- Its 30-litre tanks and its battery offering 4hr of life allow the 344 to boast productivity that is among the best on the market in its category.
- Adjustment of the solution flow in 3 positions + stop.
- Dirty water tank with a large opening for fast cleaning.
- Touch controls for perfect ergonomoy.
- Weight: 121 kg.
- Dimensions (W x D x H): 118 x 46 x 106 cm.

Contents	Reference
1 unit	77 11 940 003



COMING SOON

Equipment

ACCESSORIES

BARREL PUMP



- The barrel pump is ideal for transferring liquid. It is perfectly suited for detergent products.

Contents	Reference
-	77 11 780 217
200 l Adapter	77 11 782 044

TAPS FOR DRUMS - PACK OF 5



- Compatible with 5 and 10L drums.

Contents	Reference
Pack of 5	77 11 224 562

BUCKET



- Adapts onto the mobile servant.

Contents	Reference
10 L	77 11 783 733

BUCKET



- Ideal for cleaning vehicles.
- 4 casters included.
- Cleaning grid for brushes, mops, pads.
- Dimensions (W x D x H): 48 x 23 x 24 cm.

Contents	Reference
25 L	77 11 947 956

PRESSURE REGULATOR



Contents	Reference
-	77 11 172 619

WINDOW SCRAPER



Contents	Reference
-	77 11 783 715
Box of blades	77 11 783 716

AUTOMATIC STAINLESS STEEL HOSE REEL



- 13 m pipe, supplied with a 2.5 m flexible connector.
- Withstands corrosion, bad weather and UV light.

Contents	Reference
13 m pipe	77 11 577 397


FEEDER TANK CONNECTOR



- 3/4" female turning inlet/connector to facilitate installation.
- 3 3/4" male, independent outlets, with a tap directly integrated in the connector body for greater strength.

Contents	Reference
-	77 11 425 583

BEFORE ANY USE, WEAR PERSONAL PROTECTIVE EQUIPMENT



Gloves



Glasses



Safety Shoes



Masks

For more information, refer to the universal catalogue.



chapter 10

Tools and equipment

• Laboratory Furniture	10 - 01
• Scantools Colour Chip Cabinet	10 - 03
• Paint storage	10 - 06
• Formulation help	10 - 10
• Light range	10 - 12
• Infra-red dryers	10 - 13
• Paint application guns	10 - 14
• Related Equipment	10 - 18
• Spray gun cleaning equipment	10 - 21
• Paint sundry equipment	10 - 22
• Bodywork equipment	10 - 24
• Booth filtration	10 - 26
• Cleaning products, protection & hygiene	10 - 30
• Extrusion Guns	10 - 31





Laboratory Furniture

Laboratory Furniture

THE NEW LABORATORY FURNITURE RANGE IS YOUR SOLUTION FOR ORGANIZING YOUR WORKSHOP!

With 5 high-quality storage units designed for automotive painters, your workshop will be equipped with optimal storage capacity.

Designation	Reference
High Control Cabinet	77 17 277 169
Multifunction High Cabinet	77 17 277 170
Double Door Low Cabinet	77 17 277 171
Low Cabinet with Drawers	77 17 277 172
Low Cabinet for Waste Sorting	77 17 277 173

DOUBLE DOOR LOW CABINET – 77 17 277 171

This steel low cabinet is equipped with **2 hinged doors** featuring magnetic closure, a **brushed stainless steel worktop**, **2 galvanized shelves**, and **casters** (2 swiveling with brakes, 2 fixed). It also includes **2 aspiration adjustment devices** underneath the worktop.

- **Anti-graffiti epoxy paint**
- **Dimensions:** H 930 mm, W 800 mm, D 671 mm
- **Weight:** 68.3 kg

Can be purchased individually or with a high cabinet mounted on top.



LOW CABINET WITH DRAWERS – 77 17 277 172

This low cabinet is part of the **laboratory furniture range for automotive bodyshops**. It is equipped with **5 steel drawers**, one of which can hold a roll of paper towels. The cabinet features **2 front swiveling casters**, **2 fixed casters**, a **brushed stainless steel worktop**, and **2 aspiration adjustment devices** underneath the worktop.

- **Made of 1.2 mm steel**, galvanized and brushed stainless steel
- **Anti-graffiti epoxy paint**
- **Dimensions:** H 930 mm, W 800 mm, D 671 mm
- **Weight:** 104.7 kg



HIGH CONTROL CABINET – 77 17 277 169

This high cabinet is designed to optimize the work of automotive bodyshop professionals. It features a **perforated stainless steel backplash** for effective air aspiration, a **canopy with a casing**, **ATEX Zone 2 LED lighting**, and an **electric box with a push-button switch**. The cabinet integrates a **wall mount for Ixell equipment**, a **shelf** for your devices (spectrophotometer, printer), **3 cable passes**, and an **aspiration ring**. It is ideal for creating a functional and safe workspace.

- **Steel and brushed stainless steel** (backplash), **EPOXY anti-graffiti paint**
- **Dimensions:** H 1350 mm, W 800 mm, D 400 mm
- **Weight:** 54 kg



MULTIFUNCTION HIGH CABINET – 77 17 277 170



This high cabinet is composed of **3 storage shelves**, **2 columns** with perforations for air aspiration, and a **canopy with ATEX Zone 2 LED lighting**. It also includes a **back panel** on which the painter's cabinets (**77 11 947 847 & 77 11 947 848**) and **TU shelf** (**77 17 300 679**) can be mounted, as well as an **aspiration ring**.

- **Made of 1.2 mm steel**, epoxy anti-graffiti paint
- **Dimensions:** H 1350 mm, W 800 mm, D 400 mm
- **Weight:** 31.6 kg

LOW CABINET FOR WASTE SORTING – 77 17 277 173

Optimize waste organization and management in your workshop with this **low steel cabinet**. It features a **brushed stainless steel worktop**, **two air aspiration adjustment devices** under the worktop, and **two front swiveling casters with brakes and two fixed casters**.

This cabinet is equipped with a **shelf** for the **ATEX electrical box** and a **mobile trolley** with **stainless steel tilting hatches** for access to the **aluminum waste bins** (38L each). It also includes a **stainless steel retention tray** for a **30L drum**, a **stainless steel drawer** for cup waste, and **two fixed casters without brakes** for better mobility. All stainless steel parts are **removable for easy and quick cleaning**.

The cabinet can be purchased individually or paired with a **high cabinet**, which mounts directly onto the low unit.

- **Dimensions:** 930 mm (H) x 800 mm (W) x 691 mm (D)
- **Weight:** 115.5 kg
- **Materials:** Steel (1.2 mm), aluminum waste bins, stainless steel tray and drawer
- **Paint:** Epoxy anti-graffiti
- **Removable components for easy cleaning**





Scantools Colour Chip Cabinet

Scantools Colour Chip Cabinet



IXELL PREMIUM PAINTER'S CABINET

A Secure Space to Store, Organize, and Access All the Tools You Need for Color Search, Identification, and Application.

Robust metal design with 2 locking doors and dedicated holders for up to 10 paint spray guns.

- 4 bins and 16 dividers to sort and organize your storage
- 1 fixed shelf to store your spectrophotometer and its holder
- Lockable main doors for added security of your application tools and color accessories
- Sliding drawer for additional storage
- 4 wall mounting points for secure installation
- 4 lower mounting points for installing the electrical box, enabling power supply for your spectrophotometer, scanner, printer, daylight lamp, and more




Description	Contents	Reference
Premium Painter's Cabinet	1 unit + 4 Boxes + 16 Dividers	77 11 947 848
Additional Storage Set	4 Boxes + 16 Dividers	77 11 947 849
Cable Extension Kit	5m cables (1 RJ-45 to USB + 2 USB to USB)	77 11 947 845
ATEX Electrical Box	1 unit	77 11 947 850

Technical Specifications

- Dimensions: 1050 mm (H) x 630 mm (W) x 280 mm (D)
- Weight (4 boxes + 8 dividers): 46 kg
- Weight (8 boxes + 16 dividers): 52 kg
- Empty cabinet weight: 120 kg
- Material: Painted steel
- Door locking system: Key lock
- Color panel storage: Boxes + metal dividers
- Drawer: Steel, mounted on rails
- Installation: Tabletop or wall-mounted with 4 mounting points
- Color: Dark grey

Optional: Additional set with 4 boxes + 16 dividers



THE + IXELL

The Ixell Premium Cabinet offers a complete solution with its innovative «all-in-one» concept. All your tools for color research and application are now within reach in a secure area. Daily productivity, enhanced safety!

IXELL SINGLE PAINTER'S CABINET

Simple and optimized storage for color panels.

The Ixell painter's cabinet is designed for easy and efficient storage of color panels created by painters. With its modern design, it integrates seamlessly into any paint laboratory.

Equipped with **40 high-strength chrome metal hooks**, each supporting **up to 1.5 kg**, specifically designed to hold color panels securely.



Description	Contents	Reference
Ixell Single Painter's Cabinet	1 unit	77 11 947 847

THE + IXELL

Magnetic strips allow for custom storage and organization, with space for 20 color panel slots, enabling classification by color group and/or manufacturer brand. A complete solution for improved productivity and quality.

A COMPREHENSIVE RANGE TO BOOST PRODUCTIVITY AND QUALITY





PRODUCTS ASSOCIATED WITH THE SCANTOOLS CONCEPT



BARCODE READER & PRINTER

Add comfort and simplicity to your paint operations



- With the Printer
- **Compact printer** for creating **self-adhesive labels**
 - **Wired connection** for power supply and data transfer via **IxellColor**



- With the Barcode Reader
- **Wireless, ergonomic, and lightweight** barcode reader for improved ease of use
 - **Charging dock** for the barcode reader with **wired connection** for instant data transfer to **IxellColor**
 - **Search personal formulas** using QR code labels
 - **Manage paint product inventory** via barcode scanning
 - **Search for color formulas** using the barcode on the label



MAGNETIC COLOR PANEL HOLDER

The **magnetic color panel holder** allows for **optimal application technique** to achieve the **best possible color matching**.

Description	Reference
Magnetic Color Panel Holder	77 11 945 833

THE + IXELL

To ensure the longevity of the holder, it is recommended to protect the magnetic strips using a sheet of paper.



SAT: A TINTING SYSTEM ADAPTED TO YOUR IXELL PAINT LINE

Discover our SAT range, designed to deliver greater efficiency, simplicity, and exceptional color accuracy. With the IXELLSHAKE or IXELLMIX ranges, Ixell offers flexible solutions and services tailored to meet all your needs. Ixell tinting systems provide modularity and user comfort.

TU SHELF



Discover our **storage shelf**, specially designed to perfectly match the **new TU bottle packaging**. This **limited-edition shelf** features an exclusive **Alpine-branded header**. Only 300 units are available! Once the limited Alpine stock is sold out, the shelf will feature **Ixell-branded header** instead.

Description	Dimensions (W x D x H)	Reference
TU Shelf 100ml & Additives	600 x 125 x 1050 mm	77 17 300 679

COMING IN 2025: FURTHER EVOLUTION

More enhancements to the Ixell SAT concept are on the way in 2025 — stay tuned for the next generation of color innovation

SAT IXELLMIX HS2 (DW 3.0)



IXELLMIX HS2 SAT (DW 3.0)
The **IXELLMIX HS2 DW 3.0** tinting system is designed as a **complement to the DaisyWheel 3.0**. It allows for the **storage of the HS2 lacquer range and undercoats**, while requiring **less space** in the customer's paint lab compared to a traditional SAT system..

Description	Dimensions (W x D x H)	Reference
ixellMix HS2 (unit only) EVOLUTION IN 2025	697 x 440 x 2388 mm	77 11 949 815
1L Agitator Lid	-	77 11 788 894
3.5L Agitator Lid	-	77 11 788 895



SAT IXELLMIX

Ixellmix 20+ unit

Its progressive motor maintains colorimetric qualities for ixelltech products. ixellMix is the benchmark for colour accuracy.

Ixelltech kit

It consists of:

- 36 dosing lids for 0.25 L
- 36 mixer lids for 0.5 L
- 42 mixer lids for 1 L
- 18 mixer lids for 3.5 L
- 6 inverted mixer lids for 3.5 L

Description	Dimensions (W x D x H)	Reference
ixellMix 20+ unit (sold alone)	2270 x 440 x 2361 mm	77 11 788 889
ixellMix 20+ kit		77 11 788 891



Unit sold alone

IXELLMIX EXTENSION

The Ixell Mix extension allows 0.5-litre pots to be used on shelves designed for 3.5-litre pots.

Description	Dimensions (W x D x H)	Reference
ixellMix extension 3.5L/0.5L	167.4 x 117 x 112 mm	77 17 300 681

SAT IXELLSHAKE



Thanks to its chemical and technical advances, Oxelia integrates perfectly into non-agitated machines while retaining its fundamental qualities: versatility, performance and authenticity.

No need to shake base colours (3 times a day) like a cocktail anymore. Simply stir the H₂O base colour manually before use. Make life easier, discover the ixellShake range that best suits your needs.

SAT IXELLSHAKE 10-20 L
IXELLSHAKE 10-20 L UNIT

OXELIA KIT 10-20 L

It consists of:

- 30 mixer lids 1 L (adjustable to fit 0.5 L pots)
- 12 mixer lids 3.5 L
- 78 dosing lids 1 L (adjustable to fit 0.25 L and 0.5 L pots - short handle)

Find the entire ixell system combining mechanical agitation and manual know-how.

Description	Dimensions (W x D x H)	Reference
ixellShake 10-20 L unit	2270 x 440 x 2388 mm	77 11 943 131
ixellShake 10-20 L kit		77 11 943 132



Unit sold alone



Paint storage

ENSURES OPTIMAL PRESERVATION FOR IMPECCABLE APPLICATION QUALITY

LIDS



Description	Contents	Reference
Dosing lid for 0.25 L, 0.5 L, 1 L (short handle)	Box of 6	77 11 788 892
Mixer lid for 0.25 L, 0.5 L	Box of 6	77 11 788 893
Mixer lid for 1 L	Box of 6	77 11 788 894
Mixer lid for 3.5 L	Box of 6	77 11 788 895
INV Mixer lid for 3.5 L	Box of 6	77 11 788 896
SAT height extension	Batch of 6	77 11 788 902

LIDS THAT CAN BE ADAPTED TO THE AEML PAINT COLOUR SYSTEM




Description	Contents	Reference
Dosing lid for 0.25 L, 0.5 L, 1 L (short handle)	Box of 6	77 11 788 892
Mixer lid AEML for 0.5 L	Box of 6	77 11 788 897
Mixer lid AEML for 1 L	Box of 6	77 11 788 898
Mixer lid AEML for 3.5 L	Box of 6	77 11 788 899
SAT extensions	Batch of 6	77 11 788 902

THE + IXELL

- Less bleeding of paint along axes thanks to a new generation of helical seals combined with a composite axle
- Quick and easy assembly
- Pouring spout made specially for precise and controlled paint dispensing
- Convenience in everyday use (ergonomic handle to simplify dosing operations)
- The paddle is very close to the bottom of the tins to ensure optimum mixing of pigments
- Lids with a reversed paddle have also been developed to mix the most sensitive colours AD 228, AD 231, AD 400, 8401, 8402
- Easy to dismantle for easy cleaning

IXELL LABORATORY HEATING UNIT



Professionals know that a successful paint job depends on easy mixing and proper application. A well-adapted room temperature results in improved viscosity.

This requires suitable heating equipment.

All of ixell's values are combined in this new laboratory heating unit, a tool designed specially for you.

Description	Reference
ixell laboratory heating unit	77 11 577 705

THE + IXELL

- **Comfortable:** slimline structure that doesn't clutter up your workspace
- **Practical:** can be mounted horizontally or vertically, on a wall or ceiling
- **Safe:** the design complies with ATEX standards, offering you security for daily use
- **Simple to use:** a modern adaptive thermostat, your best ally for guaranteeing suitable viscosity
- **Precise:** constantly-regulated temperature

FINISHING STATION WITH LED LIGHTING

NEW



Description	Contents	Reference
Finishing station with LED lighting	1 unit	77 17 277 052

Formulation help

A DIGITAL AND CONNECTED SOLUTION

With the new Connect' range, ixell adds a digital and connected solution to its colour tools. A true innovation powerhouse, ixellconnect software will allow you to update your tools automatically, on a weekly basis.

IXELLCOLOR CONNECT' PRO



WITH THE IXELLCOLOR CONNECT' SCALE, MANAGING YOUR WORKSHOP IS INCREDIBLY EASY.

A true powerhouse of functionality and power, IXELLCOLOR CONNECT' PRO and its interface will provide you with ergonomics, practicality and optimisation of your performance.

Its technical characteristics

• Weight : 12.5 Kg & Dimensions (cm) : H 37 x L 53 x W 9.5

• Capacitive touchscreen: 21.5" full HD
• Microprocessor: Intel® Core i5 - 11th generation, 4 cores (2.4 GHz - 4.2 GHz, 8 MB cache)

• RAM : DDR4 8GB
• ATEX ZONE 2 certification

Connectors

- Ethernet RJ45 Gigabit
- 6 USB ports
- Wi-Fi
- 220V power supply
- Bluetooth



ixellCOLOR
connect Pro

The IxellColor Connect Pro balance provides advanced features designed for professional body shops. It includes a high-resolution camera and an integrated microphone for accurate voice and image control. Its modern Windows 11 interface, including a graphics card, ensures smooth operation and optimal performance.

Description	Reference
ixellcolor Connect' Pro NEW VERSION	77 17 277 544

IXELLTOUCH CONNECT'



THE IXELLTOUCH CONNECT' SCALES ALLOW YOU TO ENHANCE YOUR WORK WHILE HAVING ACCESS TO A MULTITUDE OF FEATURES AND FORMULAS.

Its efficient interface will bring you peace of mind and efficiency on a daily basis.

Its technical characteristics

• Weight: 9.3 kg & Dimensions (cm): H 36 x L 44 x W 8.5

• Capacitive touchscreen: 17" LED
• Microprocessor: Intel i5-7400 4 Cores 3 GHz

• RAM: DDR4 8GB
• ATEX ZONE 2 certification

Connectors

- Ethernet RJ45 & WIFI
- 2-antenna Bluetooth module
- 6 USB ports + 1 Com port



IXELLTOUCH
connect

Its features

- Connection to IXELLWEBLAB
- Online updating of the formula and spectral database (weekly)
- Sturdy and easy to clean

Description	Reference
ixellTouch Connect'	77 11 943 393

WALL MOUNT

Description	Reference
Wall mount	77 11 943 395
Compatible reference for IXELLCOLOR CONNECT' and IXELLTOUCH CONNECT'	



FLOOR STAND

Description	Reference
Floor stand	77 11 943 394
Compatible reference for IXELLCOLOR CONNECT' and IXELLTOUCH CONNECT'	





Formulation help

Light range

MINI SPECTRO CONNECT



ixell invites you to discover the new Spectro Mini Connect.

- The worthy successor to the Spectro V2, the SPECTRO MINI is based on CONNECT technology.
- Its sophisticated, compact design combines performance, agility and speed.
- Its 3 measuring angles and 4 contact points make it easy to identify opaque, metallic and pearlescent shades.
- Through WiFi, it connects to the ixellColor and ixellTouch Connect colour tools, with over 200,000 formulas available and a programme of weekly updates.

Description	Reference
Mini Spectro Connect	77 17 300 013

SPECTRO CONNECT'



SPECTRO
connect

With its state-of-the-art technology and adapted design, SPECTRO CONNECT' is the colorimetric benchmark.

Connected via WIFI and directly linked to the innovative IXELL CONNECT' software, over 200,000 formulas are available and updated once a week.

- Li-Ion battery that can be recharged on a cradle (battery life: 8 h)
- WIFI connection to the IXELL CONNECT' software
- Intuitive interface thanks to its rotating touchscreen
- Security cord
- Magnetic protective cover
- Flashing light and audible signal
- Non-ATEX

Description	Reference
Spectro Connect'	77 11 943 397
Protection Spectro Connect' transparente	77 11 947 953

GLOSSMETER



A device for accurately defining the gloss level of a substrate. Your best ally for reproducing matt colours. Non-ATEX. Bluetooth mode.

Description	Reference	Reference
Glossmeter		77 11 782 232

IXELL STATION TABLE



An essential addition to your scales, this table is the perfect workstation. With a sturdy and rigid design, it is remarkably stable.

Table :

- Length: 900 mm
- Width: 540 mm

Extension :

- Length: 300 mm
- Width: 540 mm

Description	Reference
ixell station table	77 11 788 906

RPA455 CONNECTED SCALE



Latest generation, intuitive scale with a swivelling LCD colour widescreen display. Its power supply and USB 2.0 connection interface ensures perfect data transmission to the Ixellcolor Connect, Ixelltouch Connect and Ixelltouch colour tools.

Dimensions & Features:

- Complete scales: 234 x 309 mm
- Plate: 234 mm diameter
- Column height: 365 mm
- Weight range: 7,500 g / Display accuracy: 0.1 g
- Base unit: grams
- Data/power interface: USB 2.0
- Certification: • ATEX ZONE 2

Description	Reference
RPA455 connected scale	77 11 947 906
Connected scale protectors (pack of 10)	77 11 947 907
RS 232 cable	77 11 579 873

A LIGHTING RANGE DESIGNED TO COVER ALL YOUR NEEDS

LUXIA UV



SCANGRIP HANDHELD UVA LAMP

Optimise your drying with the LED Handheld UVA Lamp: exceptional power, integrated timer, ideal for UV-A products. Rechargeable lithium-ion battery in 2 hours, with dual batteries included.

Level indicator, wavelength ranging from 395 to 400 nm for even drying. Validated by ixell, it guarantees unmatched quality. Revolutionise your drying process with efficiency and reliability at your fingertips.

Description	Contents	Reference
Scangrip Handheld UVA Lamp	1 unit	77 17 355 545

LC5 COLORIMETRIC LAMP



PURE COLORIMETRIC PERFORMANCE

LC5's colorimetric performance ensures optimal work quality for automotive painters.

What sets this colorimeter lamp apart is its ability to simulate both daylight and evening light, thanks to its latest generation LEDs.

Whether it's pearlescent, matte, or textured shades, LC5 makes it easy to identify the correct hue, even those prone to metamerism.

LC5, the benchmark in colorimetry!

Non-ATEX.

Description	Contents	Reference
LC5 - 3,800 - 6,000 Kelvin	1 unit	77 17 300 236

LA1 LAMP



THE EPITOME OF ROBUSTNESS

No more worries about breaking your equipment. Drop it or run it over, LA1 can handle anything! Moreover, this lamp provides intense lighting for detailed inspection before painting.

With its 360° adjustable and magnetic ends, you can easily attach it to any metal surface and work with ease.

You'll wonder how you ever worked without it!

Description	Contents	Reference
LA1	1 unit	77 11 785 164

LA5 LIGHT



THE DEMOCRATISATION OF OEM TECHNOLOGY

Feel the emotion of light. ixell shares its desire to help you discover new technologies.

With LA5, you can now recreate the conditions of a factory light tunnel in your own workshop. Thanks to its two types of light flux, you won't miss a single defect.

A unique and essential product for all body shops aiming for hyper-productivity.

Enhance quality controls and reduce flaws!

Description	Contents	Reference
LA5	1 unit	77 11 785 166



Infra-red dryers

Paint application guns

NEW INFRA-RED RANGE. AN INFRA-RED RANGE DESIGNED FOR ALL YOUR NEEDS

MINI

IDEAL FOR SPOT PAINT WORK

Efficient thanks to:

- its power: 1,100 W, 220 V
- the efficient reflectors allowing optimal heat diffusion
- lamp life: 5,000 and 7,000 hours

Manoeuvrable and ergonomic thanks to:

- the cassette with 360° rotation, hand-held or on a stand
- the significant innovative vertical articulation (1.6 m) with safety handle with safety catch
- four guide wheels, two of which are equipped with brakes

Description	Reference
Mini infra-red dryers	77 11 785 327

STANDARD

COMPACT AND VERSATILE

Efficient thanks to:

- its power: 2,200 W, 220 V
- the 2 lamps which can be operated independently
- automatic dual drying mode: desolvation/full cure

Efficient thanks to:

- the position of the horizontal or vertical cassettes, with 360° rotation
- the significant innovative vertical articulation (1.60 m) with safety handle with safety catch
- the cable holder
- four guide wheels, two of which are equipped with brakes

Description	Reference
Standard infra-red dryer	77 11 785 328

TRISK SPOT INFRA-RED BULB

Tube 850 W, 240 V,
length 20 cm

Description	Reference
Trisk Spot infra-red bulb	77 11 170 565

MASTER

IDEAL FOR HIGH-REACH REPAIRS

Efficient thanks to:

- its 3,300 W, 220 V power
- the dual automatic drying mode: Desolvation/full cure (in blinking or permanent mode)
- the ability to regulate the heating light intensity
- the efficient reflectors which allow optimal heat diffusion

Manoeuvrable and ergonomic thanks to:

- the screen with digital LED display
- the 3 lamps which can be operated independently
- the significant height adjustment (2.5 m)

Extremely manoeuvrable thanks to:

- four guide wheels, two of which are equipped with brakes
- THE carry handle to facilitate placement and positioning

Description	Reference
Master infra-red dryer	77 11 785 329

1- AND 3-HEAD IR LAMP

Description	Contents	Reference
1- and 3-head IR lamp	1 unit	77 11 785 331

2-HEAD IR LAMP

Description	Contents	Reference
2-head IR lamp	1 unit	77 11 785 330

TRISK ETS2 AND CM3 INFRA-RED BULB

Tube 1,100 W, 240 V,
length 50 cm

Description	Contents	Reference
Trisk ETS2 and CM3 infra-red bulb	1 unit	77 11 172 561

A COMPLETE RANGE OF PAINT SPRAY GUNS SUITABLE FOR GENERAL AND MORE SPECIFIC APPLICATIONS

SATA MINIJET 4400 RP PAINT SPRAY GUN

Recommended for clearcoats and top coats.

New spray performance: reduced noise, fine uniform spray. Quarter-turn adjustment of round/flat jet. Quick-fit air cap (single turn). Available in digital and standard versions.

Description	Reference
Sata Minijet 4400 RP 1.2 paint spray gun	77 11 780 307
4400 nozzle set 1.2 RP	77 11 780 309
4400 nozzle set 1.0 RP	77 11 780 344

SATA JET X 5500 PAINT SPRAY GUN

ixell invites you to discover SATA's latest innovation: the new SATA Jet X 5500. Discover its unique, revolutionary technology for convenient and silent application.

L-shaped nozzle technology allows for better transfer rate and product savings. In this way, the painter can use a logical system that offers them the ability to adhere to their application technique.

Description	Reference
5500RP 1.2l paint spray gun	77 11 943 539
5500RP 1.3l paint spray gun	77 11 943 540
5500HVLP 1.2l paint spray gun	77 11 943 541
5500RP 1.2l nozzle set	77 11 943 542
5500RP 1.3l nozzle set	77 11 943 543
5500HVLP 1.2l nozzle set	77 11 943 544
SATA Jet 5000 rp 1.2 nozzle set	77 11 780 304
SATA Jet 5000 rp 1.3 nozzle set	77 11 780 305
SATA Jet 5000 HVLP WSB nozzle set	77 11 780 306
SATA 5000 battery kit	77 11 780 330

SATA JET 100 P NOZZLE PAINT SPRAY GUN

This spray gun is designed especially for the application of spray-on fillers (Pistol).

Description	Reference
Sata JET 100 P Nozzle paint spray gun	77 11 430 498

SATA PHASER PAINT SPRAY GUN KITS RENAULT SPORT LIMITED EDITION

Description	Reference
Renault Sport Phaser 1.2 nozzle set	77 11 940 485
Renault Sport Phaser WSB nozzle set	77 11 940 486

SATA MINIJET 4400 HVLP WSB PAINT SPRAY GUN

Recommended for matt water-soluble base coats. The HVLP design provides very high transfer rates for optimal product savings.

Quarter-turn adjustment of round/flat jet. Available in digital and standard versions.

Description	Reference
Sata Minijet HVLP WSB 1.0 paint spray gun	77 11 780 308
Spotlight kit HVLP WSB 1.0	77 11 780 310
HVLP 4400 nozzle set 0.8 WSB	77 11 780 345

SATA 100 PAINT SPRAY GUN

The improved ergonomics of the SATA Jet 100 provide a comfortable grip and easy application of undercoats.

Specifications:

- Inlet pressure: 1 to 2 bars
- Air consumption: 290 L/min
- Transfer rate: 65 to 70 %

Description	Reference
(1) Sata Jet 100 RS paint spray gun	77 11 425 752
(2) Sata Jet 100 RS UV paint spray gun NEW	77 17 277 057
Kit projecteur 2.0	77 11 425 753
Kit projecteur 1.8	77 11 780 337
Kit projecteur 1.6	77 11 785 756
Kit Buse SATA Jet 100B 11UV	77 17 301 370





Paint application guns

SATA ADAM 2 (FOR SATA 4400, 5000 AND 5500 SPRAY GUNS)

The simple and essential tool to guarantee your settings and carry out paint jobs with total peace of mind

Sata Adam 2 (for Sata 4400, 5000 and 5500 spray guns)



Description	Reference
Adam 2	77 11 577 696
Adam 2 dock	77 11 577 697
Battery kit	77 11 577 699
Adam 2 5000 and 5500 support	77 11 780 302
Adam 2 5000 and 5500 kit	77 11 780 303
Adam 2 4400	77 11 780 312

Sata Adam 2U (for all spray guns)



Description	Reference
Adam 2U	77 11 577 698
Battery kit	77 11 577 699

SATA QMR

Description	Contents	Reference
SATA QMR	1 set of 2 pieces	77 17 277 051



NEW

SATA JET X DIGITAL SPRAY GUNS

SATA Jet X spray gun range featuring a new nozzle concept: labyrinth-type air cap and fluid tip for fine and uniform atomization.

Description	Contents	Reference
JET X Digital R HVLP i2i	1 spray gun	77 17 277 611
JET X Digital R RP i2i	1 spray gun	77 17 277 612
JET X Digital R RP i3i	1 spray gun	77 17 277 613
JET X Digital PRO HVLP i2i (equipped with pressure gauge)	1 spray gun	77 17 277 614
JET X Digital PRO RP i2i (equipped with pressure gauge)	1 spray gun	77 17 277 615
JET X Digital PRO RP i3i (equipped with pressure gauge)	1 spray gun	77 17 277 616
KIT PROJ JET X HVLP i2i	1 nozzle kit	77 17 277 617
KIT PROJ JET X RP i2i	1 nozzle kit	77 17 277 618
KIT PROJ JET X RP i3i	1 nozzle kit	77 17 277 619
(1) ADAM X for Digital Ready	1 pressure gauge	77 17 277 609
(2) ADAM X for Digital Pro	1 pressure gauge	77 17 277 610



NEW

Paint application guns

3M™ HIGH PERFORMANCE SPRAY GUN

3M™ Performance Spray Gun System with PPS™ 2.0 Fine Finish Technology.

Kit includes:

- 1 × 3M™ Performance Spray Gun body
- 1 × Air control valve
- 1 × Spray gun retaining ring for 3M™ Performance
- 1 × 3M™ PPS™ 2.0 starter kit (22 fl oz / 650 mL standard)
- 4 × 3M™ PPS™ 2.0 liners (standard, 200-micron filter)
- 1 × 3M™ PPS™ 2.0 lid (standard, 125-micron filter)
- 5 × 3M™ PPS™ 2.0 protective films (medium / standard size)
- 5 × 3M™ PPS™ 2.0 protective films (large / standard size)
- 6 × 3M™ Performance Spray Gun nozzles (gravity feed 1.2–1.4–1.8)
- 5 × 3M™ PPS™ 2.0 sealing caps

Description	Contents	Reference
(1) RP 3M spray gun kit	1 kit	77 17 276 933
RP i2 3M nozzle kit	Pack of 5 pieces	77 17 276 934
RP i3 3M nozzle kit	Pack of 5 pieces	77 17 276 935
HVLP 09 3M nozzle kit	Pack of 5 pieces	77 17 276 936
HVLP i2 3M nozzle kit	Pack of 5 pieces	77 17 276 937
HVLP i3 3M nozzle kit	Pack of 5 pieces	77 17 276 938
HVLP i4 3M nozzle kit	Pack of 5 pieces	77 17 276 939
HVLP i6 3M nozzle kit	Pack of 5 pieces	77 17 276 940
HVLP i8 3M nozzle kit	Pack of 5 pieces	77 17 276 941
HVLP 2.0 3M nozzle kit	Pack of 5 pieces	77 17 276 942




IXELL SPRAY GUNS **COMING SOON**

A complete range of spray guns designed for paint, lacquer, varnish, and primer applications, using advanced LVMP (Low Volume Medium Pressure) technology, optimizing paint consumption and surface finish quality.

These are the first IXELL-branded spray guns, offering an unbeatable value-to-performance ratio with modern design.

They feature several advantages:

- Adjustable color fan control
- Quick and easy setup
- Comfortable handling
- Efficient and consistent spray performance



Description	Contents	Reference
(1) IXELL GRAVITY B 1.2 Spray Gun: ergonomic, durable, and lightweight (anodized aluminum), for base coat application, supplied with a 1.2 mm nozzle.	1 piece	77 17 276 943
(2) IXELL GRAVITY C 1.2 Spray Gun: ergonomic, durable, and lightweight (anodized aluminum), for clear coat application, supplied with a 1.2 mm nozzle.	1 piece	77 17 276 944
(3) IXELL GRAVITY P 2.0 Spray Gun: ergonomic, durable, and lightweight (anodized aluminum), for primer application, supplied with a 2.0 mm nozzle.	1 piece	77 17 277 547
Kit IXELL GRAVITY B 1.2: 10 replacement nozzles, 1.2 mm diameter.	Box of 10 pieces	77 17 276 945
Kit IXELL GRAVITY B 1.3: 10 replacement nozzles, 1.3 mm diameter.	Box of 10 pieces	77 17 276 946
Kit IXELL GRAVITY B 1.7: 10 replacement nozzles, 1.7 mm diameter.	Box of 10 pieces	77 17 277 548
Kit IXELL GRAVITY P 2.0: 10 replacement nozzles, 2.0 mm diameter, for primer application.	Box of 10 pieces	77 17 277 549
(6) IXELL Digital Pressure Gauge	1 piece	77 17 277 552
(7) IXELL Needle Pressure Gauge	1 piece	77 17 277 553

NEW



Paint application guns

Related Equipment

DVI BASE COAT AND TOP COAT SPRAY GUNS



The DVI Range: ixell offers you the chance to discover the new DVI paint spray gun. It guarantees exceptional application performance while improving transfer rate efficiency and reducing product consumption. A condensed technology bundle that will offer reliability, consistency and performance.



The DVI base coat spray gun has a silent trigger release: eliminates lateral and rotating play for smoother and seamless release.

Description	Contents	Reference
DVI base coat spray gun	1 spray gun	77 11 944 788
DVI digital pressure gauge	1 pressure gauge	77 11 944 790
DVI B+ nozzle set	1 DVI B+ basic air cap, a retaining ring, a 12-mm basic nozzle, a base and clearcoat spray gun common needle	77 11 944 791

B+ : Basecoat = Base

C+ : Clearcoat = Vernis

The DVI clearcoat spray gun: Offers the best performance to increase productivity and efficiency. It provides a uniform and consistent dispersion of ultrafine particles for perfect film adhesion, effortlessly, and with reduced runs on vertical panels. Integrated digital pressure gauge (optional): mounted in-line at eye level for quick monitoring.



Description	Contents	Reference
DVI clearcoat spray gun	1 spray gun	77 11 944 789
DVI digital pressure gauge	1 pressure gauge	77 11 944 790
DVI C+ nozzle set	1 DVI C+ basic air cap, a retaining ring, a 12-mm basic nozzle, a base and clearcoat spray gun common needle	77 11 944 792

B+ : Basecoat = Base

C+ : Clearcoat = Vernis

A NOZZLE SET CONTAINS:

- A nozzle
- A hat
- A needle
- Retaining ring (DEVILBISS only)

TURBO KIT



Discover ixell's new paint gun set, in a limited edition of just 600 units!

Each set includes a spray gun for the base and a spray gun for the clearcoat, with two different designs. The spray guns are personalised with a laser print inspired by Renault R5 Turbo 3E.

Description	Reference
Turbo3E limited edition - Set of 2 ixell spray guns	77 17 265 983

ÉDITION LIMITÉE

DEVILBISS FLG5 PAINT SPRAY GUN

Description	Reference
Devilbiss FLG5 paint spray gun	77 11 422 893



DEVILBISS GTI PRO LITE PAINT SPRAY GUN KITS

Description	Reference
TE10 1.3 nozzle set	77 11 574 252
TE20 1.2 nozzle set	77 11 574 253

DEVILBISS ADAPTERS

Description	Reference
Devilbiss RPS paint spray gun adapter	77 11 426 087

PPS2 CUP



A unique system of flexible pouches for the application of solvent-based and water-soluble products. It has a new completely filtering cover for optimal product flow and an integrated 1/4 turn closure system ensuring comfort and safety.

- 4 volumes: 200 ml, 400 ml, 650 ml, 850 ml
- 2 filtrations: 125 m, 200 m

New adapters for all ixell spray guns. The wider cap allows stable storage of leftover paints. More productive and more efficient, it guarantees quality everyday work.

THE + IXELL

- **Volume and weight of waste: reduced by 30% to 50%**
- **No risk of leaks due to a forgotten valve**
- **Welded filter: perfect sealing, nothing is left out**
- **Easy to use: spraying from all angles**
- **Safe and easy attachment on the spray gun**
- **Easy to see how much paint is left**

Description	Contents	Reference
PPS cups kit 2.0 200 ml 125m	1 box containing 1 Kit*	77 11 946 742
PPS cups kit 2.0 200 ml 200m	1 box containing 1 Kit*	77 11 946 743
PPS cups kit 2.0 400 ml 125m	1 box containing 1 Kit*	77 11 946 744
PPS cups kit 2.0 400 ml 200m	1 box containing 1 Kit*	77 11 946 745
PPS cups kit 2.0 650 ml 125m	1 box containing 1 Kit*	77 11 946 746
PPS cups kit 2.0 650 ml 200m	1 box containing 1 Kit*	77 11 946 747
PPS cups kit 2.0 850 ml 125m	1 box containing 1 Kit*	77 11 946 748
PPS cups kit 2.0 850 ml 200m	1 box containing 1 Kit*	77 11 946 749
PPS cups kit 2.0 UVA 650 ml	1 box containing 50 units	77 17 355 546
SATA PPS 2.0 QCC adapter	1 box containing 10 units	77 11 946 750
SATA PPS 2.0 mini QCC adapter	1 box containing 4 units	77 11 946 751
SATA PPS 2.0 DVI or GTI adapter	1 box containing 10 units	77 11 946 752

IXELLCUP



ixell invites you to discover the new ixell cup. It has been designed to simplify your day-to-day work and improve the productivity and quality of repainting operations.

More productive and efficient, it guarantees you topquality results.

- 3 sizes: 300 ml, 500 ml, 1,000 ml
- 1 filtration: 125 m
- 4 adapters: 2 SATA, 2 DEVILBISS

THE + IXELL

- **Enables head-down storage.**
- **No risk of leaks due to a forgotten valve.**
- **Welded filter: perfect sealing, nothing is left out.**
- **Elastometric valve for optimum flow and consistency.**
- **Safe and easy attachment on the spray gun.**
- **Fast, secure closure with 1/4 turn.**

Description	Contents	Reference
Ixcup 300 ml - 125	1 box of 50	77 11 948 640
Ixcup 500 ml - 125	1 box of 50	77 11 948 641
Ixcup 1,000 ml - 125	1 box of 50	77 11 948 642
Ixcup SATA QCC adapter	1 unit	77 11 948 643
Ixcup SATA MINI QCC adapter	1 unit	77 11 948 644
Ixcup Devilbiss GTI/PRI/DVI adapter	1 unit	77 11 948 645
Ixcup Devilbiss SRI adapter	1 unit	77 11 948 646



Related Equipment

SATA RPS CUP



This can be fitted straight onto SATA spray guns without an adapter, and has a thread compatible with various makes of spray guns.

Lightweight and ergonomic, this cup has a graduation marking for mixing products directly. Its shape has been designed so that the user can apply all of the product or store any paint remaining. It ensures high-precision application of the product through a constant flow. The RPS cup stand keeps the paint in the best position for future use.

Description	Contents	Reference
RPS cup 200 microns 600 ml NEW CONTENTS	Box of 50 cups	77 11 239 036
RPS cup 125 microns 600 ml NEW CONTENTS	Box of 50 cups	77 11 239 037
RPS cup UV 600ml NEW	Box of 50 cups	77 17 277 902
RPS cup 200 microns 900 ml NEW CONTENTS	Box of 50 cups	77 11 427 863
RPS cup 125 microns 900 ml NEW CONTENTS	Box of 50 cups	77 11 427 862
RPS cup 200 microns 300 ml NEW CONTENTS	Box of 50 cups	77 11 429 693
RPS cup 125 microns 300 ml NEW CONTENTS	Box of 50 cups	77 11 429 692
Devilbiss RPS paint spray gun adapter	1 unit	77 11 426 087

RIGID SPRAY GUN CUPS

Description	Reference
SATA PVC rigid cup NEW FORMULA	77 11 780 334
Devilbiss PVC rigid cup	77 01 423 547

SPRAY GUN CLEANING KIT


The cleaning kit prevents premature wear of the spray gun and paint spray problems (mottling and streaks).

It improves the lifespan of your spray gun and its results.



Description	Contents	Reference
Cleaning kit	1 unit	77 11 420 024

EURO TYPE 1/4 CONNECTIONS



Description	Contents	Reference
(1) Grooved quick-connection (1/4 G) French diameter	1 unit	77 11 171 785
(2) Threaded female quick-connection (1/4 G) French diameter	1 unit	77 11 171 787
(3) Threaded male quick-connection (1/4 G) French diameter	1 unit	77 11 171 788
(4) Grooved quick-connection (1/4 G) French diameter	1 unit	77 11 171 786
(5) Threaded male quick-connection (1/4 G) Euro diameter	1 unit	77 11 237 874
(6) Grooved quick-connection (1/4 G) Euro and French combined diameter	1 unit	77 11 230 138
(7) Threaded female quick-connection (1/4 G) Euro diameter	1 unit	77 11 237 875

SPRAY GUN FILTER

Compatible with the complete SATA and Devilbiss range.

Description	Contents	Reference
Gravity spray gun filters	10 units	77 11 172 120
Sata gravity spray gun filters	10 units	77 01 421 925

PAINT BOOTH PIPE SUPPORT



Description	Contents	Reference
Paint booth pipe support	1 unit	77 11 943 347

Related Equipment

AIR PIPES

This air pipe can be connected straight onto the submicronic filter to prevent loss of load or pressure.

Two types are available:

- For the workshop: 10 m, anti-static, 10 mm internal diameter, combined coupler, standard male end fitting.
- For booths: 10 m, anti-static, 10 mm internal diameter, combined coupler, threaded female connection.



Description	Contents	Reference
(1) Workshop pipe	1 unit	77 11 171 790
(2) Booth safety pipe	1 unit	77 11 943 346
(3) Pipe clamp	2 units	77 11 943 348

PAINTER'S AIR GUN

This painter's air gun is particularly lightweight and small.

It offers users a low noise level (< 80 decibels) and adjustable air pressure, while guaranteeing quality results.



Description	Contents	Reference
Painter's air gun	1 unit	77 11 783 708

AIR GUN NOZZLE SUPPORT



This rail enables air drying of waterborne bases.

It connects to the standard air supply of the booth and operates with purified and dried air. The nozzles can be used manually.

Specifications:

- Max. pressure: 7 bar
- Operating pressure between 2 and 4 bar
- Consumption: 350 L/min at 4 bar
- Height of use: up to 2,250 mm
- Working width: up to 1,250 mm


Description	Reference
Support with 2 nozzles	77 11 575 863
Air gun nozzle	77 11 575 862
SATA Dry Jet 2 air gun nozzle	77 11 783 741

MAGNETIC SPRAY GUN HOLDER



Description	Contents	Reference
Magnetic spray gun holder	1 unit	77 11 943 345

MAGNETIC SPRAY GUN HOLDER



It can be fixed to all metal surfaces in just a few seconds.

It can be used for all spray gun models.

Description	Reference
Magnetic spray gun holder	77 11 227 837





Spray gun cleaning equipment

Paint sundry equipment

GUNCLEANER UD-800

THE 2-IN-1 SOLUTION, MULTI-PURPOSE EQUIPMENT

Technical specifications

- Dimensions: L 780 x D 600 x H 1,970 mm
- Weight: 75.5 kg
- Cleaning: choice of solvent-based, H₂O or universal thinner
- Air gun: calibrated for 2 bar
– Supply pressure: 5–6 bar
- Air consumption: at 6 bar, 380 m³/h



THE + IXELL

- Simultaneous wash cycle: automatic and manual (with a brush supplied with solvent), your cleaning system is always available
- Ergonomic: large cleaning chamber and retention tray on wheels, making it easy to change containers

Description	Reference
GunCleaner UD-800	77 11 575 600

GUNCLEANER MANUAL STARTER

MANUAL SPRAY GUN CLEANING SYSTEM

Technical specifications

- Dimensions: L 670 x D 510 x H 370 mm
- Weight: 17.5 kg
- Cleaning: choice of solvent-based, H₂O or universal thinner
- Supply pressure: 5–6 bar
- Air consumption: at 6 bar, 380 m³/h
- Option: retention tray and support



THE + IXELL

- Equipped with a blower calibrated to 2 bar to bleed the spray gun and dry the spray gun body
- Compactness: its compact shape and wall mounting ensures it will fit in easily

Description	Reference
GunCleaner Manual Starter	77 11 575 598
Retention tray	77 11 575 609
Support	77 11 575 608

GUNCLEANER AUTOMATIC STARTER

SEMI-AUTOMATIC SPRAY GUN WASHER WITH £ MANUAL RINSING

Technical specifications

- Dimensions: L 670 x D 510 x H 370 mm
- Weight: 18.75 kg
- Cleaning: choice of solvent-based, H₂O or universal thinner
- Supply pressure: 5–6 bar
- Air consumption: at 6 bar, 380 m³/h
- Option: retention tray and support



THE + IXELL

- Cleaning chamber made of stainless steel for an increased life span and easy cleaning
- Manual rinsing system complete with a brush (not supplied with solvent) for perfect results

Description	Reference
GunCleaner Automatic Starter	77 11 575 599
Retention tray	77 11 575 609
Support	77 11 575 608

CLEANING THINNERS

The new Ultimate thinner gives you a high-performance cleaning experience.

This thinner guarantees a flawless and effortless result.

ixell has developed a formulation that is less harmful to use to meet our customers' requirements.



Description	Contents	Reference
Ultimate Solvent Thinner	1 x 20 L can	77 11 943 291

OUR THINNER OFFER:

Description	Contents	Reference
H ₂ O cleaning thinner	30 L	77 11 574 874
Cleaning thinner collected (France)	20 L	77 17 301 363
Cleaning thinner	20 L	77 11 943 291
Cleaning thinner	200 L	77 17 301 364

JETCLEAN AEROSOLS


Description	Reference
JetClean H ₂ O aerosol	77 11 429 476
JetClean solvent-based aerosol	77 11 429 475



ALL THE SMALL PAINTING EQUIPMENT NEEDED TO MAKE WORKSHOPS TASKS EASIER

TEST PLATES

Description	Contents	Reference
Test plates	200 units	77 01 417 066
C1 test plates	50 units	77 11 579 635
C2 test plates	50 units	77 11 579 636
C3 test plates	50 units	77 11 579 637
C4 test plates	50 units	77 11 579 638
C5 test plates	50 units	77 11 579 639



DISPOSABLE MIXERS

Description	Reference
Disposable mixer 20 cm	77 11 237 299
Disposable mixer 30 cm	77 11 237 300



ROTOGEN

Description	Contents	Reference
ROTOGEN	1 unit	77 17 277 053



NEW

FILTERS

Description	Contents	Reference
190-micron cone filters	125-unit sachet	77 11 431 319
125-micron cone filters	125-unit sachet	77 11 431 320
Cone filter wall dispenser		77 11 430 561



MICRO SANDING KIT

Description	Contents	Reference
Micro sanding kit	1 unit	77 17 277 058



NEW

MAGNETIC COLOUR CHIP HOLDER

The magnetic colour chip holder facilitates the best application technique, ensuring optimal colour matching.



Description	Reference
Magnetic colour chip holder	77 11 945 833

THE + IXELL

For long-lasting durability, it is recommended to protect the magnetic strips with a sheet of paper.

PLASTIC CUPS

Description	Contents	Reference
400 ml plastic cup	Box of 200 cups	77 11 578 202
650 ml plastic cup	Box of 200 cups	77 11 171 412
1,300 ml plastic cup	Box of 200 cups	77 11 171 413
2,230 ml plastic cup	Box of 100 cups	77 11 782 392
400 ml lid	50-unit sachet	77 11 578 203
650 ml lid	50-unit sachet	77 11 171 415
1,300 ml lid	50-unit sachet	77 11 171 416
2,230 ml lid	50-unit sachet	77 11 171 417





Paint sundry equipment

ANTI-DUST KIT



Comprising a black plastic pen stand and 10 needles, the anti-dust kit has been specially designed to simplify the removal of dust grains without marking fresh paint.

Description	Contents	Reference
Anti-dust kit	1 unit	77 11 420 023

PLASTIC BUCKET




Description	Contents	Reference
10 L bucket	1 unit	77 11 783 733

PLASTIC CONTAINER



Description	Contents	Reference
Empty container 30 L	1 unit	77 11 171 486

DISPENSING CAPS




Description	Contents	Reference
Dispensing caps	20-unit sachet	77 01 423 327

PIPETTE CONTAINER



Description	Contents	Reference
Pipette container 1 L	1 unit	77 11 171 969

AFNOR CUP



Used to check the viscosity of paint products (base coat, top coat and clearcoat).

Description	Contents	Reference
AFNOR Cup	2 units	77 11 223 536

HYGROMETER AND THERMOMETER



Base station with integrated probe hygrometer and thermometer operates with 4 x AA batteries (included).

Supplied with a remote wireless connectivity probe with a range up to 30 m from the station. Operates with 2 x AA batteries (included).

Magnetic mount for quick and reliable attachment in the booth.

Up to 8 external probes can be installed.

Description	Reference
Thermometer + probe	77 11 946 560
Additional probe	77 11 946 561

THE + IXELL

Display of the trend to indicate an increase, stability or fall in temperature/humidity readings.

Possibility of reconfiguring the temperature and humidity if the probes shift over time.

Possibility of displaying the probes in automatic mode.

HYGROMETER - THERMOMETER



Description	Reference
Hygrometer - thermometer	77 11 574 519

TOUCH-UP BRUSHES



The small size of this brush means you can touch up vehicles with great precision.

It doesn't lint and its fibre is non-absorbent, helping you to complete detailed touch-ups.

The tip is flexible, making it easier to apply paint.

Description	Reference
Touch-up brushes	77 11 427 409

MINOR REPAIRS STENCIL



Description	Contents	Reference
Repair stencil	Pack of 3 units	77 11 574 838

Bodywork equipment

BODY STAND



Advantages:

Lighter, more manageable and easy to use, it is also more versatile due to its additional kit.

It is equipped with braked wheels.

Advantage:

It guarantees comfort while working as you can adjust the height.

Description	Reference
Element support	77 11 940 645
Additional 2-element kit	77 11 576 343

STORAGE TROLLEY FOR BODY PARTS



Prevents you from forgetting, losing or searching for parts. Makes your workshop look tidy and clean, optimises the flow of parts between the warehouse and workshop.

Allows the storage of body parts removed from a vehicle during repairs (bonnet, fenders, doors, windscreen, etc.).

Specifications

- 4 castors, 2 of which swivel with brakes
- 2 wooden trays, each with a capacity of 100 kg
- 4 extendable arms with tighteners
- 1 height-adjustable grid
- 1 document holder
- Screw containers

Description	Reference
Bodywork parts storage trolley	77 11 940 545

TILTING LIFT

Lazy... but clever! This tool enables you to quickly lift and tilt the vehicle you're working on, in complete safety (up to 3 tons!). Easier access and handling to optimise your working conditions. It takes up very little space and is easy to handle and store away.

Description	Reference
Tilting lift	77 11 574 989
Fuse	77 11 577 515
Drill	77 11 577 517

PAINTER'S BENCH




Sturdy and lightweight, weighing 7 kg, this very stable painter's bench, is ideal for working on high-roof vehicles such as mini passenger vans or 4x4 vehicles in complete safety.

Its surface area and feet are non-slip. In addition, a safety handle firmly locks the step in place.

Capable of supporting up to 200 kg, it easily folds away for compact storage.

Description	Reference
Painter's bench	77 11 426 331

MULTI-FUNCTION TABLE



The multifunction table is a new painting stand. designed for quick and secure attachment of small- to medium-sized parts.

It's versatile, ergonomic, stable, and robust. The height is adjustable from 67 to 110 cm with its telescopic mast.


Description	Reference
Multi-function table	77 11 940 543
Accessories for the multi-function table	77 11 940 544





Bodywork equipment

MOBILE STAND FOR BODYWORK PARTS



Multi-functional assistant for body and paint tasks on bodywork parts.

Using the “scissor” system, rounded shapes can be supported without being distorted.

With its self-braking wheels, it is extremely mobile and can be easily moved around.

The “folding” function makes it easy to store.

Specifications:

- Height: 93 cm
- Width: 82 cm
- Length: 90 cm
- Weight: 10 kg

Description	Reference
Mobile stand for bodywork parts	77 11 940 632

EXTENDIBLE TRESTLE

A multi-function trestle for upholstery, glazing and bodywork and paint.

All your tasks completed with just one piece of equipment.

Space-saving, cost-savings, safety, comfort and quality are some of the many advantage it provides.

Specifications:

- Max. dimensions: L 1,380 x D 860 x H 1,300 mm
- Unladen weight: 22.2 kg
- Max. weight supported: 60 kg
- Structure: steel + epoxy paint
- Wheels with brakes (2/4): diameter 100 mm

Description	Reference
Extendible trestle	77 11 576 125

FABRIC REFILL

Description	Reference
Fabric refill	77 11 940 633

Booth filtration

PRE-FILTERS

PRE-FILTER ON A ROLL

The range of pre-filters on a roll covers all the requirements of existing booths, including handmade devices.

3 types of pre-filter exist:

- VNF 150 G2 basic pre-filtration for low-pressure turbine booths
- PFS 200 G3 standard pre-filtration for all types of booths
- VNF 300 G4 superior quality pre-filtration and reinforced breakout force resistance, for high-pressure turbine booths

Specifications	VNF 150	PFS 200	VNF 300
Gravimetric efficiency (EN779)	75%	86%	91%
Nominal flow (m³/h, m²)	5,400	5,400	5,400
Initial pressure loss	18 Pa	24 Pa	38 Pa
Retention capacity during test	400 g/m²	620 g/m²	520 g/m²
Classification according to EN779	G2	G3	G4

Description	Range	Contents	Reference
Pref PSF200/050 x 20 m	Media G3	1 unit	77 11 942 880
Pref PSF200/080 x 20 m	Media G3	1 unit	77 11 942 881
Pref PSF200/100 x 20 m	Media G3	1 unit	77 11 942 882
Pref VNF150 050 x 20 m	Media G2	1 unit	77 11 942 883
Pref VNF150 059 x 20 m	Media G2	1 unit	77 11 942 884
Pref VNF150 100 x 20 m	Media G2	1 unit	77 11 942 885
Pref VNF300 065 x 20 m	Media G4	1 unit	77 11 942 886

PRE-FILTER PACK

For optimal filtration over time.

Specifications

Pack of reinforced cast frames and heat-sealed filters, or metal frames with sewn filters.

Description	Changed by	Contents	Reference
CM/Champoulet pack	unit	1 unit	77 11 942 874
OMIA OS/1/ H 532 x L 500 pack	Set of 3 packs	1 unit	77 11 942 875
OMIA OS/2/ H 520 x L 610 pack	Set of 4 packs	1 unit	77 11 942 876
WFNI/ H 595 x L 595 x D 630 pack	Set of 2 packs	1 unit	77 11 942 877
WFNI2/ H 595 x L 493 x D 630 pack	Set of 2 packs	1 unit	77 11 942 878
WFNI3/ H 595 x L 595 x D 300 pack	Set of 4 packs	1 unit	77 11 942 879
Europa sleeve	unit	standard	77 11 942 893
Air vein frame	unit	standard	77 11 942 888





Booth filtration

Booth filtration

FLOOR FILTER

Role of the extraction filter

The role of floor filters is to catch and absorb paint and top coat spray, etc.

They collect and retain suspended particulate matter. This prevents your extraction fans from getting clogged up, thus saving you hours of laborious cleaning, or even having to make expensive replacements.

DID YOU KNOW?

Floor filters are also suitable for open booths.

They are ideal for use in a context where solvent-based paint is followed by water-soluble paint, causing the floor filters to clog up more quickly. These heavier products are filtered less and less well, clogging up paint booth extraction turbines more quickly. The paint particles fall on vehicles parked close by, and for those using solvent-based products, they pollute the environment.

The Maxfiber and Maxmedia ranges meet these requirements.

ENTRY LEVEL: ESSENTIAL

Fibreglass floor filter

Fibreglass floor filters are frequently used in dry filter paint booths and paint preparation booths. They come in the form of different sized rolls.

Specifications

- Standard filtration with long glass fibres (3 inches = 75 mm)
- 70% filtration
- Retention capacity = 5 to 7 kg
- Service life: between 80 and 120 hours
- All booth types
- Colour = green and white
- All types of paint

THE + IXELL

This filter provides 85% to 90% filtration for solventbased products, and 55% to 60% filtration for watersoluble products.

Description	Contents	Reference
Floor filter FV 050 x 20 m	roll 0.50 x 20 m	77 11 942 858
Floor filter FV 075 x 20 m	roll 0.75 x 20 m	77 11 942 859
Floor filter FV 080 x 20 m	0.80 x 20 m roll	77 11 942 860
Floor filter FV 090 x 20 m	roll 0.90 x 20 m	77 11 942 861
Floor filter FV 100 x 20 m	roll 1.00 x 20 m	77 11 942 862
Floor filter FV 120 x 20 m	roll 1.20 x 20 m	77 11 942 863
Floor filter FV 150 x 20 m	roll 1.50 x 20 m	77 11 942 864

MID-RANGE: MAXFIBER

Special water-soluble paint

This density graduated filter is made up of several layers of fibreglass which block the different sized paint particles.

Its synthetic media finish retains all fine paint particles.

Specifications

- Graduated long glass fibres (funnel-shaped)
- White with a synthetic media finish > 92% filtration
- Thickness = 65 mm + media
- Retention capacity = 6 to 10 kg
- Service life: between 150 and 250 hours
- Particle filtration > 50 microns
- Recommended for water-soluble paint

THE + IXELL

- Respect for the environment.
- Maxfiber: fibreglass with a synthetic media finish, more productive with fewer filter changes.

Description	Contents	Reference
Maxfiber roll 0.50 x 20 m	roll 0.50 x 20 m	77 11 942 865
Maxfiber roll 0.75 x 20 m	roll 0.75 x 20 m	77 11 942 866
Maxfiber roll 0.80 x 20 m	0.80 x 20 m roll	77 11 942 867
Maxfiber roll 0.90 x 20 m	roll 0.90 x 20 m	77 11 942 868
Maxfiber roll 1.00 x 20 m	roll 1.00 x 20 m	77 11 942 869

BOOTH FILTRATION

TOP OF THE RANGE: MAXMEDIA

Maxmedia is a highly effective filtration media developed using new technology, designed for paint booths. It is suitable for solvent-based and water-soluble paint.

This honeycomb-structured filter offers a new filtration technique with synthetic media replacing all other types of material (fibreglass, honeycomb paper or corrugated cardboard).

The media is organised into pockets which collect the particles.

These pockets gradually fill up until they are completely clogged up at approx. 25 kg/m². Suitable for all types of paint, whether solvent-based or water-soluble.

⚠ Not recommended for EUROPA booths (single thrust engine) or booths over 20 years old.

Specifications

- Synthetic fibre
- 99.85% filtration
- Retention capacity = 25 kg
- Service life: 600 hours on average
- Blue with honeycomb structure

Description	Contents	Reference
Maxmedia roll 0.516 x 12 m	1 unit	77 11 942 870
Maxmedia roll 0.761 x 12 m	1 unit	77 11 942 871
Maxmedia roll 0.91 x 12 m	1 unit	77 11 942 872
Maxmedia roll 1.06 x 12 m	1 unit	77 11 942 873

THE + IXELL

- High retention capacity of up to 25 kg/m²
- High filtration efficiency, 99.85% of particles
- Homogeneity of air flow
- Protects tanks and air extraction networks
- Reduces booth maintenance costs
- Reduces particle emissions
- Increases productivity

REDUCE MAINTENANCE COSTS FOR YOUR PAINT BOOTHS

**Replace your floor filters
5 to 7 times less often
(up to 600 operating hours)**





Booth filtration

Cleaning products, protection & hygiene

DEVILBISS SUBMICRONIC FILTER

Product suitable for water-soluble paint with its active carbon cartridge.


Three filter cartridges for better filtration of paint booth air and the guarantee of an optimum repair.

Purifies the compressed air and contributes to the quality of the repair by preventing any contamination from the equipment (sanding machines, paint spray gun cleaning systems, undercoat air spray guns, etc.).

Specifications:

- Maximum air flow 3,500 L/min
- Air inlet thread 1/2 BSP
- Maximum air inlet pressure 3 bar (189 psi)
- Maximum regulated air outlet pressure 8 bar (116 psi)
- Pressure gauge 11 bar (160 psi)
- Resistant to temperatures up to 100°C

Description	Contents	Reference
(1) Submicronic air filter holder	1 unit	77 11 425 780
(2) Bronze filter 5	1 unit	77 11 425 782
(3) Fine filter 0.01	1 unit	77 11 425 783
(4) Active carbon filter 0.003 ppm	1 unit	77 11 425 784



SATA SUBMICRONIC FILTER

Product suitable for water-soluble paint with its active carbon cartridge.


3 filtration levels for improved air quality at the spray gun and to guarantee an ideal repair.

Easy cleaning with the filter timer facilitating periodic cartridge changes.

Specifications:

- Air inlet: G1/2 I
- Maximum working inlet pressure: 15.0 bar
- Maximum working outlet pressure: 10.0 bar
- Air flow at 6.0 bar: 3,600 L/min
- Max. ambient temperature with activated carbon: 60°C

Description	Contents	Reference
(1) 3-stage submicronic filter	1 unit	77 11 942 895
(2) Bronze filter	1 unit	77 11 942 896
(3) Fine filter	1 unit	77 11 942 897
(4) Active carbon filter	1 unit	77 11 942 898



SURFACE CLEANER

Ready-to-use product, this surface cleaner removes grease, silicone, tar spots and other impurities and leaves no marks after drying.



Description	Contents	Reference
Surface cleaner	5 L	77 11 430 343
FP26 surface cleaner	5 L	77 11 574 990
H2O-based surface cleaner	5 L	77 11 421 337

PEEL-OFF PAINT

Peel-off paint provides optimum booth protection by forming a tough and removable protective film. With durable elasticity, it improves lighting in the booth and can be easily removed.


A quick and effective solution: short drying time, roll or spray gun application.

Description	Contents	Reference
Peel-off paint	30 L	77 11 405 01652

PAINT STRIPPER

A safe and effective product, it works on all grades of paint. It prevents splatter and evaporation of volatile solvents.

Odourless and harmless to floors, it is designed for all types of booths, including those with dry filters.



Description	Contents	Reference
Paint stripper	5 L	77 11 780 766
Paint stripper	20 L	77 11 780 767

BOOTH PROTECTION

- Protect the booth while painting
- Fixes to the walls with magnets (easy to use and easy to change)
- Plastic film roll 2 m x 100 m

Description	Contents	Reference
Plastic film roll	2 m x 100 m	77 11 210 333
Kit of 30 magnets	20 cm	77 11 210 334

MIXED TACK CLOTHS



ixell has selected a new tack cloth for you that will guarantee you perfect quality.

This new formulation captures and retains dust without any transfer to the treated surface.

Solvent and hydro compatible.

Description	Contents	Reference
Mixed tack cloths	1 bag of 12	77 11 945 315

H₂O TACK CLOTH



Specifications:

This cloth is sold in packs of 10 (1 SU = 10 cloths). It is blue and slightly moist. Dimensions: 39 cm x 45 cm.

Benefits:

Essential for perfect and economic finishing of paintwork and manufactured to ISO 9002 Standard for continuous quality, it also helps to reduce waste.

Description	Reference
H ₂ O tack cloth	77 11 426 332

SPECIFIC MASKING FOR BOOTH PROTECTION



Description	Reference
Window protection roll: 50 cm x 30 m	77 11 573 973
Side protection roll: 70 cm x 90 m	77 11 573 974
Window reel	77 11 573 976



Film plastique à 4 couches avec bande adhésive pour la protection des parois de cabines de peinture

Description	Contents	Reference
Adhesive protection film (80 µm, 4 layers, 1.42 x 40 m)	1 roll	77 17 277 550





Extrusion Guns

Extrusion Guns

A genuine range with all ixell's expertise, featuring sturdy, efficient and user-friendly products.

MANUAL RANGE

With its new manual range, ixell presents its new offering of extrusion gun, combining top performance and quality. Easy to use at an attractive price.



BASIC 310

Specifications:

- Clutch: 1 hardened part
- Push mechanism: hexagonal
- Maximum force: 120 kgf
- Thrust ratio: 10:1
- Feed motion: 6 mm
- Weight: 463 g
- Cartridges: 310 ml

Description	Contents	Reference
Basic 310	1 unit	77 11 782 117



EVO 310

Specifications:

- Clutch: 2 hardened parts
- Push mechanism: hardened steel
- Maximum force: 250 kgf
- Thrust ratio: 18:1
- Feed motion: 4.5 mm
- Weight: 850 g
- Cartridges: 310 ml

Description	Contents	Reference
EVO 310	1 unit	77 11 782 118



CONFORT 310/400

Specifications:

- Clutch: 1 hardened part
- Push mechanism: hardened steel
- Maximum force: 300 kgf
- Thrust ratio: 18:1
- Feed motion: 4.5 mm
- Weight: 1,010 g
- Cartridges: 310 and 400 ml

Description	Contents	Reference
Confort 310/400	1 unit	77 11 782 119



SPRAY GUN FOR PLASTIC REPAIR KIT

This product is lightweight and easy to use. It is a spray gun for standard type two components.

Description	Contents	Reference
Spray gun for plastic repair kit	1 unit	77 11 423 523

ELECTRIC RANGE



POWER LIGHT 7

Easy to handle with great ergonomics, the innovative Power Light 7 is sure to win you over.

The removable battery makes it user-friendly and autonomous. Its transparent tube helps you gauge your consumption level accurately.

Supplied with a storage case, the kit includes the Power Light 7 gun, battery and charger.

Specifications:

- Maximum force: 220 kgf
- Maximum speed: 6.9 mm/sec
- Speed: with regulator
- Battery: 7.4 V (Li-Ion)
- Weight: 1,250 g
- Cartridge/sachet: 310 ml / 400 ml

THE + IXELL

Power Light 7 is fitted with a lamp allowing optimum extrusion even in dark areas.

Description	Contents	Reference
Power Light 7	1 unit	77 11 782 120
Battery	1 unit	77 11 782 442



POWER PLUS 10

Featuring an aluminium body, Power Plus 10 gives faultless power and strength.

Its technology focuses on regular, uniform application.

Extremely reliable, it incorporates a functional charger showing battery level. Supplied with a storage case, the kit includes the Power Plus 10 gun, battery and charger.

Specifications:

- 10.8 V rechargeable caulking gun, 400 ml
- Aluminium barrel
- Capacity: 400 ml
- Force of expulsion: 450 kgf
- No-load speed: 10 mm/sec
- Charging time: 1 hour automatic stop

Description	Contents	Reference
Power Plus 10	1 unit	77 11 431 024
Battery	1 unit	77 11 431 310



Extrusion Guns

PNEUMATIC RANGE

PULVÉ PLUS



With Pulvé Plus, you are opting for a user-friendly product. It comes in adjustable modules to ensure delicate, accurate work when spraying.

Specifications:

- Pressure: 3-5 bar (10 bar max.)
- Noise emissions: up to 80 dBA
- Weight: 1,200 g
- Cartridge/sachet: 310 ml

Description	Contents	Reference
Pulvé Plus	1 unit	77 11 782 122
Winged nozzle	1 unit	77 11 171 908

EXTRU PLUS



Lightweight, handy and ergonomic, Extru Plus has been designed just for you. This extruder is a core range product.

Specifications:

- Pressure: 4-8 bar (10 bar max.)
- Tube length: 270 mm
- Maximum force: 160 kgf
- Noise emissions: up to 80 dBA
- Weight: 1,125 g

Description	Contents	Reference
Extru Plus	1 unit	77 11 782 124
Extru Plus sachet and cartridge connectors	1 unit	77 11 782 451

FASTCLEAN



FastClean facilitates anti-gravelling spray.

Its adjustable nozzle guarantees you accurate application and the result looks like new.

Moreover, its disposable connector is ergonomic and saves you time.

More time on the repair and less wasted on cleaning.

Description	Contents	Reference
(1) Fastclean	1 unit	77 11 782 125
(2) FastClean nozzles	6 units	77 11 782 127

CAVITY GUN



Protect your inner bodywork with this cavity gun. Get optimum application of specific products in cavities.

Description	Contents	Reference
Cavity gun	1 unit	77 01 421 476
Elbow nozzle probe	1 unit	77 11 424 948
Flexible swivel nozzle	1 unit	77 11 424 807
Fast connector	1 unit	77 11 424 805

MULTI-APPLICATION



A real multi-purpose device, this gun can apply all single-component putties (in cartridges and in sachets):

- Sealing putty bead, sound proofing
 - Anti-gravelling spraying
- Can be used with Mag Pro 1 and MJ Pro.

Specifications:

- Pressure: 6-8 bar (10 bar max)
- Tube length: 270 mm
- Maximum force: 160 kgf
- Noise emissions: up to 70 dBA
- Weight: 1,275 g

Description	Contents	Reference
Multi-application	1 unit	77 11 782 123
Multi-application spray nozzle set	1 bag	77 11 782 448
Multi-application sachet connectors	1 bag	77 11 782 449





Chapter 11



Personal protective equipment

• New Security Shoes 2025	11 - 01
• Head protection	11 - 03
• Clothing	11 - 07
• Hand protection	11 - 08
• Security Shoes	11 - 10
• Ixell clothes	11 - 15





Innovation, Comfort, and Performance
for All Work Environments

The new 2025 safety shoe range combines advanced technologies, ergonomic design, and compliance with safety standards. Designed to support professionals in their daily work, this collection meets all field requirements — long hours of standing, demanding environments, lightweight construction, energy return, and maximum protection.

Featured Model:
Jalalpine ESD

In partnership with ALPINE,
the lightest shoe in the range!

Equipped with a **HELIUM sole made of PU**, it provides outstanding comfort and a smooth walking sensation with every step.

Its **hydrophobic microfiber upper** ensures great flexibility and excellent durability



EN ISO STANDARD
20345:2022

Protective toe cap

Resistance

Ergonomics

Anti-perforation

Waterproof


Heel energy absorption

Slip-resistant sole

Antistatic

Studs

Closed heel

	MODEL	ADVANTAGES	NORMS	ESD	TOE CAP	SIZE
NEW	JALSTAR	 +55 % energy return thanks to Infinergy® technology.	EN ISO 20345:2022	✓	Aluminum	35 - 48
	CHECK	 MAR+Soft Duo comfort, available in low version.	EN ISO 20345:2011	✓	Synthetic	35 - 48
	CRUSH	 High-cut version, reinforced ankle support.	EN ISO 20345:2011	✓	Synthetic	35 - 48
	BLOCK	 Breathability and energy return with High Rebound sole.	EN ISO 20345:2011	✓	Aluminum	38 - 48
	JALONYX	 Recycled upper and sole, Biomechanics Balance system.	EN ISO 20345:2011	✓	Polymer	35 - 48
REMAINS IN THE RANGE	JALPACINO	 Full-grain leather, Infinergy® sole.	EN ISO 20345:2011	Antistatic	Aluminum	38 - 48
	NOA	 Lightweight and comfortable design.	EN ISO 20345:2022	✓	Aluminum	35 - 42
	R-SAFE	 Padded upper and Biomechanical sole.	EN ISO 20345:2011	✓	Aluminum	35 - 47



Head protection

RESPIRATORY PROTECTION

Workshops pose hazards: gases, vapours, particles.
Every day, the user is exposed to these harmful substances.
To protect yourself from these dangers, ixell offers a complete range of equipment that will support you on a daily basis.

LONG-TERM USE SEMI-MASK FOR PAINTING

The long-term use semi-mask for painting is used with two lightweight side filters, attached to the face piece by a bayonet system.

It is an economical and flexible solution, ideal for people suffering from irritation.

Super comfortable silicone mask: it reduces the risk of allergies.

Cartridges and pre-filters ensure maintenance.

Standardisation: EN140, EN143, EN14387 with bayonet filters.

Certification: CE marking.



Description	Class	Cont.	Reference
- 1 semi-mask - size L - 2 x A2 cartridges - 2 x P2 filters - 2 holding systems	A2P2 R	Ready-to-use respiratory protection kit	77 11 171 461

FFP3 PREMIUM DUST MASK

The mask has a fire-retardant shell and provides perfect protection against dust and fumes from metal (up to 10 times AEV) produced during welding (MIG, MAG and TIG) and manual and mechanical drilling of polyester and glass fibre resins.



Description	Class	Cont.	Reference
Activated carbon welding mask with valve	FFP3 NR D	Box of 10 masks	77 11 948 651

NEW

SHORT-TERM USE SEMI-MASKS FOR PAINTING WITH BUILT-IN FILTER

Protection: against organic vapours and dust.

Features: new maintenance-free exhalation valve, hypoallergenic materials, adjustable straps and caps.

Applications: spraying of paint which does not contain isocyanates, work in mixing rooms, spray gun cleaning, applying adhesives and use with all solvent products.

Standardisation: EN405: 2001 A1: 2009

Certification: CE marking.



-30 %
resistance to exhalation

Description	Class	Cont.	Reference
Semi-mask for paintwork with organic vapours	FFAIP2 R D	1 mask	77 11 170 069
Semi-mask for paintwork with organic vapours	FFA2P3 R D	1 mask	77 11 579 625

Head protection

FULL MASK

Bayonet filter attachment system. Very comfortable, the polycarbonate visor provides a wide field of view.

Very light, this range combines comfort with simplicity. Complies with the EN 136 standard, Class 1.



Description	Contents	Reference
Full face mask Size L - (supplied without filter)	1 mask	77 11 782 082

PRO VISOR SUPPLIED-AIR RESPIRATORY PROTECTION KIT

The Pro-Visor kit includes:

- 1 helmet/visor pack with breathing hose
 - 1 regulator/belt pack with low-pressure warning device
 - 1 pack of 2 disposable removable visors
- For total and continuous protection, pays for itself quickly, a single solution: supplied-air!
- High-performance airflow control (170-305 l/min)
 - Air inlet pressure range (3.5-8 bar)+Q15
 - Very low regulator sound level (< 65 dBA)

Obnoxious odours are suppressed by the activated carbon filter integrated in the regulator.

Compatible with paint spray gun.

Adjustable and comfortable: it pivots around its axis and slides on the belt.

Fed by a compressor.




Description	Contents	Reference
Pro Visor kit	1 unit	77 11 574 993
Visor protection for mask, small version	Box of 10 units	77 11 575 004
Visor protection for mask, large version	Box of 10 units	77 11 940 759
Filters for mask	Box of 4 units	77 11 575 005

CARTRIDGES AND PRE-FILTERS FOR LONG-TERM USE PAINT MASKS

For semi-mask and full mask.

Description	Class	Cont.	Reference
Organic gases and vapours (Bayonet attachment)	A2	Box of 2 filters	77 11 220 876
Dust filter	P2 R	Box of 10 pre-filters	77 11 221 894



VERSAFLO KIT

Versaflo is an intrinsically safe filter unit. Powered by an ATEX motor and battery and equipped with a 3-speed variable air flow, it delivers comfort and ease of use. Effective against particles, gases or vapours, it also provides protection against a combination of these contaminants depending on the type of filters chosen.



The Versaflo kit includes:

- 1 TR-802E intrinsically safe motor unit
- 1 TR-830 intrinsically safe battery
- 1 TR-838 battery attachment tool
- 1 BT-30 retractable breathing tube
- 1 TR-627 easy clean belt
- 1 TR-971 air flow indicator
- 1 TR-6310E A2P filter
- 1 TR-6300FC filter cover
- 1 TR-641E single station battery charger

Description	Contents	Reference
Versaflo Kit	1 unit	77 11 948 876
A2P filter	1 unit	77 11 948 877
Versaflo battery	1 unit	77 11 948 878
Station battery charger	1 unit	77 11 948 879
Retractable air hose	1 unit	77 11 948 892
Versaflo back harness NEW	1 unit	77 17 277 497

JUPITER - VERSAFLO FACE VISOR

Description	Contents	Reference
Rigid cap - Face visor with Comfort Plus joint	1 unit	77 11 782 084
Versaflo protective visors	Box of 10 units	77 11 940 876



VERSAFLO

Description	Contents	Reference
Versaflo Harness Adapter	1 unit	77 11 948 880

VERSAFLO BACK HARNESS

The Versaflo back harness improves comfort and stability during extended use of powered air respirators. Ensures better weight distribution and greater freedom of movement. Provides enhanced safety and comfort in painting environments.



Description	Reference
Versaflo back harness	77 17 277 497

NEW



Head protection

HEARING PROTECTION

In February 2006, the European Directive on hearing protection for workers (2003/10/CE) strengthened protective measures for workers against noise and the responsibilities of employers. In particular it emphasises the importance of assessing risks to hearing and defining new values for exposure to noise.

For daily noise exposure levels:

- **Above 80 dB(A):** training of staff and raising awareness, as well as the provision of hearing protectors, are obligatory.
- **Above 85 dB(A):** wearing of hearing protectors becomes mandatory.

PUSH-IN EARPLUGS



Hearing protection with an insertion tip:

- Very easy to insert
- Guaranteed hygiene
- Patented foam with excellent noise protection

Standardisation: EN 352-2: 1993.

Certification: CE marking.

Description	Attenuation	Cont.	Reference
Pair of push-in earplugs with stems	SNR 38 dB	100 pairs	77 11 782 076

SEMI-AURICULAR HEARING PROTECTION



- Easy to put on and take off
- Comfortable
- Can be worn around the neck when not in use

Standardisation: EN 352-2: 1993.

Certification: CE marking.

Description	Attenuation	Cont.	Reference
Semi-auricular hearing protection	SNR 23 dB	Box of 10 protectors	77 11 782 077

FOLDING NOISE-CANCELLING HEADPHONES



- Steel structure
- Long-term protection
- High level of comfort: foam headband and ultra-soft pads
- Resistant to daily use and abuse

Standardisation: EN 352-1: 2002.

Certification: CE marking.

Description	Attenuation	Cont.	Reference
Folding noise-cancelling headphones	SNR 32 dB	1 pair	77 11 782 078

Head protection

EYE PROTECTION

Compatible with other personal protection equipment such as masks and hearing protectors, these safety goggles meet all essential health and safety requirements under European standard EN 166: 2011. Certification: CE marking.

COMFORT GOGGLES



Description	Contents	Reference
Comfort goggles	1 pair	77 11 218 157

SAFETY GOGGLES FOR DEBRIS PROTECTION



Description	Contents	Reference
Safety goggles	1 pair	77 11 419 693

BOLLÉ ULTRA-LIGHTWEIGHT DESIGNER GOGGLES



Description	Contents	Reference
Designer goggles	10 pairs	77 11 782 085

UVA PROTECTION COMFORT GOGGLES



Description	Contents	Reference
Protective goggles. UVA	1 box of 20 units	77 17 355 547

ELECTRIC VEHICLE FACE SHIELD



Effective protection for the face and neck. Panoramic shield. Interchangeable visor for maximum visibility.

Description	Contents	Reference
Z.E. face screen	1 screen	77 11 430 496

IXELL 5/13 MASK

AVAILABLE 2ND SEMESTER 2025



- High-tech optoelectronic technology: the IXELL 5/13 mask automatically adjusts lens tint to adapt instantly to welding light intensity.
- Protects the eyes from ultraviolet and infrared radiation generated by welding/cutting.
- Complies with European directives 89/686 CEE relating to individual protective equipment.

Description	Contents	Reference
IXELL 5/13 welding mask	1 unit	77 17 276 953

NEW



Clothing

Hand protection

PROTECTIVE CLOTHING

C COMFORT PAINT COVERALLS

Comfortable for greater freedom of movement

- Silicone-free: essential for repainting.
- Comfortable thanks to its breathable back
- Lifespan of 3 months (depending on the environment and working conditions)
- Can be washed and ironed

Size	Contents	Reference
M	1 unit	77 11 949 743
L	1 unit	77 11 949 744
XL	1 unit	77 11 949 745
XXL	1 unit	77 11 949 746



C COMFORT+ COVERALLS

Quality, comfort and safety combined

- Made from 98% lint-free polyester filaments, with 2% carbon thread
- Finishing treatment in TEFLON for better resistance to chemical and mechanical attacks
- Silicone-free: essential for spray painting
- Lifespan of 9 months (depending on the environment and working conditions)
- Can be washed and ironed

Size	Contents	Reference
M	1 unit	77 11 949 747
L	1 unit	77 11 949 748
XL	1 unit	77 11 949 749
XXL	1 unit	77 11 949 750



SINGLE-USE GLOVES RANGE

Our hands are exposed to different types of hazards on a daily basis (burns, cuts, etc.). To protect them effectively, ixell offers you a wide selection of protective gloves adapted to your daily life.

The numerous innovations in this range of ixell gloves meet three goals:

- Safety: meeting the highest safety standards (chemical, mechanical, thermal) for each application.
- Comfort: ensuring the well-being of users wearing protective gloves on a daily basis.
- Profitability: offering the best possible value for money.

X BLACK (100 GLOVES PER BOX)

The X-Black is an extremely versatile disposable glove:

- Ultra-durable
- Fully textured

It can be used in a large number of applications:

- Quick service - Oil change - Glazing - Cleaning - Painting - Part degreasing

Products / Materials / Tools:

- Oil - Brake fluid - Wheel cleaner - Paint/Clearcoat - Windscreen washer - Cleaner - Windscreen glue



Material	Colour	Thickness	Length	Size	Reference
Nitrile	Black	0.12 mm	245 mm	M	77 11 780 080
				L	77 11 780 081
				XL	77 11 780 082

ORANGE (BOX OF 100 GLOVES)

- High grip: mega-textured surface for maximum control in wet or dry environments.
- High tear resistance: 0.13 mm thick nitrile for durability.
- Comfortable: orange color improves visibility at the workstation.
- Long-lasting protection: chemical-resistant formulation for added comfort and durability.



Material	Colour	Coating type	Length	Size	Reference
Nitrile	Orange	Mega-textured	240 mm	S	77 17 277 570
				M	77 11 945 495
				L	77 11 945 496
				XL	77 11 945 497

NEW

MULTI-USE GLOVES RANGE

X FIRST (12 PAIRS PER BAG)

- Safety essential
- Seamless inside the glove
- High abrasion resistance



Material	Colour	Coating type	Length	Size	Reference
Nylon	Black	Coated palm	210 - 265 mm	7	77 11 780 094
				8	77 11 780 095
				9	77 11 780 096
				10	77 11 780 097
				11	77 11 780 098

X FLEX (12 PAIRS PER BAG)

- Excellent abrasion resistance and good cutting resistance
- Optimum breathability
- High levels of flexibility and dexterity



Material	Colour	Coating type	Length	Size	Reference
Spandex Nylon	Black and grey	Coated palm	200 - 270 mm	7	77 11 780 099
				8	77 11 780 100
				9	77 11 780 101
				10	77 11 780 102
				11	77 11 780 103



Hand protection

Security Shoes

SPECIFIC GLOVE RANGE

X SPIRIT (12 PAIRS PER BAG)



- Maximum resistance to the most corrosive products
- Very good grip in wet and dry environments



Material	Colour	Thickness	Length	Size	Reference
Natural rubber latex Neoprene	Green and yellow	0.68 mm	323 mm	7	77 11 780 089
				8	77 11 780 090
				9	77 11 780 091
				10	77 11 780 092
				11	77 11 780 093

X WARM (1 PAIR PER BAG)

- Thermal and flame resistance
- Excellent resistance to metal splashes
- Long cuff for extended forearm protection
- Goat grain leather palm and para-aramid back for added durability
- Ergonomic design providing dexterity and precision



Material	Colour	Sleeve material	Length	Size	Reference
Leather / Para-aramid	White & Yellow	Fleece	340 mm	9	77 17 277 946
				10	77 17 277 947
				11	77 17 278 256

NEW

X ELEC (1 PAIR PER BAG)



- Insulating gloves for electrician in facility where the nominal voltage does not exceed 1,000 volts
- Good dexterity

Material	Colour	Thickness	Length	Size	Reference
Natural rubber latex	Yellow	1 mm	360 mm	9	77 11 780 126
				10	77 11 780 127

X-CUT (12 PAIRS PER BAG)




The X-Cut is the right choice for dry to slightly oily operations requiring high cut protection and dexterity.

- Incorporating FORTIX technology, the glove's thin coating ensures additional durability, while offering better air permeability for greater comfort
- The strengthening between the thumb and index finger provides additional protection at a sensitive contact area and thus extends the life of the glove
- High levels of cut and tear resistance (C ISO)

Material	Colour	Coating type	Length	Size	Reference
Nylon, PEHP, Basalt, Spandex, Polyester	Grey and violet	Nitrile	210-285 mm	7	77 17 275 051
				8	77 11 945 281
				9	77 11 945 282
				10	77 11 945 283
				11	77 11 945 284

ALPHATEC (12 PAIRS PER BAG)



- Chemical protection EN 374 Type A
- Optimal grip due to special coating
- Safety cuff for easy donning and removal
- High abrasion resistance

Material	Colour	Length	Size	Reference
Nitrile / Nylon	Blue	300 mm	7	77 17 275 046
			8	77 17 275 047
			9	77 17 275 048
			10	77 17 275 049
			11	77 17 275 050

NEW

PERSONALISED RANGE

ESD certification: the only certification authorised for operations on electric vehicles.

S3 R-SAFE - EN ISO: 20345

The S3 R-Safe was designed in partnership with the Renault design department and incorporates some of the most advanced technologies on the market:

- Putek Plus upper: material offering very high protection and lightness.
- «Extra Rebound» sole: energy returned at more than 40% during walking.
- «Silktane» lining: anti-bacterial and promotes thermoregulation to keep the foot dry.

Description	Size	Reference
R-Safe S3 T36	36	77 11 943 891
R-Safe S3 T37	37	77 11 943 892
R-Safe S3 T38	38	77 11 943 814
R-Safe S3 T39	39	77 11 943 815
R-Safe S3 T40	40	77 11 943 816
R-Safe S3 T41	41	77 11 943 817
R-Safe S3 T42	42	77 11 943 818
R-Safe S3 T43	43	77 11 943 819
R-Safe S3 T44	44	77 11 943 820
R-Safe S3 T45	45	77 11 943 821
R-Safe S3 T46	46	77 11 943 822
R-Safe S3 T47	47	77 11 943 823



JALALPINE S3 - EN ISO 20345

Developed in collaboration with Alpine, this ultra-light and ergonomic safety shoe combines advanced technology, comfort, and agility

- Ultra-light and flexible safety shoe designed for comfort and mobility.
- Upper: hydrophobic microfiber and nubuck finish
- Lining: breathable and quick-drying.
- Midsole: PLUSHIFT® PU for superior shock absorption and flexibility.
- Insole: ultra-light, ergonomic, and impact-absorbing for maximum comfort.
- Protection: reinforced toe cap and anti-puncture insole.
- ESD certification: suitable for environments requiring electrostatic discharge protection.

Description	Size	Reference
JALALPINE T.35	35	60 20 080 798
JALALPINE T.36	36	60 20 080 799
JALALPINE T.37	37	60 20 080 800
JALALPINE T.38	38	60 20 080 801



Description	Size	Reference
JALALPINE T.39	39	60 20 080 802
JALALPINE T.40	40	60 20 080 803
JALALPINE T.41	41	60 20 080 804
JALALPINE T.42	42	60 20 080 805
JALALPINE T.43	43	60 20 080 806
JALALPINE T.44	44	60 20 080 807
JALALPINE T.45	45	60 20 080 808
JALALPINE T.46	46	60 20 080 809
JALALPINE T.47	47	60 20 080 810
JALALPINE T.48	48	60 20 080 811

NEW





Security Shoes

Security Shoes

ESSENTIAL RANGE

The models in the Essential Range offer the perfect balance between protection, comfort, and accessibility.

- Adapted to basic safety needs.
- Classic and discreet style.
- Perfect balance between price and quality.
- Solidity and safety: steel tip, anti-perforation.
- Double density polyurethane sole.
- 3-layer lining.
- Removable sole: stable and comfortable.
- Available with high and low uppers.

CHECK S3 – EN ISO 20345

Low-cut safety shoe designed for comfort and stability.

- Upper: soft, hydrophobic nubuck leather.
- Lining: breathable and quick-drying.
- ole: lightweight, flexible PU/PU construction.
- Insole: reinforced cushioning for extended comfort.
- Protection: synthetic LIGHT-PLUS® toe cap and anti-perforation midsole.
- ESD certified, suitable for environments requiring electrostatic discharge control.

Description	Size	Reference
CHECK T.35	35	77 17 275 094
CHECK T.36	36	77 17 275 095
CHECK T.37	37	77 17 275 096
CHECK T.38	38	77 17 275 097



Description	Size	Reference
CHECK T.39	39	77 17 275 098
CHECK T.40	40	77 17 275 099
CHECK T.41	41	77 17 275 100
CHECK T.42	42	77 17 275 101
CHECK T.43	43	77 17 275 102
CHECK T.44	44	77 17 275 103
CHECK T.45	45	77 17 275 104
CHECK T.46	46	77 17 275 105
CHECK T.47	47	77 17 275 106
CHECK T.48	48	77 17 275 107

BLOCK SIP – EN ISO 20345

Low-cut safety shoe combining lightness and durability.

- Upper: leather and ultra-breathable textile mesh.
- Lining: 3D breathable mesh.
- Sole: High Rebound Elastopan® for maximum shock absorption.
- Insole: perforated, reinforced cushioning for comfort and stability.
- Protection: aluminum ALU-LITE® toe cap and anti-perforation midsole.
- ESD certified, suitable for electrostatic discharge environments.



Description	Size	Reference
BLOCK T.38	38	77 17 275 133
BLOCK T.39	39	77 17 275 134
BLOCK T.40	40	77 17 275 135
BLOCK T.41	41	77 17 275 136
BLOCK T.42	42	77 17 275 137
BLOCK T.43	43	77 17 275 138
BLOCK T.44	44	77 17 275 139
BLOCK T.45	45	77 17 275 140
BLOCK T.46	46	77 17 275 141
BLOCK T.47	47	77 17 275 142
BLOCK T.48	48	77 17 275 143

CRUSH S3 – EN ISO 20345

High-cut safety shoe designed for prolonged comfort and long standing periods.

- Upper: soft, hydrophobic nubuck leather.
- Lining: technical OVER DRY textile, breathable and quick-drying.
- Sole: PU/PU, lightweight and flexible with excellent slip resistance.
- Insole: MAX-Soft Duo, designed to reduce plantar pressure and absorb shocks.
- Protection: composite LIGHT-PLUS® toe cap and FLEX-SYSTEM® anti-perforation midsole.
- ESD certified, suitable for environments requiring electrostatic discharge protection.



Description	Size	Reference
CRUSH T.35	35	77 17 275 108
CRUSH T.36	36	77 17 275 109
CRUSH T.37	37	77 17 275 110
CRUSH T.38	38	77 17 275 111
CRUSH T.39	39	77 17 275 112
CRUSH T.40	40	77 17 275 113
CRUSH T.41	41	77 17 275 114
CRUSH T.42	42	77 17 275 115
CRUSH T.43	43	77 17 275 116
CRUSH T.44	44	77 17 275 117
CRUSH T.45	45	77 17 275 118
CRUSH T.46	46	77 17 275 119
CRUSH T.47	47	77 17 275 120
CRUSH T.48	48	77 17 275 121

NEW

INFINERGY RANGE

These models are equipped with the “Infinergy” anti-fatigue sole. This technological revolution makes these safety shoes the first in the world to return more than 55% of your energy every step of the way.

This technology acts over the long term against:

- muscle fatigue
- the risk of musculoskeletal disorders

These shoes have been designed to provide daily relief for professionals working in workshops and stores, while enabling long-lasting performance.

NOA S3 – EN ISO 20345

Safety shoe offering optimal comfort thanks to anti-fatigue technology.

- Upper: soft, hydrophobic nubuck leather.
- Lining: 3D breathable mesh for quick drying.
- Sole: dual-component PU with Infinergy® insert.
- Insole: ergonomic design for better shock absorption.
- ESD certified, suitable for electrostatic discharge environments.



Description	Size	Reference
NOA S3 T35	35	77 11 944 166
NOA S3 T36	36	77 11 944 167
NOA S3 T37	37	77 11 944 168
NOA S3 T38	38	77 11 944 169
NOA S3 T39	39	77 11 944 170
NOA S3 T40	40	77 11 944 171
NOA S3 T41	41	77 11 944 172
NOA S3 T42	42	77 11 944 173



Security Shoes

INFINERGY RANGE (FOLLOWING)

JALSTAR S3 – EN ISO 20345

Urban sport-style safety shoe combining support and performance.

- Upper: hydrophobic nubuck leather and water-repellent textile.
- Lining: 3D breathable mesh.
- Sole: dual-component PU with Infinergy® insert.
- Insole: memory foam design for optimal comfort.
- ESD certified, suitable for environments requiring electrostatic discharge protection.

Description	Size	Reference
JALSTAR T.35	35	77 17 275 052
JALSTAR T.36	36	77 17 275 053
JALSTAR T.37	37	77 17 275 054
JALSTAR T.38	38	77 17 275 055



Description	Size	Reference
JALSTAR T.39	39	77 17 275 056
JALSTAR T.40	40	77 17 275 057
JALSTAR T.41	41	77 17 275 058
JALSTAR T.42	42	77 17 275 059
JALSTAR T.43	43	77 17 275 060
JALSTAR T.44	44	77 17 275 061
JALSTAR T.45	45	77 17 275 062
JALSTAR T.46	46	77 17 275 063
JALSTAR T.47	47	77 17 275 064
JALSTAR T.48	48	77 17 275 065

JALPACINO S3 – EN ISO 20345

Derby-style safety shoe — elegant, durable, and functional.

- Upper: smooth full-grain hydrophobic leather.
- Lining: synthetic with reinforced heel support.
- Sole: dual-component PU with Infinergy® insert.
- Insole: ergonomic, shock-absorbing, and fatigue-reducing.

Description	Size	Reference
JALPACINO T.38	38	77 17 275 122
JALPACINO T.39	39	77 17 275 123
JALPACINO T.40	40	77 17 275 124
JALPACINO T.41	41	77 17 275 125



Description	Size	Reference
JALPACINO T.42	42	77 17 275 126
JALPACINO T.43	43	77 17 275 127
JALPACINO T.44	44	77 17 275 128
JALPACINO T.45	45	77 17 275 129
JALPACINO T.46	46	77 17 275 130
JALPACINO T.47	47	77 17 275 131
JALPACINO T.48	48	77 17 275 132

NEW

Security Shoes

SPECIFIC RANGE

Designed to be lived in, these shoes, with their modern, sporty design, come across as light, comfortable, flexible and well-ventilated. Just as useful in the dry as in the wet, they adapt effortlessly to a variety of uses to ensure your safety both inside and out.

JALONYX S3 – EN ISO 20345

Low-cut safety shoe optimized for comfort and technical environments.

- Upper: recycled microfiber and technical nubuck finish.
- Lining: breathable with antibacterial properties.
- Midsole: PU Biomass Balance providing shock absorption and excellent rebound.
- Insole: ergonomic, cushioned to reduce pressure points.
- Protection: SPRINGTANE®-B polymer toe cap and anti-perforation insole.
- ESD certified, suitable for environments requiring electrostatic discharge control..

Description	Size	Reference
JALONYX T.35	35	77 17 275 080
JALONYX T.36	36	77 17 275 081
JALONYX T.37	37	77 17 275 082
JALONYX T.38	38	77 17 275 083



Description	Size	Reference
JALONYX T.39	39	77 17 275 084
JALONYX T.40	40	77 17 275 085
JALONYX T.41	41	77 17 275 086
JALONYX T.42	42	77 17 275 087
JALONYX T.43	43	77 17 275 088
JALONYX T.44	44	77 17 275 089
JALONYX T.45	45	77 17 275 090
JALONYX T.46	46	77 17 275 091
JALONYX T.47	47	77 17 275 092
JALONYX T.48	48	77 17 275 093

NEW




BODYSHOP PANTS

Description	Size	Reference
Bodyshop Pants	36	77 17 277 576
Bodyshop Pants	38	77 17 277 577
Bodyshop Pants	40	77 17 277 578
Bodyshop Pants	42	77 17 277 579
Bodyshop Pants	44	77 17 277 580
Bodyshop Pants	46	77 17 277 581
Bodyshop Pants	48	77 17 277 582
Bodyshop Pants	50	77 17 277 583
Bodyshop Pants	52	77 17 277 584
Bodyshop Pants	54	77 17 277 585



T-SHIRT (1)

Description	Size	Reference
Bodyshop T-shirt	S	77 17 277 586
Bodyshop T-shirt	M	77 17 277 587
Bodyshop T-shirt	L	77 17 277 588
Bodyshop T-shirt	XL	77 17 277 589
Bodyshop T-shirt	XXL	77 17 277 590
Bodyshop T-shirt	3XL	77 17 277 591



BODYSHOP JACKET (2)

Description	Size	Reference
Bodyshop Jacket	L	77 17 277 592
Bodyshop Jacket	XL	77 17 277 593
Bodyshop Jacket	XXL	77 17 277 594
Bodyshop Jacket	3XL	77 17 277 595

BODY WARMER

Description	Size	Reference
Body Warmer	XS	77 17 277 596
Body Warmer	S	77 17 277 597
Body Warmer	M	77 17 277 598
Body Warmer	L	77 17 277 599
Body Warmer	XL	77 17 277 600
Body Warmer	XXL	77 17 277 601
Body Warmer	3XL	77 17 277 602



NEW

PUFFER JACKET

Description	Size	Reference
Ixell Puffer Jacket	S	77 17 277 603
Ixell Puffer Jacket	M	77 17 277 604
Ixell Puffer Jacket	L	77 17 277 605
Ixell Puffer Jacket	XL	77 17 277 606
Ixell Puffer Jacket	XXL	77 17 277 607
Ixell Puffer Jacket	3XL	77 17 277 608




SHIRT

Description	Size	Reference
Men's Shirt	S	77 17 277 681
Men's Shirt	M	77 17 277 682
Men's Shirt	L	77 17 277 683
Men's Shirt	XL	77 17 277 684
Men's Shirt	XXL	77 17 277 685
Men's Shirt	3XL	77 17 277 686
Men's Shirt	4XL	77 17 277 687



POLO SHIRT

Description	Size	Reference
Men's Polo	S	77 17 277 688
Men's Polo	M	77 17 277 689
Men's Polo	L	77 17 277 690
Men's Polo	XL	77 17 277 691
Men's Polo	XXL	77 17 277 692
Men's Polo	3XL	77 17 277 693






SWEATSHIRT

Description	Size	Reference
Men's Sweatshirt	S	77 17 277 694
Men's Sweatshirt	M	77 17 277 695
Men's Sweatshirt	L	77 17 277 696
Men's Sweatshirt	XL	77 17 277 697
Men's Sweatshirt	XXL	77 17 277 698
Men's Sweatshirt	3XL	77 17 277 699



NEW

ixell.com



RENAULT S.A.S.

122-122 bis avenue du Général Leclerc
92100 Boulogne Billancourt - France
Tél. : +33 (01) 1.76.84.04.04

ixell
Much more than just paint